CONTENTS

KITCHEN SERIES 002—079

Fruit Juicer
Hand Mixer
Meat Grinder
Stand Mixer
Electric Kettle
Espresso Machine
Electric Rice Cooker
Sandwich Maker
Microwave Oven
Electric Oven
Air Circulation Fryer
Slice Toaster
Induction Cooker
Deluxe Gas Stove

PERSONAL CARE 080—123

Hair Clipper
Rotary Shaver
Hairdressing Splint
Hair Dryer

HOUSEHOLD APPLIANCES 124—137

Electric Iron
Power Socket
Automatic Voltage Regulator
Vacuum Cleaner
Water Dispenser
Ice Cream Machine
Washing Machine
Refrigerator
Freezer
Television
Led Tv

AC 110V PRODUCTS 138—148





High Speed Blender





High Speed Blender





High Speed Blender





High Speed Blender





Blender





Multifunction Blender





High Speed Blender





High Speed Blender





High Speed Blender





High Speed Blender





High Speed Blender





High Speed Blender





High Speed Blender

High Speed Blender

Blender

Blender

Blender

Blender

2 IN 1 Blender

2 IN 1 Blender

2 IN 1 Blender



2 IN 1 Blender





2 IN 1 Blender





2 IN 1 Blender





2 IN 1 Blender





2 IN 1 Blender





4 IN 1 Blender





2 IN 1 Blender





3 IN 1 Blender





2 IN 1 Blender





3 IN 1 Blender





7 IN 1 Blender





4 IN 1 Blender



KITCHEN SERIES

ENJOY SMART LIFE

ST-5555





JBQ-754-WST 0.057CBM 24PCS



Hand Blender

- AC 220V-240V 50/60Hz;
- Power: 800W;
- Size: 390×72mm;
- Material: black ABS plastic case;
- 2-Speed.

ST-6551





JBQ-1183-WST 0.082CBM 20PCS



Hand Blender

- AC 220V-240V 50/60Hz;
- Power: 750W;
- Capacity: 600mL;
- Size: 65×65×400mm;
- Material: Stainless Steel Body;
- Pure copper power cord.

ST-5550





JBQ-546-WST 0.098CBM 12PCS



4 IN 1 Hand Blender

- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Capacity: PP meat grinder cup lid, 600mL, AS measuring cup, 800mL;
- Size: 380×550mm;
- Material: 201 stainless steel feet+410 stainless steel blades;
- Pure copper motor.

ST-5554





JBQ-584-WST 0.061CBM 24PCS



Hand Blender

- AC 220V-240V 50/60Hz;
- Power: 200W;
- Size: 390×72×72mm;
- Material: Pure copper motor (motor speed 16000RPM) 2 speed regulation, with chrome plated decorative parts.

ST-6552





JBQ-1213-WST 0.095CBM 12PCS




Hand Blender

- AC 220V-240V 50/60Hz;
- Power: 600W;
- Size: 65×65×370mm;
- Material: ABS+stainless steel;
- Selling Point: 1. pure copper motor; 2. pure copper power cord.

ST-5552





JBQ-582-WST 0.098CBM 12PCS



4 IN 1 Hand Blender

- AC 220V-240V 50/60Hz;
- Power: 600W;
- Size: 52×52×355mm;
- Material: Motor (motor speed 16000 RPM) 2-speed setting, beat eggs, stir, ground meat.

ST-5553





JBQ-583-WST 0.125CBM 24PCS

Hand Blender



- AC 220V-240V 50/60Hz;
- Power: 400W;
- Size: 390×72×72mm;
- Material: Pure copper motor;
- Motor speed: 16000RPM; 2 speed regulation, with chrome plated decorative parts.

ST-5533





DDJ-476-WST 0.060CBM 20PCS

Hand Mixer



- AC 220V-240V 50/60Hz;
- Power: 200W;
- Copper-clad aluminum motor;
- Function: Mixing, 5-speed setting.

ST-90900





DDJ-1760-WST 0.081CBM 20PCS

Hand Mixer



- AC 220-240V 50/60Hz;
- Power: 400W;
- Size:153×89×195mm;
- Material: ABS shell, stainless steel panel;
- Selling Point: 1. pure copper motor; 2. 5-speed setting; 3. EU CE certified.

ST-5536





DDJ-505-WST 0.078CBM 20PCS

Hand Mixer



- AC 220V-240V 50/60Hz;
- Power: 350W;
- Big gear copper-clad aluminum motor;
- Function: Stir and mix.

ST-5534





DDJ-970-WST 0.079CBM 20PCS

Hand Mixer



- AC 220V-240V 50/60Hz;
- Power: 200W;
- Size:195×90×150mm;
- Material: ABS shell, Stainless steel panel;
- Function: Stirring/knead dough, 5-speed.

ST-5731





DDJ-1180-WST 0.072CBM 20PCS

Hand Mixer



- AC 220V-240V 50/60Hz;
- Power: 250W;
- Size: 186×87.5×160mm;
- Material: Stainless steel;
- Copper-clad aluminum motor, Pure copper power cord;
- Function: 5-Speed Adjustment.

ST-90800





LLJ-1749-WST | 0.166CBM | 9PCS

Food Processor



- AC 220V-240V 50/60Hz;
- Power: 300W;
- Capacity: 2.5L;
- Size: 236×190×250mm;
- Material: AS+PP+stainless steel;
- Selling Point: 1. 2-speed setting; 2. lid-open auto-stop protection;

ST-5582





LLJ-794-WST | 0.156CBM | 8PCS

Food Processor



- AC 220V-240V 50/60Hz;
- Power: 300W;
- Capacity: 3L;
- Size: 290×245×190mm;
- Material: 5430 motor.

ST-5581





LLJ-727-WST | 0.150CBM | 6PCS

3 IN 1 Food Processor



- AC 220V-240V 50/60Hz;
- Power: 300W;
- Capacity: 2.5L;
- Size: 250×180mm (2.5L) /240×120mm (0.8L) /210×105mm (0.5L);
- Function: 3-speed regulation.

ST-5508





LLJ-011-WST | 0.162CBM | 12PCS

Food Processor



- AC 220V-240V 50/60Hz;
- Power: 250W;
- Capacity: 2L;
- Size: 224×115×255mm;
- Material: Pyrex glass & ABS & Stainless steel
- Copper motor.

ST-5580





LLJ-1212-WST | 0.158CBM | 8PCS

Food Processor



- AC 220V-240V 50/60Hz;
- Power: 300W;
- Capacity: 3L;
- Size: 250×195×315mm;
- Material: ABS+stainless steel;
- Selling Point: 1. continuous processing; 2. over-stall protection; 3. pure copper power cord.

ST-5584





LLJ-1296-WST | 0.119CBM | 8PCS

Food Processor



- DC 5V;
- Power: 80W;
- Capacity: 1.2L;
- Size: 160×160×340mm;
- Material: ABS+stainless steel;
- Selling Point: 1. 4000mAh battery; 2. 4-blade 420 stainless steel; 3. high borosilicate glass bowl.

ST-5507





LLJ-010-WST 0.189CBM 12PCS



Food Processor

- AC 220V-240V 50/60Hz
- Power: 300W;
- Capacity: 3L;
- Size: 254×135×275mm;
- Material: Stainless steel & ABS plastic accessories;
- Copper motor.

ST-5564





LLJ-795-WST 0.2CBM 20PCS



Food Processor

- AC 220V-240V 50/60Hz;
- Power: 250W;
- Capacity: 2L;
- Size: 234×234×318mm;
- Material: 5425 motor.

ST-5560





LLJ-207-WST 0.190CBM 6PCS



Food Processor

- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Capacity: 6L;
- Size: 340×290mm;
- Material: Stainless steel & ABS plastic accessories;
- Copper motor.

ST-5566





LLJ-1200-WST 0.146CBM 6PCS



Food Processor

- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Capacity: 6L;
- Size: 420×270×230mm;
- Material: PP+stainless steel;
- Selling Point: 1. overload protection; 2. stainless steel shell; 3. pure copper power cord.

ST-5565





LLJ-796-WST 0.215CBM 4PCS



Food Processor

- AC 220V-240V 50/60Hz;
- Power: 1800W;
- Capacity: 12L;
- Size: 315×315×490mm;
- Material: 9535 copper-clad aluminum motor.

ST-5532





DDJ-454-WST 0.115CBM 6PCS



Multifunctional Hand Mixer

- AC 220V-240V 50/60Hz;
- Power: 450W;
- Capacity: 4.5L;
- Material: stainless steel;
- Functions: mixing and surface, 5 speed regulation, 2 types of stirring rod, 360 degrees rotation.

ST-5300





CSJ-250-WST 0.075CBM 2PCS

Stand Mixer



- AC 220V-240V 50/60Hz
- Power: 1300W;
- Size: 348×228×278mm;
- Material: PP & Stainless steel material;
- 6 speed & pulse function;
  LED indicator light;
  4 suction cups.

ST-5302





CSJ-451-WST 0.078CBM 1PCS

Stand Mixer



- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Capacity: 10L;
- Material: stainless steel;
- Features: 6 speed + pulse +LED indicator; 4 suction cup chassis design; Pure copper motor; 2×0.5mm² copper power cord.

ST-5303





CSJ-997-WST 0.119CBM 2PCS

Stand Mixer



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Capacity: 6L;
- Size: 365×190×330mm;
- Material: ABS shell + Stainless Steel Decorative Ring.

ST-5304





CSJ-1049-WST 0.102CBM 3PCS

Stand Mixer



- AC 220V-240V 50/60Hz;
- Power: 1300W;
- Capacity: 4L;
- Size: 320×310×160mm;
- Material: ABS shell + Stainless Steel Decorative Ring.

ST-5306





CSJ-1182-WST 0.084CBM 2PCS

Stand Mixer



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Capacity: 5L;
- Size: 390×230×330mm;
- Material: ABS Parts, 304 Stainless Steel Bowl;
- Pure copper power cord.

ST-5305





CSJ-1181-WST 0.134CBM 2PCS

Stand Mixer



- AC 220V-240V 50/60Hz;
- Power: 1300W;
- Capacity: 5L +1.5L;
- Size: 450×230×526mm;
- Material: ABS Base, 304 Stainless Steel Bowl;
- Pure copper power cord.


ST-5517
Aluminum Plate
ABS Plastic Shell
Silver Panel
Meat Inlet
JRJ-485-WST
0.163CBM
6PCS
Meat Grinder
• AC 220V-240V 50/60Hz;
• Power: 450W;
• The amount of minced meat is about 1.5kg per minute;
• Material: Stainless steel;
• Enema function;
Meatloaf function.
WINNING STAR


ST-5539
power switch
safety lock
outlet hopper
feed hopper
JRJ-1834-WST
0.125CBM
6PCS
Meat Grinder
• AC 220V-240V 50/60Hz;
• Power: 600W;
• Size: 340×130×345mm;
• Material: ASB+stainless steel;
• Selling Point: 1. 420 stainless steel blade; 2. 3 replaceable blades; 3. forward/reverse control.


ST-6600
Start button switch
Discharge Port
Handheld hole
Exhaust hole
QCJ-1134-WST
0.126CBM
8PCS
Vegetable Cutter
• AC 220V-240V 50/60Hz;
• Power: 200W;
• Size: 198×146×279mm;
• Material: 430 Stainless Steel;
• Slicing/Shredding×2/Grinding Blades.


ST-5302-A
control panel
control knob
handle
anti-slip feet
CSJ-1214-WST
0.121CBM
1PCS
Stand Mixer
• AC 220V-240V 50/60Hz;
• Power: 2800W;
• Capacity: 16L;
• Size: 496×410×435mm;
• Selling Point: 1. touch screen control; 2. timing function.

ST-9402





MFJ-1047-WST 0.082CBM 6PCS

Electric Grinder



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Capacity: 200g;
- Size: 350×160mm;
- Material: Stainless Steel;
- Pure Copper Motor.

ST-9400





MFJ-989-WST 0.069CBM 8PCS

Electric Grinder



- AC 220V-240V 50/60Hz;
- Power: 650W;
- Capacity: 100g;
- Size: 330×135mm.
- Material: Stainless Steel;
- Pure Copper Motor 25000RPM.

ST-9400





MFJ-730-WST 0.089CBM 8PCS

Electric Grinder



- AC 220V-240V 50/60Hz;
- Power: 500W;
- Capacity: 100g;
- Size: 335×165×138mm;
- Material: copper motor.

ST-9403





MFJ-1072-WST 0.127CBM 4PCS

Electric Grinder



- AC 220V-240V 50/60Hz;
- Power: 1900W;
- Capacity: 800g;
- Size: 350×230×200mm;
- Material: Stainless Steel body+6pcs of 3cr12 SS blades;
- 3pcs*1mm² pure copper power cord at length of 1.3m, timer function.

ST-9404





MFJ-1073-WST 0.065CBM 2PCS

Electric Grinder



- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Capacity: 2000g;
- Size: 380×265×235mm;
- Material: Stainless Steel;
- Pure Copper Motor.

ST-9401





MFJ-731-WST 0.092CBM 4PCS

Electric Grinder



- AC 220V-240V 50/60Hz;
- Power: 900W;
- Capacity: 500g;
- Size: 378×192×198mm;
- Copper motor.



ST-6001





Spout with Filter Mesh | PP Housing | On/Off Button | Cordless Usage

RSH-95-WST | 0.162CBM | 16PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1800W;
- Capacity: 1.8L;
- Material: Stainless steel body & PP housing;
- Boil-dry and overheat protection; Thermostat.

ST-6023





On/off Switch | Spout | Switch | Handle

RSH-1074-WST | 0.155CBM | 16PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.7L;
- Size: 237×149×223mm;
- Material: stainless steel+Plastic;
- Boil-dry protection.

ST-6023





On/off Switch | Spout | Switch | Handle

RSH-1075-WST | 0.155CBM | 16PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.7L;
- Size: 237×149×223mm;
- Material: stainless steel + Plastic;
- Boil-dry protection.

ST-6030




On/off Switch


Spout


Handle


Power Connector

RSH-951-WST 0.117CBM 16PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Capacity: 1.8L;
- Size: 243×192×135mm;
- Material: PP+stainless steel;
- Boil-dry protection.

ST-6019




Hinged Safety Lid


Stainless Steel Body


Stainless Steel Spout


Switch with Light

RSH-536-WST 0.153CBM 16PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1800W;
- Capacity: 1.8L;
- Size: 270×135mm;
- Material: stainless steel body, Bimetallic Thermostat Controller;
- Boil-dry and overheat protection, automatic power off.

ST-6044




On/Off switch


Spout


Handle


Lid Switch

RSH-1165-WST 0.155CBM 16PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Size: 223×149×235mm;
- Material: PP+304 stainless steel;
- Overheat Protection.

ST-6044




On/Off switch


Spout


Lid Switch


Handle

RSH-1166-WST 0.155CBM 16PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Size: 223×149×235mm;
- Material: PP+304 stainless steel;
- Overheat Protection.

ST-6044




On/Off switch


Spout


Lid Switch


Handle

RSH-1184-WST 0.155CBM 16PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Size: 223×149×235mm;
- Material: PP+304 stainless steel;
- Overheat Protection.

ST-6044




On/Off switch


Spout


Lid Switch


Handle

RSH-1185-WST 0.155CBM 16PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Size: 223×149×235mm;
- Material: PP+304 stainless steel;
- Overheat Protection.

ST-6058





RSH-1786-WST 0.145CBM 16PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Capacity: 1.7L;
- Size: 225×153×233mm;
- Material: PP+stainless steel;
- Selling Point: 1. bimetallic thermostat controller; 2. visible water gauge.

ST-90111





RSH-1723-WST 0.15CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1850W-2200W;
- Capacity: 1.7L;
- Size: 215×158×263mm;
- Material: PP+stainless steel;
- Selling Point: 1. 304 stainless steel heating plate; 2. boil-dry protection.

ST-6042





RSH-1141-WST 0.125CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.8L;
- Size: 210×155×230mm;
- Material: stainless steel;
- Boil-Dry Protection.

ST-6017-Q





RSH-1201-WST 0.149CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.8L;
- Size: 210×160×230mm;
- Material: High Borosilicate Glass Pot Body;
- Pure Copper Power Cord.

ST-6017





RSH-460-WST 0.149CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.8L;
- Material: Glass;
- Bimetallic Thermostat Controller;
- Boil-dry Protection.

ST-6028





RSH-904-WST 0.139CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.5L;
- Size: 215×190×245mm;
- Material: plastic;
- Boil-Dry Protection/Warm Keeping.

ST-6047





RSH-1242-WST 0.169CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.7L;
- Size: 195×150×275mm;
- Material: PP+stainless steel;
- Selling Point: 1. 4-temperature setting; 2. temperature display; 3. touch button.

ST-6056





RSH-1753-WST 0.118CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.5L;
- Size: 217×150×254mm;
- Material: PP;
- Selling Point: 1. smart display; 2. 6-temperature presets.

ST-6032





RSH-786-WST 0.201CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 800W;
- Capacity: 1.5L;
- Size: 260×130mm (excluding base);
- Material: PP plastic shell and base.

ST-6050





RSH-1670-WST 0.204CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 2L+0.8L;
- Size: 215×160×360mm;
- Material: PP+stainless steel;
- Selling Point: 1. heatproof borosilicate glass; 2. pure copper power cord.

ST-6051





RSH-1671-WST 0.151CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.8L;
- Size: 210×158×240mm;
- Material: PP+stainless steel;
- Selling Point: 1. heatproof borosilicate glass; 2. pure copper power cord.

ST-6024





RSH-662-WST 0.145CBM 16PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.2L;
- Size: 233×172×179mm;
- Material: 304 Stainless Steel;
- Pure Copper Power Cord;
- Boil-dry Protection.

ST-6027





RSH-669-WST 0.153CBM 20PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1100W;
- Capacity: 1.2L;
- Size: 200×160mm;
- Material: 201 stainless steel;
- Boil-dry Protection.

ST-6025





RSH-663-WST 0.142CBM 16PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.8L;
- Size: 200×105×220mm;
- Material: 304 stainless steel;
- Boil-dry Protection.

ST-0103





RSH-990-WST 0.11CBM 12PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Capacity: 1.5L;
- Size: 290×140×125mm;
- Material: Stainless steel+PP.

ST-6046





RSH-1140-WST 0.158CBM 16PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.8L;
- Size: 230×140×240mm;
- Material: stainless steel;
- Boil-Dry Protection.

ST-6011





RSH-228-WST 0.171CBM 20PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 1.8L;
- Size: 225×150mm;
- Material: Stainless steel body & Plastic accessories;
- Automatic switch off; Boil-dry and overheat protection.

ST-6037





RSH-1030-WST 0.190CBM 16PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 3L;
- Size: 300×155×200mm;
- Material: 201 stainless steel;
- Boil-dry and overheat protection.

ST-6016




304 Stainless Steel Body


Bimetallic Thermostat Controller


Frosted Surface Inside


Stainless Steel Lid

RSH-1192-WST 0.127CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1600W;
- Capacity: 1.8L;
- Size: 215×189mm;
- Material: 304 stainless steel;
- English water level gauge.

ST-6054




power switch


auto warm keeping


spout


304 stainless steel inner pot

RSH-1780-WST 0.125CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1600W;
- Capacity: 1.8L;
- Size: 250×183×245mm;
- Material: PP+stainless steel;
- Selling Point: 1. auto warm keeping; 2. 304 stainless steel inner pot.

ST-6057




power switch


spout


304 stainless steel inner pot


handle

RSH-1781-WST 0.134CBM 12PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1600W;
- Capacity: 2L;
- Size: 231×183×285mm;
- Material: PP+stainless steel;
- Selling Point: 1. 304 stainless steel inner pot; 2. boil-dry protection.

ST-6048




power switch


spout


handle


304 stainless steel heating plate

RSH-1245-WST 0.138CBM 10PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 1850W-2200W;
- Capacity: 1.7L;
- Size: 216×195×271mm;
- Material: PP+stainless steel;
- Selling Point: 1. 304 stainless steel material; 2. boil-dry protection; 3. pure copper power cord.

ST-6006




Base


Pouring Spout


Cover


Stainless Steel Liner

RSH-612-WST 0.162CBM 16PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 500W;
- Capacity: 1.2L;
- Size: 200×150mm;
- Material: 3x0.75mm² national standard pure copper new PVC power cord external leakage 65cm;
- Can be collected coil, Boil-dry and overheat protection, steam induction switch.

ST-6053




control panel


power switch


spout


heatproof borosilicate glass

RSH-1696-WST 0.164CBM 6PCS



Electric Kettle

- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Capacity: 1.8L+1.2L;
- Size: 410×210×450mm;
- Material: PP+stainless steel;
- Selling Point: 1. heatproof borosilicate glass; 2. touch switch; 3. 4-temperature presets.

ST-6020




Button


Display screen


Switch


Knob

RSH-527-WST 0.165CBM 4PCS

Smart Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Capacity: 5L;
- Size: 280×210×370mm.
- Material: PP plastic housing+ 304 stainless steel liner;
- Boil-Dry Protection/Warm Keeping.

ST-6026




Function Pannel


Water Outlet


Cover


Tick Mark

RSH-668-WST 0.164CBM 6PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 730W;
- Capacity: 3L;
- Size: 360×270×200mm;
- Material: 304 Stainless Steel+PP plastic, Pure copper power cord;
- Detachable cover with safety lock, Boil-dry Protection, automatically boiling, keep warm; Air pump, electric pump, 3 touch options;

ST-6055




control panel


water outlet


handle


visible water gauge

RSH-1700-WST 0.187CBM 6PCS

Thermostatic Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 800W;
- Capacity: 4.2L;
- Size: 200×290×395mm;
- Material: PP+stainless steel;
- Selling Point: 1. 3-water dispensing modes; 2. visible water gauge.

ST-6052




control panel


heatproof borosilicate glass


steam vent


handle

RSH-1686-WST 0.191CBM 6PCS

Thermostatic Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1350W;
- Capacity: 4.2L;
- Size: 180×315mm;
- Material: PP+stainless steel;
- Selling Point: 1. 6-temperature presets; 2. 6-water dispensing time.

ST-6021




power switch


indicator light


spout


handle

DCH-1265-WST 0.198CBM 12PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1800W;
- Capacity: 5L;
- Size: 250×230×290mm;
- Material: 201 stainless steel;
- Selling Point: 1. pure copper power cord; 2. boil-dry protection.

ST-6043




On/Off switch


Spout


Handle


Filter

DCH-1159-WST 0.154CBM 8PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 1800W;
- Capacity: 5L;
- Size: 190×220×380mm;
- Material: PP+201 Stainless Steel;
- Overheat Protection.

ST-9110




display screen


water outlet


handle


steam vent

DCH-1229-WST 0.142CBM 6PCS

Electric Kettle



- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Capacity: 3.5L+1L;
- Size: 210×270×450mm;
- Material: 201 stainless steel;
- Selling Point: auto warm keeping.

ST-7000




Power switch


Temperature Knob


The faucet


Water level pool

KST-1033-WST 0.121CBM 2PCS

Electric Water Boiler



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 10L;
- Material: 304 Stainless Steel;
- Adjustable Temperature: 30-110℃; Heating/Boil-Dry Protection/ Keep-Warm Function.

ST-9501




control panel


visible top cover


1.2L capacity


cooling vent

ZBJ-1230-WST 0.065CBM 2PCS

Ice Maker



- AC 220V-240V 50Hz;
- Power: 130W;
- Capacity: 1.2L+1.2L;
- Size: 290×222×270mm;
- Material: ABS;
- Selling Point: 1. self-cleaning; 2. adjustable ice size.

ST-9502




control panel


2.5L capacity


water inlet


cooling vent

ZBJ-1758-WST 0.062CBM 1PCS

Ice Maker



- AC 220V-240V 50Hz;
- Power: 130W;
- Capacity: 6L+2.5L;
- Size: 377×276×362mm;
- Material: stainless steel;
- Selling Point: 1. adjustable ice size; 2. self-cleaning; 3. touch control.

ST-9503




operating handle


control panel


ABS material


cooling vent

ZBJ-1759-WST 0.068CBM 1PCS

Slushie Maker



- AC 220V-240V 50Hz;
- Power: 200W;
- Capacity: 2.6L;
- Size: 467×165×415mm;
- Material: ABS;
- Selling Point: 1. 6 function presets; 2. adjustable temperature.

ST-7006




Button


Barrel


Outlet


Heat dissipation vents

XHJ-1036-WST 0.139CBM 1PCS

Flake ice machine



- AC 220V-240V 50Hz;
- Power: 750W;
- Size: 340×570×420mm;
- Shell material: Stainless steel;
- Yield: 180kg/24; 20 seconds to ice out.



ST-9714





Bean bin | Steam knob | Water tank | Pressure gauge

KFJ-802-WST | 0.1CBM | 1PCS

Espresso Machine



- AC 220-240V 50/60Hz;
- Power: 2800W;
- Pressure: 20bar;
- Size: 350×450×405mm;
- Water tank material: PP+AS;
  Body material: ABS;
- With thermal protection.

ST-9707





Function Pannel | Coffee Bean Tank | Coffee Making | Powder Adjustable

KFJ-572-WST | 0.070CBM | 1PCS

Espresso Machine



- AC 220V-240V 50/60Hz;
- Power: heat: 1450W, grinder: 150W;
- Pressure: 15bar;
- Capacity: 2L water tank, 150g coffee bean tank;
- Size: 309×311×407mm;
- Material: ABS+AS, Pure copper power cord;
- Grinder, Foam and Hot Water, adjustable grinding accuracy.

ST-9702





Steam Jet Control Switch | Three Functions | Steam Nozzel | Coffee Outlet

KFJ-351-WST | 0.124CBM | 4PCS

Espresso Machine



- AC 220V-240V 50/60Hz
- Power: 850W;
- Pressure: 15bar;
- Size: 300×240×300mm.
- Detachable frothing nozzle and drip tray for Safe and relible;
  Mode for operation: espresso, milk foam, coffee cup insulation.

ST-9745





Water storage tank | Function display | Hand shank | Water tank

KFJ-830-WST | 0.085CBM | 4PCS

Capsule Machine



- AC 220V-240V 50/60Hz;
- Power: 1400W;
- Water tank capacity: 600mL;
- Size: 280×105×255mm;
- Transparent detachable water tank.

ST-9705





Function Button | Safety Lock | Capsule Coffee Container | Removable Water Tank

KFJ-539-WST | 0.086CBM | 6PCS

Capsule Machine



- AC 220V-240V 50/60Hz;
- Power: 1450W;
- Pressure: 19bar;
- Capacity: 600mL;
- Size: 260×110×270mm;
- Material: shell PP, water tank AS; Transparent detachable water tank, with
- 3 pockets + coffee bag filter (4 functions).

ST-9701





Water storage tank | Function display | Hand shank | Water tank

KFJ-820-WST | 0.044CBM | 2PCS

Capsule Machine



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Size: 320×115×270mm;
- Shell material: ABS; Water tank material: SMMA.

ST-9708





Switch | Tick Mark | Water Tank | Coffee Kettle

KFJ-573-WST | 0.123CBM | 4PCS

Drip Coffee Machine



- AC 220V-240V 50/60Hz;
- Power: 850W-1000W;
- Capacity: 1.2L water tank;
- Size: 185×210×340mm;
- Material: 430 Stainless Steel+ABS+PP+Glass;
- pure copper power cord;
- Drip coffee.

ST-9709





Switch | Function Pannel | Pressure Gauge | Coffee Powder Putting

KFJ-575-WST | 0.078CBM | 3PCS

Espresso Machine



- AC 220V-240V 50/60Hz;
- Power: 1450W;
- Pressure: 15bar;
- Capacity: 1L water tank;
- Size: 300×140×296mm;
- Material: ABS+430 Stainless Steel+AS;
- Pure Copper Wire; Foam and Hot Water.

ST-9746





Power Switch | Water outlet | Handle | Water Tank

KFJ-1097-WST | 0.06CBM | 4PCS

Capsule Machine



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Water tank capacity: 550mL;
- Size: 308×83×207mm;
- 19bar imported Italian pump (ULKA-EP4).

ST-9738




power switch


connector


handle


water tank

KFJ-1258-WST | 0.086CBM | 6PCS



Coffee Machine

- AC 220V-240V 50/60Hz;
- Power: 800W;
- Capacity: 1.2L;
- Size: 210×165×305mm;
- Material: PP;
- Selling Point: 1. anti-drip design; 2. rotatable filter basket holder; 3. auto warm keeping.

ST-9711




Switch


Tick Mark


Spout


Coffee Kettle

KFJ-586-WST | 0.072CBM | 8PCS



Coffee Machine

- AC 220V-240V 50/60Hz;
- Power: 550W;
- Capacity: 600mL water tank, 4-6 cups coffee kettle;
- Size: 225×147×249mm;
- Material: Glass+PP, pure copper power cord;
- Drip coffee.

ST-9820




Button


Point switch


Bean bin


Meal outlet

YMJ-792-WST | 0.112CBM | 4PCS



Coffee Grinder

- AC 220V-240V 50Hz;
- Power: 200W;
- Size: 220×140×470mm;
- Body material: pure aluminum alloy;
- 2000RPM.

ST-9821




Grinding control button


Button


Bean bin


Powder receiving cup

YMJ-793-WST | 0.145CBM | 6PCS



Coffee Grinder

- AC 220V-240V 50Hz;
- Power: 180W;
- Size: 220×120×360mm;
- Body material: aluminum alloy and ABS;
- With 5350# copper motor;
- 2000RPM.

ST-9710




Switch Knob


ABS Plastic Parts


410 Stainless Steel Grinding Blade


Stainless Steel Decorative Strip

YMJ-441-WST | 0.112CBM | 40PCS



Coffee Grinder

- AC 220V-240V 50/60Hz;
- Power: 150W;
- Capacity: 70g(10UPS);
- Size: 205×105×110mm;
- Material: ABS plastic, 410 stainless steel, 201 stainless steel, pure copper power cord;
- Grinding and mixing.

ST-9713




Cover


304SS Grinder Cup


Charging


Thermovent

YMJ-595-WST | 0.082CBM | 30PCS



Coffee Grinder

- AC 220V-240V 50/60Hz;
- Power: 150W;
- Capacity: 80g/120mL;
- Size: 195×115mm;
- Material: ABS+PC+304 stainless steel Blades, pure copper motor and power cord.

ST-9725





Button | Cover | Blade | Charging port

YMJ-962-WST | 0.082CBM | 30PCS

Coffee Grinder



- AC 220V-240V 50/60Hz;
- Power: 150W;
- Capacity: 50g/120mL;
- Size: 150*75mm;
- Material: ABS+PC;
- Pure Copper Motor;
  304 stainless steel Blades;
  Stainless steel inner tank.

ST-9822





Button | Grind cup | Tank | Outlet

YMJ-1098-WST | 0.104CBM | 4PCS

Coffee Grinder



- AC 220V-240V 50/60Hz;
- Power: 150W;
- Capacity: 250g;
- Size: 212*149*342mm;
- Material: ABS;
- Power Cord.

ST-6802





Power switch + Power indicator light | Kettle body | Reduction piece | Handle

MKH-1126-WST | 0.064CBM | 8PCS

Electric Moka Pot



- AC 220V-240V 50/60Hz;
- Power: 480W;
- Capacity: 6-Cup;
- Size: 175*130*270mm;
- Boil-Dry Protection, Auto Power-Off.

ST-9896





Power button | Water outlet | Handle | Stainless Steel Body

KFH-1186-WST | 0.104CBM | 20PCS

Turkish Coffee Pot



- AC 220V-240V 50/60Hz;
- Power: 800W;
- Capacity: 200mL;
- Size: 260*106*142mm;
- Material: Stainless Steel Body;
- Power Cord.

ST-9897





power switch | water outlet | heating base | coffee pot

KFH-1249-WST | 0.093CBM | 12PCS

Turkish Coffee Pot



- AC 220V-240V 50Hz;
- Power: 550W;
- Capacity: 250mL;
- Size: 150*170*260mm;
- Material: ABS+PP;
- Selling Point: 1. touch button; 2. spill proof; 3. auto power-off.

ST-6900





control panel | visible water gauge | handle | steam vent

DJJ-1244-WST | 0.116CBM | 6PCS

Nut Milk Blender



- AC 220V-240V 50/60Hz;
- Power: 850W;
- Capacity: 1.2L;
- Size: 185*135*320mm;
- Material: PP+304 stainless steel;
- Selling Point: 1. self-cleaning; 2. preset timer.



ST-9303-B





Handle | Full Copper Power Line | Stainless Steel shell | Non-Stick Aluminum Inner Pot

DFG-419-WST 0.158CBM 4PCS

Electric Rice Cooker



- AC 220V-240V 50/60Hz;
- Power:1000W;
- Capacity: 6L;
- Size: 315×315×385mm;
- Material: 410 stainless steel, shell: 0.35mm;
- IMD full touch panel.

ST-9314





Pressure Valve | Function Pannel | Cover | Safety Lock

DFG-607-WST 0.109CBM 2PCS

Electric Pressure Cooker



- AC 220V-240V 50/60Hz;
- Power: 1300W;
- Capacity: 8L;
- Size: 375×330×375mm;
- Material: 410 stainless steel;
- Pure copper power cord;
- Multifunctional cooking.

ST-9315





Function Pannel | Cover | Safety Lock | Steam Drain

DFG-683-WST 0.154CBM 4PCS


Electric Pressure Cooker



- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Capacity: 6L;
- Size: 330×385mm;
- Material: 410 Stainless Steel, 435g hot plate,
- pure copper power cord;
- Multifunctional cooking.

ST-9511





DFG-1240-WST | 0.153CBM | 6PCS

Swallow Maker



- AC 220V-240V 50/60Hz;
- Power: 500W;
- Capacity: 4L;
- Size: 220×290×290mm;
- Selling Point: 1. pure copper motor; 2. nonstick coating.

ST-9303





DFG-66-WST | 0.099CBM | 2PCS

Electric Pressure Cooker



- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Size: 330×385mm;
- Material: 410 stainless steel shell: 0.35mm;
- IMD full touch panel.

ST-9336





DFG-88-WST | 0.147CBM | 2PCS

Electric Pressure Cooker



- AC 220V-240V 50/60Hz;
- Power: 1600W;
- Capacity: 10L;
- Size: 350×420×360mm;
- Material: 410 stainless steel shell: 0.35mm;
- IMD full touch panel, 3*0.75mm², 1.28m pure copper power cord.

ST-9307





DFG-994-WST | 0.134CBM | 4PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 500W;
- Capacity: 3L;
- Size: 280×245×198mm;
- Material: PP shell.

ST-9375





DFG-1111-WST | 0.099CBM | 2PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Capacity: 5L;
- Size: 340×280×210mm;
- IH Cooker/Induction Heating; Touch Panel.

ST-9335





DFG-686-WST | 0.171CBM | 4PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 850W;
- Capacity: 5L;
- Size: 280×400×240mm;
- Material: 415 hot plate;
- Multifunctional cooking.

ST-9305





Function Pannel | Button | Heat Vent | Cover

DFG-605-WST | 0.117CBM | 4PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 500W;
- Capacity: 3L;
- Size: 280×245×198mm;
- Material: 300G hot plate, Pure Copper Power Cord;
- Multifunctional cooking: PP cup and rice spoon.

ST-9354





Switch | Cover Button | Steam Drain | Handle

DFG-998-WST | 0.125CBM | 6PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 400W;
- Capacity: 2L;
- Size: 250×240×250mm;
- Material: PP shell.

ST-9513





control panel | power switch | steam vent | spoon slot

DFG-1280-WST | 0.117CBM | 4PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 900W;
- Capacity: 5L;
- Size: 280×280×287mm;
- Selling Point: 1. pure copper power cord; 2. rapid cooking.

ST-9346





On/Off Button | 0.35mm Thick Tinplate Housing for 300g Aluminum Gallbladder | Glass Cover

DFG-493-WST | 0.133CBM | 6PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 700W;
- Capacity: 4L;
- Material: 380g heating plate, 0.3mm middle layer;
- Cooking rice.

ST-9345





On/Off Button | 0.35mm Thick Tinplate Housing for 460g Aluminum Gallbladder | Glass Cover

DFG-492-WST | 0.136CBM | 4PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Capacity: 6L;
- Material: 530g heating plate, 0.3mm middle layer;
- Cooking rice.

ST-9310





Power button | Pot lid handle | Side handel | Anti-slip base

DFG-1195-WST | 0.101CBM | 4PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 700W;
- Capacity: 4L(International 1.8L);
- Size: 280×280×287mm;
- Material: Aluminum Alloy Liner;
- Pure Copper Power Cord.



ST-5201-24





Non-Stick Coating | Bakelite Handle | Die-Casting Aluminum Pots

GUO-673-WST 0.026CBM 6PCS

Nonstick Frying Pan



- Size: 240×55mm;
- Material: die-casting aluminum, bakelite material;
  Inner coating: non-stick material;
  Outer coating: non-stick material;
- Suitable for induction cooker.

ST-5201-28





Non-Stick Coating | Bakelite Handle | Die-Casting Aluminum Pots

GUO-674-WST 0.036CBM 6PCS

Nonstick Frying Pan



- Size: 280×60mm;
- Material: die-casting aluminum, bakelite material;
  Inner coating: non-stick material;
  Outer coating: non-stick material;
- Suitable for induction cooker.

ST-5209





Glass Cover | Grips | Black Handle | Steak Grill Pan

GUO-679-WST 0.176CBM 4PCS

4-piece Cookware Set



- Stockpot with glass lid, 240×110mm;
- Steak Baking Pan, 240×50mm;
- Round Frying Pan, 240×55mm;
- Die-Cast Stock Pot, 280×280×110mm;
- Inner coating: water-based non-stick;
  Outer coating: oil-based paint;
- Suitable for induction cooker.

ST-9341





DFG-80-WST 0.051CBM 1PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 1300W;
- Capacity: 8L;
- Size: 420×320mm;
- Material: Thick shell: 0.5mm;
- Mechanical quick cooking;
  3*0.75mm2, 1.28m pure copper power cord.

ST-9341





DFG-81-WST 0.049CBM 1PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 1300W;
- Capacity: 8L;
- Size: 420×320mm;
- Material: Thick shell: 0.5mm;
- Mechanical quick cooking;
  3*0.75mm², 1.28m full copper power line.

ST-9510





DFG-85-WST 0.071CBM 1PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 1900W;
- Capacity: 13L(International 5.6L);
- Size: 320×420×420mm;
- Material: Stainless Steel Body, Plastic Accessories.

ST-9344





DFG-411-WST 0.14CBM 4PCS

Rice Cooker



- AC 220V-240V 50/60Hz
- Power: 1000W;
- Capacity: 6L;
- Size: 340×316×285mm;
- Material: Thick tinplate shell: 0.35mm, Stainless steel & plastic parts;
- LED light (display text and pattern).

ST-9357





DFG-1025-WST 0.065CBM 1PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 1300W;
- Capacity: 8L;
- Size: 270×375mm;
- Material: Stainless steel shell, Plastic parts.

ST-9512-10





DFG-1259-WST 0.078CBM 1PCS

Rice Cooker



- AC 220V-240V 50/60Hz;
- Power: 1300W;
- Capacity: 10L;
- Size: 450×410×310mm;
- Selling Point: 1. nonstick inner pot; 2. quick cook function; 3. pure copper power cord.

ST-5202-24





GUO-676-WST 0.099CBM 8PCS

Nonstick Frying Pan



- Size: 240×69mm;
- Material: die-cast aluminum; Bakelite handle; Inner coating: non-stick material; Outer coating: non-stick material.

ST-5202-28





GUO-677-WST 0.098CBM 6PCS

Nonstick Frying Pan



- Size: 280×73mm;
- Material: die-cast aluminum; Bakelite handle; Inner coating: non-stick material; Outer coating: non-stick material.

ST-5202-30





GUO-678-WST 0.088CBM 4PCS

Nonstick Frying Pan



- Size: 300×89mm;
- Material: die-cast aluminum; Bakelite handle; Inner coating: non-stick material; Outer coating: non-stick material.

ST-5212





GUO-682-WST 0.158CBM 4PCS

5-piece Cookware Set



- Size: 280×60mm frying pan, 280×139mm soup pot, 280×75mm soup pot.

ST-5210





GUO-680-WST 0.182CBM 4PCS

7-piece Cookware Set



- Size:180×99mm milk pan, 240×55mm frying pan, 280×125mm soup pot, 300×127mm soup pot.

ST-5211





GUO-681-WST 0.181CBM 4PCS

6-piece Cookware Set



- Size: Φ24cm/28cm/32cm soup pot.

ST-5214





GUO-1032-WST 0.073CBM 4PCS

4-piece Cookware Set



- Size: 160×83mm, 240×55mm, 360×230mm.

ST-5213





GUO-1031-WST 0.109CBM 4PCS

5-piece Cookware Set



- Size: 160×83 mm, 249-55mm, 240×114mm.

ST-5106





GUO-297-WST 0.084CBM 2PCS

10-piece Cookware Set



- Size:16cm milk pot high 7.5cm, 1.7~2.9mm
  20cm saucepan 9cm, 1.7~3.1mm
  24cm saucepan 11cm, 1.7~2.9mm
  28cm saucepan 12.5cm, 1.7~3.6mm
  24cm deep fryer16cm, 1.7~2.9mm
  28cm deep fryer 6cm, 1.7~3.6mm;
- Material: glass lid 3.8mm, die-cast aluminum alloy pot body.

ST-5100





GUO-277-WST 0.099CBM 2PCS

9-piece Cookware Set



- Size: inner diameter 200mm×115mm, inner diameter 240mm×150mm, inner diameter 260mm×155mm.
- Material: 201 stainless steel, 1.0mm cover; 304 Pot body: three layers of stainless steel, 2.5mm.

ST-5101





GUO-278-WST 0.073CBM 2PCS

8-piece Cookware Set



- Size: frying pan: inner diameter 240mm×65mm; Stockpot: inner diameter 240mm×150mm; Milk pot: inner diameter 160mm×100mm;
- Material: Transparent tempered G glass, 0.4mm; Pot cover: frosted surface inside, mirror light outside, 304 Pot body: three layers of stainless steel, 2.5mm.

ST-5205





GUO-675-WST 0.140CBM 4PCS

Nonstick Wok



- Size: 320×100mm;
- Material: die-cast aluminum, With stainless steel handle;
- Ceramic external coating; apple green and stainless steel.

ST-5216





GUO-1761-WST 0.059CBM 4PCS



Cookware Set

- Size: Φ240×60mm/Φ240×90mm/ Φ240×120mm;
- Material: aluminum;
- Selling Point: 1. nonstick coating; 2. silicone sheath*2; 3. space-saving.

ST-5217





GUO-1762-WST 0.089CBM 6PCS



Cookware Set

- Size: Φ200×40mm/Φ240×43mm/ Φ260×45mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5218-20





GUO-1763-WST 0.025CBM 12PCS



Frying Pan

- Size: Φ200×40mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5218-24





GUO-1764-WST 0.036CBM 12PCS



Frying Pan

- Size: Φ240×43mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5218-26





GUO-1765-WST 0.042CBM 12PCS



Frying Pan

- Size: Φ260×45mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5221





GUO-1766-WST 0.05CBM 6PCS



Saucepan

- Size: Φ180×55mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5222





GUO-1767-WST 0.046CBM 4PCS



Cookware Set

- Size: Φ240×40mm/Φ260×55mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5223





GUO-1768-WST 0.052CBM 6PCS



Cookware Set

- Size: Φ180×80mm/Φ240×43mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5224-20





GUO-1769-WST 0.019CBM 12PCS



Frying Pan

- Size: Φ200×45mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5224-24





GUO-1770-WST 0.027CBM 12PCS



Frying Pan

- Size: Φ240×50mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5224-28





GUO-1771-WST 0.037CBM 6PCS



Frying Pan

- Size: Φ280×54mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5227





GUO-1772-WST 0.053CBM 6PCS



Saucepan

- Size: Φ180×85mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5228





GUO-1773-WST 0.042CBM 6PCS



Wok

- Size: Φ280×81mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5229-20





GUO-1774-WST 0.055CBM 6PCS



Casserole

- Size: Φ200×96mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5229-24





GUO-1775-WST 0.079CBM 6PCS



Casserole

- Size: Φ240×106mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5231





GUO-1776-WST 0.058CBM 2PCS



Cookware Set

- Size: Φ180×85mm/Φ240×106mm/Φ280×54mm;
- Material: aluminum;
- Selling Point: 1. pfoa-free; 2. nonstick coating; 3. bakelite handle.

ST-5200-24





GUO-670-WST 0.037CBM 6PCS



Nonstick Grill Pan

- Size: 240×50mm;
- Material: die-casting aluminum, bakelite material;
- Inner coating: non-stick material; Outer coating: non-stick material;
- Suitable for induction cooker.

ST-5200-28





GUO-671-WST 0.045CBM 6PCS



Nonstick Grill Pan

- Size: 280×50mm;
- Material: die-casting aluminum, bakelite material;
- Inner coating: non-stick material; Outer coating: non-stick material;
- Suitable for induction cooker.



ST-5201-20





GUO-672-WST | 0.019CBM | 6PCS

Nonstick Frying Pan



- Size: 200×50mm;
- Material: die-casting aluminum, bakelite material;
  Inner coating: non-stick material;
  Outer coating: non-stick material;
- Suitable for induction cooker.

ST-7800





DJ-1299-WST | 0.069CBM | 4PCS

Kitchen Knives



- Size: chef knife: 340×48mm/149g;
  bread knife: 340×30mm/132g;
  carving knife: 340×30mm/128g;
  utility knife: 245×22mm/51g;
  paring knife: 210×22mm/50g;
  kitchen shears: 265×50mm/198g;
- Material: 430 stainless steel;
- Selling Point: 1. damascus blade surface;
  2. stainless steel frosted knife handle.

ST-7801





DJ-1300-WST | 0.074CBM | 4PCS

Kitchen Knives



- Size: chef knife: 340×50mm/270g;
  bread knife: 240×40mm/255g;
  carving knife: 340×40mm/253g;
  utility knife: 250×22mm/130g;
  paring knife: 225×22mm/124g;
  kitchen shears: 255×41mm/210g;
- Material: 430 stainless steel;
- Selling Point: 1. damascus blade surface;
  2. corrosion resistance.

ST-7802





DJ-1307-WST | 0.052CBM | 6PCS

Kitchen Knives



- Size: chef knife: 327×44mm/128g; bread knife: 325×34mm/113g; carving knife: 325×34mm/103g; utility knife: 242×25mm/44g; paring knife: 205×25mm/41g; kitchen shears: 198×85mm/79g; sharpening steel: 315×30mm/140g;
- Material: 430 stainless steel;
- Selling Point: 1. storage block; 2. resistant to mildew growth.

ST-7803





DJ-1308-WST | 0.056CBM | 6PCS

Kitchen Knives



- Size: chef knife: 327×44mm/128g; bread knife: 325×34mm/113g; carving knife: 325×34mm/103g; utility knife: 242×25mm/44g; paring knife: 205×25mm/41g; kitchen shears: 198×85mm/79g; sharpening steel: 315×30mm/140g;
- Material: 3CR13+PP;
- Selling Point: 1. storage block; 2. resistant to mildew growth.

ST-7807-15





DJ-1627-WST | 0.06CBM | 4PCS

Kitchen Knives



- Size: chef knife: 333×46mm; bread knife: 333×30mm; carving knife: 333×30mm; santoku knife: 311×46mm; utility knife: 245×20mm; paring knife: 203×20mm; steak knife: 226×20mm; kitchen shears: 203×80mm; sharpening steel: 316×40mm;
- Material: 3CR13+430 stainless steel;
- Selling Point: 1. all-in-one; 2. razor-sharp and durable blades.

ST-7807-5





DJ-1625-WST | 0.035CBM | 12PCS

Kitchen Knives



- Size: chef knife: 334×46mm/216g; meat knife: 334×30mm/174g; bread knife: 334×30mm/199g; universal knife: 243×20mm/97g; fruit knife: 205×20mm/91g;
- Material: 3CR13+430 stainless steel;
- Selling Point: 1. satisfy diverse needs; 2. razor-sharp and durable blades.

ST-7804





DJ-1309-WST | 0.036CBM | 24PCS

Kitchen Knives



- Size: chef knife: 327×44mm/130g; bread knife: 325×34mm/115g; meat knife: 325×34mm/105g; universal knife: 242×25mm/46g; fruit knife: 205×25mm/43g;
- Material: 3CR13+PP;
- Selling Point: 1. multi-function; 2.heat-insulating.

ST-7808





DJ-1706-WST | 0.068CBM | 12PCS

Kitchen Knives



- Size: chef knife: 330×44mm/143g; bread knife: 330×28mm/113g; carving knife: 330×28mm/114g; santoku knife: 304×44mm/135g; utility knife: 238×22mm/55g; paring knife: 200×22mm/48g;
- Material: 3CR13+PP;
- Selling Point: 1. satisfy diverse needs; 2. razor-sharp and durable blades.

ST-7805





DJ-1310-WST | 0.03CBM | 20PCS

Kitchen Knives



- Weight: 225±5g;
- Size: 328×48mm;
- Material: 430 stainless steel;
- Selling Point: 1. damascus steel blade; 2. corrosion resistantance.

ST-7806-2





DJ-1624-WST | 0.034CBM | 36PCS


Kitchen Knives



- Size: chef knife: 334×46mm/216g; universal knife: 243×20mm/90g;
- Material: 3CR13+430 stainless steel;
- Selling Point: 1. satisfy diverse needs; 2. razor-sharp and durable blades.

ST-7806-3





DJ-1626-WST | 0.035CBM | 30PCS

Kitchen Knives



- Size: chef knife: 334×46mm/216g; universal knife: 243×20mm/90g; fruit knife: 205×20mm/85g;
- Material: 3CR13+430 stainless steel;
- Selling Point: 1. satisfy diverse needs; 2. razor-sharp and durable blades.

ST-7201





DCTZ-1689-WST | 0.035CBM | 12PCS

Cutlery Set



- Size: dinner knife×6: 230×19mm/85g; dinner fork×6: 204×25mm/44g; dinner spoon×6: 204×38mm/53g; dessert spoon×6: 140×25mm/20g;
- Material: 410 stainless steel;
- Selling Point: 1. corrosion resistance; 2. High-temperature resistance; 3. easy-cleaning.

ST-7202





DCTZ-1694-WST | 0.038CBM | 12PCS

Cutlery Set



- Size: dinner knife×6: 230×19mm/74g; dinner fork×6: 204×25mm/42g; dinner spoon×6: 205×42mm/50g; dessert spoon×6: 141×31mm/24g;
- Material: 430 stainless steel;
- Selling Point: 1. corrosion resistance; 2. High-temperature resistance; 3. easy-cleaning.

ST-7203





DCTZ-1695-WST | 0.027CBM | 8PCS

Cutlery Set



- Size: dinner knife×6: 235×20mm/96g; dinner fork×6: 204×26mm/65g; dinner spoon×6: 204×40mm/78g; dessert spoon×6: 152×30mm/34g;
- Material: 430 stainless steel;
- Selling Point: 1. corrosion resistance; 2. High-temperature resistance; 3. easy-cleaning.

ST-7200





DCTZ-1620-WST | 0.076CBM | 12PCS

Cutlery Set



- Size: dinner knife×6: 225×20mm/70g; dinner fork×6: 205×22mm/37g; dinner spoon×6: 208×42mm/48g; dessert spoon×6: 154×30mm/21g;
- Material: 201 stainless steel;
- Selling Point: 1. satisfy diverse needs; 2. High-temperature resistance; 3. easy-cleaning.

ST-7204





CJSZ-1710-WST | 0.03CBM | 300PCS

Spoon



- Weight: 36±5g;
- Size: 44×179mm;
- Material: 304 stainless steel;
- Selling Point: 1. corrosion resistance; 2. easy-cleaning.

ST-7205





CJSZ-1711-WST | 0.03CBM | 300PCS

Spoon



- Weight: 30±5g;
- Size: 34×165mm;
- Material: 304 stainless steel;
- Selling Point: 1. corrosion resistance; 2. easy-cleaning.

ST-7207





CJSZ-1713-WST | 0.03CBM | 300PCS

Spoon



- Weight: 34±5g;
- Size: 35×175mm;
- Material: 304 stainless steel;
- Selling Point: 1. corrosion resistance; 2. easy-cleaning.

ST-7206





CJSZ-1712-WST | 0.03CBM | 300PCS

Spoon



- Weight: 36±5g;
- Size: 38×183mm;
- Material: 304 stainless steel;
- Selling Point: 1. corrosion resistance; 2. easy-cleaning.

ST-7529





BC-1604-WST | 0.06CBM | 150PCS

Cake Shovel



- Weight: 60±5g;
- Size: 53×285mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance.

ST-7208





CJCZ-1714-WST 0.03CBM 300PCS

Fork



- Weight: 25±5g;
- Size: 22×178mm;
- Material: 304 stainless steel;
- Selling Point: 1. corrosion resistance;
- 2. easy-cleaning.

ST-7507





CJTZ-1294-WST 0.133CBM 12PCS

Kitchen Utensil Set



- Size: serving spoon: 335×70mm/5g;
- whisk: 325×60mm/5g;
- slotted turner: 340×90mm/5g;
- skimming ladle: 335×108mm/5g;
- pasta spoon: 335×70mm/5g;
- soup ladle: 335×70mm/5g;
- Material: wood + nylon;
- Selling Point: 1. heat resistant.

ST-7508





CJTZ-1295-WST 0.12CBM 6PCS

Kitchen Utensil Set



- Size: wok turner: 340×100×50mm/130g;
- cooking spoon: 348×85×50mm/119g;
- pasta spoon: 340×75×58mm/113g;
- skimming ladle: 348×110×60mm/131g;
- soup ladle: 340×75×58mm/112g;
- soup ladle: 340×100×90mm/142g;
- rice spoon: 240×70×20mm/80g;
- masher: 285×110×78mm/156g;
- Material: ABS+ PP;
- Selling Point: 1. heat resistant;
- 2. bpa-free for safe cooking.

ST-7500





DDQ-1287-WST 0.07CBM 70PCS

Whisk



- Weight: 69±5g;
- Size: 325×60mm;
- Material: ABS+nylon;
- Selling Point: 1. light weight & nonstick;
- 2. dishwasher safe; 3. 180℃ heat resistant.

ST-7566





DDQ-1657-WST 0.086CBM 144PCS

Whisk



- Weight: 35±5g;
- Size: 250×65mm;
- Material: silicone+nylon;
- Selling Point: 1. dishwasher safe;
- 2. easy-cleaning; 3. heat resistant.

ST-7539





DDQ-1631-WST 0.078CBM 144PCS

Whisk



- Weight: 35 ±5g;
- Size: 210×50mm;
- Material: silicone+nylon+beech wood handle;
- Selling Point: 1. bpa-free for safe cooking;
- 2. easy-cleaning; 3. 230℃ heat resistant.



ST-7514





DTS-1316-WST 0.04CBM 80PCS

Soup Ladle



- Weight: 185±5g;
- Size: 93×353mm;
- Material: 201 stainless steel;
- Selling Point: 1. corrosion resistance;
- 2. high-temperature resistance.

ST-7521





DTS-1322-WST 0.04CBM 80PCS

Soup Ladle



- Weight: 177±5g;
- Size: 95×350mm;
- Material: 201 stainless steel;
- Selling Point: 1. easy cleaning;
- 2. high-temperature resistance.

ST-7536





DTS-1345-WST 0.06CBM 80PCS


Soup Ladle



- Weight: 182±5g;
- Size: 95×365mm;
- Material: 201 stainless steel;
- Selling Point: 1. corrosion resistance;
- 2. high-temperature resistance.

ST-7528





DTS-1603-WST | 0.03CBM | 60PCS

Soup Ladle



- Weight: 258±5g;
- Size: 108×425mm;
- Material: 201 stainless steel;
- Selling Point: 1. corrosion resistance; 2. high-temperature resistance.

ST-7506





FP-1293-WST | 0.07CBM | 70PCS


Pasta Spoon



- Weight: 62±5g;
- Size: 70×335mm;
- Material: ABS+nylon;
- Selling Point: 1. light weight & nonstick; 2. dishwasher safe; 3. 180°C heat resistant.

ST-7509





FP-1311-WST | 0.04CBM | 80PCS

Pasta Spoon



- Weight: 160±5g;
- Size: 85×380mm;
- Material: 201 stainless steel;
- Selling Point: 1. corrosion resistance; 2. high-temperature resistance.

ST-7517





FP-1318-WST | 0.04CBM | 80PCS

Pasta Spoon



- Weight: 143±5g;
- Size: 85×342mm;
- Material: 201 stainless steel;
- Selling Point: 1. easy cleaning; 2. high-temperature resistance.

ST-7515





FP-1629-WST | 0.075CBM | 144PCS

Pasta Spoon



- Weight: 85±5g;
- Size: 60×310mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7552





FP-1644-WST | 0.081CBM | 144PCS

Pasta Spoon



- Weight: 97±5g;
- Size: 65×330mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7568





FP-1659-WST | 0.072CBM | 144PCS

Pasta Spoon



- Weight: 81±5g;
- Size: 55×280mm;
- Material: silicone + nylon;
- Selling Point: 1. dishwasher safe; 2. easy-cleaning; 3. heat resistant.

ST-7511





FS-1313-WST | 0.04CBM | 80PCS

Rice Spoon



- Weight: 148±5g;
- Size: 76×287mm;
- Material: 201 stainless steel;
- Selling Point: 1. corrosion resistance; 2. high-temperature resistance.

ST-7516





FS-1317-WST | 0.04CBM | 80PCS

Rice Spoon



- Weight: 140±5g;
- Size: 76×290mm;
- Material: 201 stainless steel;
- Selling Point: 1. corrosion resistance; 2. high-temperature resistance.

ST-7559





FS-1651-WST | 0.061CBM | 144PCS

Rice Spoon



- Weight: 84±5g;
- Size: 75×255mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7567





FS-1658-WST | 0.053CBM | 144PCS

Rice Spoon



- Weight: 89±5g;
- Size: 70×225mm;
- Material: silicone + nylon;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. heat resistant.

ST-7510





GC-1312-WST | 0.04CBM | 80PCS

Wok Turner



- Weight: 182±5g;
- Size: 95×380mm;
- Material: 201 stainless steel;
- Selling Point: 1. corrosion resistance; 2. high-temperature resistance.

ST-7518





GC-1319-WST | 0.04CBM | 80PCS

Wok Turner



- Weight: 168±5g;
- Size: 98×377mm;
- Material: 201 stainless steel;
- Selling Point: 1. corrosion resistance; 2. high-temperature resistance.

ST-7527





GC-1602-WST | 0.03CBM | 60PCS

Wok Turner



- Weight: 217±5g;
- Size: 101×427mm;
- Material: 201 stainless steel;
- Selling Point: 1. corrosion resistance; 2. high-temperature resistance.

ST-7530





GC-1605-WST | 0.06CBM | 150PCS

Wok Turner



- Weight: 66±5g;
- Size: 62×252mm;
- Material: 201 stainless steel;
- Selling Point: 1. corrosion resistance; 2. high-temperature resistance.

ST-7537





GC-1611-WST | 0.06CBM | 80PCS

Wok Turner



- Weight: 178±5g;
- Size: 85×399mm;
- Material: 201 stainless steel;
- Selling Point: 1. corrosion resistance; 2. high-temperature resistance.

ST-7540





GC-1632-WST | 0.066CBM | 144PCS

Cooking Spoon



- Weight: 87±5g;
- Size: 70×329mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7541



GC-1633-WST | 0.071CBM | 144PCS

Wok Turner



- Weight: 86±5g;
- Size: 80×320mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7545





GC-1637-WST 0.078CBM 144PCS

Wok Turner



- Weight: 105±5g;
- Size: 90×335mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7556





GC-1648-WST 0.066CBM 144PCS

Cooking Spoon



- Weight: 80±5g;
- Size: 60×290mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7557





GC-1649-WST 0.077CBM 144PCS

Cooking Spoon



- Weight: 98±5g;
- Size: 75×320mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7569





GC-1660-WST 0.079CBM 144PCS

Wok Turner



- Weight: 117±5g;
- Size: 100×330mm;
- Material: silicone + nylon;
- Selling Point: 1. dishwasher safe; 2. easy-cleaning; 3. heat resistant.

ST-7538





GD-1630-WST 0.069CBM 144PCS

Spatula



- Weight: 85±5g;
- Size: 75×210mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7555





GD-1647-WST 0.06CBM 144PCS

Spatula



- Weight: 84±5g;
- Size: 50×290mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7561





GD-1653-WST 0.053CBM 144PCS

Spatula



- Weight: 77±5g;
- Size: 50×270mm;
- Material: silicone + nylon;
- Selling Point: 1. dishwasher safe; 2. easy-cleaning; 3. heat resistant.

ST-7574





GD-1673-WST 0.035 CBM 144PCS

Spatula



- Weight: 36±5g;
- Size: 40×210mm;
- Material: silicone + nylon;
- Selling Point: 1. dishwasher safe; 2. easy-cleaning; 3. heat resistant.

ST-7565





GJS-1656-WST 0.036CBM 144PCS

Pastry Brush



- Weight: 36±5g;
- Size: 40×210mm;
- Material: silicone + nylon;
- Selling Point: 1. dishwasher safe; 2. easy-cleaning; 3. heat resistant.

ST-7576-14



XLS-1681-WST 0.08CBM 80PCS

Skimming Ladle



- Weight: 176±5g;
- Size: 134×433mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. hanging loop; 3. easy-cleaning.

ST-7576-16





XLS-1682-WST 0.08CBM 80PCS

Skimming Ladle



- Weight: 185±5g;
- Size: 156×464mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. hanging loop; 3. easy-cleaning.

ST-7576-18





XLS-1683-WST 0.07CBM 80PCS

Skimming Ladle



- Weight: 201±5g;
- Size: 175×478mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. hanging loop; 3. easy-cleaning.

ST-7502





LC-1289-WST | 0.07CBM | 70PCS

Slotted Turner



- Weight: 66±5g;
- Size: 90×340mm;
- Material: ABS + nylon;
- Selling Point: 1. dishwasher safe; 2. light weight & nonstick; 3. 180°C heat resistant.

ST-7513





LC-1315-WST | 0.04CBM | 80PCS

Frying Pan Turner



- Weight: 155±5g;
- Size: 78×395mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.

ST-7520





LC-1321-WST | 0.04CBM | 80PCS

Slotted Turner



- Weight: 150±5g;
- Size: 80×384mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.

ST-7531





LC-1606-WST | 0.06CBM | 150PCS

Frying Pan Turner



- Weight: 53±5g;
- Size: 60×245mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.

ST-7542





LC-1634-WST | 0.071CBM | 144PCS

Slotted Turner



- Weight: 80±5g;
- Size: 80×320mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7546





LC-1638-WST | 0.077CBM | 144PCS

Slotted Turner



- Weight: 92±5g;
- Size: 80×330mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7549





LC-1641-WST | 0.085CBM | 144PCS



Slotted Turner

- Weight: 114±5g;
- Size: 140×330mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7570





LC-1661-WST | 0.065CBM | 144PCS



Slotted Turner

- Weight: 92±5g;
- Size: 80×300mm;
- Material: silicone + nylon;
- Selling Point: 1. heat resistant; 2. dishwasher safe; 3. easy-cleaning.

ST-7573





LC-1664-WST | 0.071CBM | 144PCS



Slotted Turner

- Weight: 100±5g;
- Size: 85×345mm;
- Material: silicone + nylon;
- Selling Point: 1. heat resistant; 2. dishwasher safe; 3. easy-cleaning.

ST-7505





LS-1292-WST | 0.07CBM | 70PCS



Skimming Ladle

- Weight: 68±5g;
- Size: 108×335mm;
- Material: ABS + nylon;
- Selling Point: 1. dishwasher safe; 2. light weight & nonslick; 3. 180° Cheat resistant.

ST-7512





LS-1314-WST | 0.04CBM | 80PCS



Skimming Ladle

- Weight: 204±5g;
- Size: 116×390mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.

ST-7519





LS-1320-WST | 0.04CBM | 80PCS



Skimming Ladle

- Weight: 185±5g;
- Size: 116×384mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.

ST-7526-14





LS-1333-WST | 0.045CBM | 50PCS



Skimming Ladle

- Weight: 280±5g;
- Size: 140×460mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.

ST-7526-16





LS-1334-WST | 0.05CBM | 50PCS



Skimming Ladle

- Weight: 330±5g;
- Size: 160×475mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.

ST-7526-18





LS-1335-WST | 0.05CBM | 50PCS



Skimming Ladle

- Weight: 390±5g;
- Size: 180×500mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.

ST-7532





LS-1607-WST | 0.06CBM | 150PCS



Skimming Ladle

- Weight: 60±5g;
- Size: 78×234mm;
- Material: 201 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.

ST-7543





LS-1635-WST | 0.079CBM | 144PCS



Skimming Ladle

- Weight: 92±5g;
- Size: 90×325mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7548





LS-1640-WST | 0.085CBM | 144PCS



Skimming Ladle

- Weight: 108±5g;
- Size: 95×330mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7551





LS-1643-WST | 0.074CBM | 144PCS



Skimming Ladle

- Weight: 87±5g;
- Size: 60×315mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7562





LS-1654-WST | 0.06 CBM | 144PCS



Skimming Ladle

- Weight: 80±5g;
- Size: 60×270mm;
- Material: silicone + nylon;
- Selling Point: 1. dishwasher safe; 2. easy-cleaning; 3. heat resistant.

ST-7571





LS-1662-WST | 0.085CBM | 144PCS



Skimming Ladle

- Weight: 112±5g;
- Size: 100×320mm;
- Material: silicone + nylon;
- Selling Point: 1. dishwasher safe; 2. easy-cleaning; 3. heat resistant.

ST-7524





LS-1692-WST | 0.07CBM | 120PCS



Skimming Ladle

- Weight: 130±5g;
- Size: 75×310mm;
- Material: 304 stainless steel;
- Selling Point: 1. corrosion resistance; 2. high-temperature resistance; 3.easy cleaning.

ST-7503





MC-1290-WST | 0.07CBM | 70PCS



Wok Turner

- Weight: 72±5g;
- Size: 80×340mm;
- Material: ABS + nylon;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 180°C heat resistant.

ST-7550





MC-1642-WST | 0.074CBM | 144PCS



Wok Turner

- Weight: 93±5g;
- Size: 60×320mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7564





TS-1655-WST | 0.064CBM | 144PCS



Soup Ladle

- Weight: 93±5g;
- Size: 50×280mm;
- Material: silicone + nylon;
- Selling Point: 1. heat resistant; 2. dishwasher safe; 3. easy-cleaning.

ST-7572





TS-1663-WST | 0.076CBM | 144PCS




Soup Ladle

- Weight: 104±5g;
- Size: 90×290mm;
- Material: silicone + nylon;
- Selling Point: 1. heat resistant; 2. dishwasher safe; 3. easy-cleaning.

ST-7525





TS-1693-WST | 0.07CBM | 120PCS



Soup Ladle

- Weight: 130±5g;
- Size: 75×310mm;
- Material: 304 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.

ST-7553





WTS-1645-WST | 0.062CBM | 144PCS



Pastry Brush

- Weight: 83±5g;
- Size: 45×285mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230°C heat resistant.

ST-7554





DG-1646-WST | 0.063CBM | 144PCS



Spatula

- Weight: 83±5g;
- Size: 30×310mm;
- Material: silicone + nylon + wood;
- Selling Point: 1. bpa-free for safe cooking; 2. easy-cleaning; 3. 230℃ heat resistant.

ST-6300





BXJ-1277-WST | 0.107CBM | 24PCS



Vacuum Sealer

- AC 220V-240V 50/60Hz;
- Power: 80W;
- Size: 345×85×56mm;
- Selling Point: 1. up to 25cm sealing width; 2. digital display; 3. removable drip tray.

ST-7523-14





WLS-1324-WST | 0.06CBM | 80PCS



Skimming Ladle

- Weight: 143±5g;
- Size: 140×405mm;
- Material: 304 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.

ST-7523-16





WLS-1325-WST | 0.06CBM | 80PCS




Skimming Ladle

- Weight: 166±5g;
- Size: 160×425mm;
- Material: 304 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.

ST-7523-18





WLS-1326-WST | 0.06CBM | 80PCS



Skimming Ladle

- Weight: 200±5g;
- Size: 178×440mm;
- Material: 304 stainless steel;
- Selling Point: 1. high-temperature resistance; 2. corrosion resistance; 3. easy-cleaning.



width;
tray.



ST-9359





MBJ-797-WST 0.095CBM 12PCS

Slice Toaster



- AC 220V-240V 50/60Hz;
- Power: 650W-750W;
- Size: 245*140*165mm;
- Material: PP shell, 430 stainless steel;
- double-sided toasting.

ST-9325





MBJ-490-WST 0.082CBM 6PCS

Slice Toaster



- AC 220V-240V 50/60Hz;
- Power: 870W;
- Material: Stainless steel;
- Bake a maximum size of 120mm long*120mm wide bread;
  6 baking stalls to choose from
  Pull-out chip disc.

ST-90601





MBJ-1247-WST 0.132CBM 12PCS

Slice Toaster



- AC 220V-240V 50/60Hz;
- Power: 780W-930W;
- Size: 260*155*188mm;
- Material: PP+stainless steel;
- Selling Point: 1. 2 slices; 2. dual-surface toasting; 3. 7-Level browning setting.

ST-9399




Regulating Switch


With Latch


Panel-Adjusting Clip


Handle

SMZJ-891-WST | 0.122CBM | 4PCS



Sandwich Maker

- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Size: 335×335×136mm;
- Nonstick Coating.

ST-9364




Indicator Light


Switch


Non-Stick Cooking Plate


Handle

SMZJ-658-WST | 0.085CBM | 10PCS



Sandwich Maker

- AC 220V-240V 50/60Hz;
- Power: 1100W-1380W;
- Size: 255×205×100mm;
- Inner plate material: die-cast aluminum; shell material: bakelite.

ST-9397




Body


Indicator light


Handle


Anti-slip feet

SMZJ-894-WST | 0.091CBM | 10PCS



Waffle Maker

- AC 220V-240V 50/60Hz;
- Power: 1000W (upper and lower plates 115V-500W each);
- Size: 245×190×103mm;
- Shell material: bakelite;
- fuse, anti-slip feet.

ST-9366




Stainless Steel Body


Switch


Non-Stick Cooking Plate


Anti-slip feet

SMZJ-660-WST | 0.111CBM | 12PCS



Waffle Maker

- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Size: 250×190×120mm;
- Shell material: bakelite + stainless steel;
- With temperature control, 500W heating plates on the upper and lower plates.

ST-9451




Stainless steel shell


Tip Light


Handle


Anti-slip feet

SMZJ-1009-WST | 0.101CBM | 12PCS



Sandwich Maker

- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Size: 237×198×105mm;
- Shell material: bakelite, inner plate material: non-stick aluminum.

ST-9450




Stainless steel shell


Tip Light


Handle


Anti-slip feet

SMZJ-978-WST | 0.083CBM | 8PCS




Sandwich Maker

- AC 220V-240V 50/60Hz;
- Power: 800W (upper and lower plates 400W each);
- Size: 256×147×242mm;
- Material: non-stick aluminum; Shell material: stainless steel+bakelite, inner plate;
- Inner plate: waffle, triangle, stripe.

ST-9370-H





SMZJ-806-WST 0.066CBM 10PCS


Waffle Maker



- AC 220V-240V 50/60Hz;
- Power: 750W (upper and lower plates 375W each);
- Size: 220×230×74mm;
- Shell material: bakelite, inner plate material: non-stick aluminum.

ST-9370-S





SMZJ-805-WST 0.068CBM 10PCS


Sandwich Maker



- AC 220V-240V 50/60Hz;
- Power: 750W (upper and lower plates 375W each);
- Size: 220×230×74mm;
- Shell material: bakelite, inner plate material: non-stick aluminum.

ST-9370-T





SMZJ-807-WST 0.066CBM 10PCS

Sandwich Maker



- AC 220V-240V 50/60Hz;
- Power: 750W (upper and lower plates 375W each);
- Size: 220×230×74mm;
- Shell material: bakelite, inner plate material: non-stick aluminum.

ST-9464





SMZJ-1208-WST 0.066CBM 6PCS

Sandwich Maker



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Size: 320×252×86mm;
- Material: die-cast aluminum;
- Selling Point: 1. nonstick coating; 2. pure copper power cord.

ST-9468





SMZJ-1209-WST 0.065CBM 6PCS

Sandwich Maker



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Size: 320×252×86mm;
- Material: die-cast aluminum;
- Selling Point: 1. nonstick coating; 2. pure copper power cord.

ST-9458





SMZJ-1210-WST 0.067CBM 6PCS

Waffle Maker



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Size: 320×252×86mm;
- Material: die-cast aluminum;
- Selling Point: 1. nonstick coating; 2. pure copper power cord.

ST-9368-H





SMZJ-750-WST | 0.086CBM | 6PCS

Waffle Maker



- AC 220V-240V 50/60Hz;
- Power:1400W
  (upper and lower plates 700W each);
- Size: 260×310×105mm;
- Shell material: bakelite,
  inner plate material: non-stick aluminum.

ST-9368-B





SMZJ-751-WST | 0.082CBM | 6PCS

Donut Maker



- AC 220V-240V 50/60Hz;
- Power: 1400W
  (upper and lower plates 700W each);
- Size: 260×310×105mm;
- Shell material: bakelite,
- inner plate material: non-stick aluminum.

ST-9368-J





SMZJ-748-WST | 0.085CBM | 6PCS


Cookie Maker



- AC 220V-240V 50/60Hz;
- Power: 1400W
  (upper and lower plates 700W each);
- Size: 260×310×105mm;
- Shell material: bakelite,
  inner plate material: non-stick aluminum.

ST-9368-S





SMZJ-753-WST | 0.082CBM | 6PCS

Sandwich Maker



- AC 220V-240V 50/60Hz;
- Power: 1400W
  (upper and lower plates 700W each);
- Size: 260×310×105mm;
- Shell material: bakelite,
  inner plate material: non-stick aluminum.

ST-9368-T





SMZJ-752-WST | 0.085CBM | 6PCS

Sandwich Maker



- AC 220V-240V 50/60Hz;
- Power: 1400W
  (upper and lower plates 700W each);
- Size: 260×310×105mm;
- Shell material: bakelite,
  inner plate material: non-stick aluminum.

ST-9368-X





SMZJ-749-WST | 0.085CBM | 6PCS

Cookie Maker



- AC 220V-240V 50/60Hz;
- Power: 1400W
  (upper and lower plates 700W each);
- Size: 260×310×105mm;
- Shell material: bakelite,
  inner plate material: non-stick aluminum.



ST-9605





Anti-Scalding Handle | Time Function And Temperature Control | Double Burner | Tempered Glass Door

WBL-001-WST 0.053CBM 1PCS

Microwave Oven

- AC 220V-240V 50Hz;
- Power: 700W/1150W;
- Capacity: 20L;
- Tempered glass door;
  30 minutes timer with belling ring.

ST-9623





Time Function And Temperature Control | Glass Door | Anti-Scalding Handle | Pure Copper Power Cord

WBL-331-WST 0.1CBM 1PCS

Microwave Oven

- AC 220V-240V 50Hz;
- Power: 800W/1280W;
- Capacity: 25L;
- Tempered glass door;
  Glass turntable.

ST-90501





control panel | 23L capacity | cooling vent | handle

WBL-1263-WST 0.07CBM 1PCS

Microwave Oven

- AC 230V 50Hz;
- Power: 800W;
- Capacity: 23L;
- Size: 482×350×282mm;
- Selling Point: 1. visible cooking; 2. 10-level power adjustment.

ST-9854





KJ-1102-WST 0.108CBM 1PCS

Electric Oven



- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Capacity: 45L;
- Size: 560×413×360.5mm;
- Convection+Rotisserie+Lighting Function;
  Multiple baking tray.

ST-9855





KJ-1103-WST 0.13CBM 1PCS

Electric Oven



- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Capacity: 65L;
- Size: 629×413×367.5mm;
- Convection+Rotisserie+Lighting Function;
  Double-Glazed window.

ST-9794





KJ-1104-WST 0.172CBM 1PCS

Electric Oven



- AC 220V-240V 50/60Hz;
- Power: 2800W;
- Capacity: 75L;
- Size: 645×478×421mm;
- Convection+Rotisserie+Lighting Function;
- Double-Glazed window.

ST-9795





KJ-1105-WST 0.23CBM 1PCS

Electric Oven



- AC 220V-240V 50/60Hz;
- Power: 2800W;
- Capacity: 100L;
- Size: 750×499×485mm;
- Convection+Rotisserie+Lighting Function;
  Double-Glazed window;
  Multiple baking tray.

ST-9850





KJ-898-WST 0.108CBM 1PCS

Electric Oven



- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Capacity: 45L;
- Size: 560×413×349mm;
- Convection/Rotisserie/Lighting Function.

ST-9851





KJ-899-WST 0.172CBM 1PCS


Electric Oven



- AC 220V-240V 50/60Hz;
- Power: 2800W;
- Capacity: 75L;
- Size: 645×478×421mm;
- Convection/Rotisserie/Lighting Function;

ST-9852





KJ-900-WST | 0.230CBM | 1PCS

Electric Oven



- AC 220V-240V 50/60Hz;
- Power: 2800W;
- Capacity: 100L;
- Size: 750×492×485mm;
- Convection/Rotisserie/Lighting Function.

ST-9853





KJ-901-WST | 0.257CBM | 1PCS

Electric Oven



- AC 220V-240V 50/60Hz;
- Power: 2800W;
- Capacity: 120L;
- Size: 750×553×485mm;
- Convection/Rotisserie/Lighting Function.

ST-9613





KJ-28-WST | 0.244CBM | 1PCS

Gas Cooker



- Capacity: 52L;
- Size: 495×545×840mm;
- Material: Stainless Steel+Aluminium+Glass;
- 4 Gas Stove(1 big/2 middle/1 small), fork+light, autoignition.

ST-K50-L01W





KJ-31-WST | 0.259CBM | 1PCS

Gas Cooker



- AC 220V 50Hz;
- Power: 1500W+1000W;
- Capacity: 52L;
- 60 minutes timer with belling ring; Anti-Scalding Handle; Temperature control;

ST-9990





SWTSJ-1220-WST | 0.199CBM | 4PCS

Food Dehydrator



- AC 220V-240V 50Hz;
- Power: 500W;
- Size: 355×343×300mm;
- Material: PP+PS;
- Selling Point: 1. automatic rotation, 2. detachable shelf; 3. Timing Function.

ST-6916





DZG-1253-WST | 0.145CBM | 4PCS

Steam Cooker



- AC 220V-240V 50Hz;
- Power: 850W;
- Capacity: 14.5L;
- Size: 325×240×400mm;
- Material: PP shell;
- Selling Point: 1. 3-layer steamer; 2. dry-burn protection; 3. timer function.

ST-6907





ZDQ-1250-WST | 0.079CBM | 12PCS

Egg Cooker



- AC 220V-240V 50/60Hz;
- Power: 300W;
- Size: 196×151×153mm;
- Material: PP;
- Selling Point: 1. three-level buzzer timer; 2. dry-burn protection.

ST-9069





DGJ-719-WST | 0.171CBM | 4PCS

Bundt Cake Maker



- AC 220V-240V 50/60Hz;
- Power: 1600W;
  Size: 500×290×250mm;
- Material: PE+PP+ABS, die-cast aluminum
- non-stick pan.

ST-9324





BBJ-489-WST | 0.109CBM | 8PCS


Crepe Maker



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Baking dish material: Die-casting

ST-9716





BMHJ-541-WST | 0.123CBM | 8PCS

Popcorn Maker



- AC 220V-240V 50/60Hz;
- Power: 700W;
- Capacity: 2L;
- Size: 260×215×205mm;
- Material: PP, PC, PA, silicone pad, aluminum, pure copper power cord;
- Electric stirring and mixing corn spices.

ST-9717





BMHJ-1272-WST | 0.085CBM | 16PCS

Popcorn Maker



- AC 220V-240V 50/60Hz;
- Power: 350W;
- Capacity: 1L;
- Size: 155×188×188.5mm;
- Material: PP;
- Selling Point: dry-burn protection.

ST-6350





BXH-1679-WST | 0.091CBM | 12PCS

Preservation Set



- DC 5V;
- Power: 2.5W;
- Battery Capacity: 3.7V 1200mAh;
- Size: 167×123×72.5mm/0.85L;
- 167×123×97.5mm/1.3L;
- 167×123×122.5mm/1.8L;
  Material: ABS;
  Selling Point: 1. rechargeable; 2. bpa-free.

ST-9697




Power-Off Protection


Timer knob temperature knob


Anti-slip Feet


Separate Structure of Fryer, with Double Ears Anti-scald Handle

KQZG-690-WST 0.088CBM 2PCS

Air Fryer



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Capacity: 5L (actual 4L);
- Size: 340×310×260mm;
- Material: PP+cold rolled plate;
- Mechanical timer 0-60 minutes, mechanical temperature 80-200 degrees;
- Microswitch, overheating protection, automatic power-off protection (open cover power-off), Anti-slip Feet, 90 degrees clips.

ST-9692




Two Pots


2 Independent Control Systems


Control Display Panel


Handle

KQZG-657-WST 0.075CBM 1PCS

Air Fryer



- AC 220V-240V 50/60Hz;
- Power: 1800W-2000W;
- Capacity: 4.5L+4.5L;
- Size: 370×380×305mm;
- Material: PP material;
- Copper clad aluminum motor; 2 independent control systems; Timing time 60 minutes, temperature 80-200 degrees.

ST-9693




open the way


control panel


handle


air fryer basket

KQZG-1617-WST 0.081CBM 1PCS

Air Fryer



- AC 220V-240V 50/60Hz;
- Power: 2500W;
- Capacity: 6.5L+3.5L;
- Size: 430×284×402mm;
- Material: ABS;
- Selling Point: 1. dual pots; 2. visible cooking; 3. independent control.

ST-9645




Open the Way


8 Adjustable Modes


5.5L Oil Pan Support Plate with Non-Stick PTFE


Shell Stainless Steel Material +PP

KQZG-467-WST 0.102CBM 2PCS

Air Fryer



- AC 220V-240V 50/60Hz;
- Power: 1400W;
- Capacity: 5.5L;
- Material: Stainless steel;
- Overheating protection, Anti-slip Feet; Temperature and time control; Digital touch screen.

ST-9694




open the way


control panel


handle


air fryer basket

KQZG-1680-WST 0.115CBM 2PCS

Air Fryer



- AC 220V-240V 50/60Hz;
- Power: 1700W+500W;
- Capacity: 8L;
- Size: 289×390×346mm;
- Material: PP+stainless steel;
- Selling Point: 1. app control; 2. touchscreen; 3. 12 presets.

ST-9685




Open the Way


Touchscreen Control Panel


Handle


Plastic PP Material + Stainless Steel

KQZG-645-WST 0.123CBM 2PCS

Air Fryer



- AC 220V-240V 50/60Hz;
- Power: 1800W;
- Capacity: 7L;
- Size: 400×290×370mm;
- Material: plastic PP material + stainless steel;
- Copper-clad aluminum motor, pure copper power cord;
  Timing time 60 minutes, temperature: 80-200 degrees;

ST-9688




Open the Way


Display Panel


Handle


Control Panel

KQZG-654-WST 0.113CBM 2PCS

Air Fryer



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 6L;
- Size: 380×275×335mm;
- Material: Plastic PP material;
- Timing time 60 minutes, temperature: 80-200 degrees; Overheating protection, micro switch; Anti-slip Feet, pure copper power cord.

ST-9689




Open the Way


Temperature Knob Timer Knob


Handle


Fry Basket Drawer

KQZG-562-WST 0.125CBM 2PCS

Air Fryer



- AC 220V-240V 50/60Hz
- Power: 1800W;
- Capacity: 7.7L;
- Size: 386×305×363mm;
- Material: PP;
- Temperature knob, timer knob, timer time 30 minutes; With overheating protection, safety switch.

ST-9650




Open the Way


Temperature Knob Timer Knob


Handle


Fry Basket Drawer

KQZG-640-WST 0.097CBM 2PCS

Air Fryer



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 5.9L;
- Size: 265×360×335mm;
- Material: stainless steel shell + PP;
- Copper-clad aluminum motor; Timer time 30 minutes; Overheating protection, micro switch.

ST-90201




open the way


control panel


handle


air fryer basket

KQZG-1226-WST 0.079CBM 1PCS

Air Fryer



- AC 220V-240V 50/60Hz;
- Power: 1500W+500W;
- Capacity: 8L;
- Size: 326×449×303mm;
- Material: SUS430;
- Selling Point: 1. visual cooking.

ST-9691




Open the Way


Control Display Panel


Handle


Anti-slip Feet

KQZG-656-WST 0.081CBM 2PCS

Air Fryer



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Capacity: 3.2L;
- Size: 300×237×282mm;
- Material: Plastic PP;
- Timing time 60 minutes, temperature 80-200 degrees; 9 selection modes.

ST-9652




Open the Way


Touchscreen Control Panel


Cold Touch Handle


Fry Basket Drawer

KQZG-642-WST 0.087CBM 2PCS

Air Fryer




- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 6L;
- Size: 215×300×282mm;
- Material: Plastic PP material;
- Timing time 60 minutes, temperature: 80-200 degrees; 8 optional mode selection, with pause function.



ST-9674





Cooktop Surface | Cooktop Control Panel | Black PlasBic Base Plate | Cool Air Inlet & Fan

DCL-427-WST | 0.081CBM | 6PCS

Induction Cooker

- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Size: 375×310×85mm;
- Material: glass touch panel, ceramic high temperature resistant plate;
- 8 levels of temperature setting, with 3 hours timer function;
  Touch panel with blue light.



ST-9674-G





Black PlasBic Bottom Plate | Function Selection | Touch Panel with Blue Light | High-temperature resistant crystal glass surface

DCL-494-WST | 0.078CBM | 6PCS

Induction Cooker

- AC 220V-240V 50/60Hz
- Power: 2200W;
- 10 level temperature setting;
  4 hour timer for multiple cooking functions.



ST-9784





Indicator light | Time display | Panel | Button

DCL-825-WST | 0.09CBM | 8PCS

Induction Cooker

- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Size: 330×277×67mm;
- Material: high temperature resistance black ceramic panel, PP bottom cover;
- 7-cooking function;
  10-power/temperature setting.



ST-8250





DRL-1703-WST | 0.074CBM | 20PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Size: 252×239×75mm;
- Selling Point: 1. 6-temperature setting; 2. pure copper power cord; 3. Bimetallic Thermostat Controller.

ST-8201





DRL-1702-WST | 0.096CBM | 6PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 2500W;
- Size: 454×250×86mm;
- Selling Point: 1. 6-temperature setting; 2. pure copper power cord; 3. Bimetallic Thermostat Controller.

ST-9753





DRL-722-WST | 0.065CBM | 6PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Size: 290×255×85mm;
- Single die casting plate, overheat protection, auto temperature control.

ST-9754





DRL-723-WST | 0.08CBM | 4PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 1000W+1500W;
- Size: 520×255×90mm;
- Double die-casting disk, overheat protection, auto temperature control;

ST-9635





DRL-1095-WST | 0.068CBM | 12PCS

Hot Plate



- AC 220V-240V 50/60Hz
- Power: 1000W;
- Size: 220×220×60mm;
- Single die-casting disk, overheat protection, auto temperature control.

ST-9638





DRL-1096-WST | 0.086CBM | 6PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 1000W+1000W;
- Size: 460×240×70mm;
- Double die-casting disk, overheat protection, auto temperature control.

ST-9634





DRL-455-WST | 0.058CBM | 12PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Indicator Light;
  Overheating Protection;
  Auto Thermostat.

ST-9639





DRL-479-WST | 0.068CBM | 6PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 1000W+1000W;
- Double cooking plate;
  Indicator Light;
  Overheating Protection;
  Auto Thermostat.

ST-9641





DRL-1274-WST | 0.123CBM | 24PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Size: 235×210×65mm;
- Selling Point: 1. 5-level power setting;
  2. pure copper power cord.

ST-9641






DRL-1273-WST | 0.123CBM | 24PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Size: 235×210×65mm;
- Selling Point: 1. 5-level power setting;
  2. pure copper power cord.

ST-9635





DRL-456-WST | 0.068CBM | 12PCS

Hot Plate



- AC 220V-240V 50/60Hz
- Power: 1000W;
- Various heat operations;
  On/off control;
  Overheating Protection;
  Auto Thermostat.

ST-9757





DRL-726-WST | 0.072CBM | 20PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 500W;
- Size: 170×152×70mm;
- Single die-casting, overheat protection, auto temperature control.

ST-9638





DRL-478-WST | 0.085CBM | 6PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 1000W+1000W;
- Double cooking plate;
- Various heat operations;
- Overheat protection;
- Auto Thermostat.

ST-8251





DRL-1704-WST | 0.048CBM | 20PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 300W;
- Size: 175×130×74mm;
- Selling Point: 1. 6-temperature presets; 2. overheat protection; 3. pure copper power cord.

ST-8200





DRL-1701-WST | 0.068CBM | 4PCS

Hot Plate



- AC 220V-240V 50/60Hz;
- Power: 2500W;
- Size: 477×282×66mm;
- Selling Point: 1. 6-temperature setting; 2. pure copper power cord; 3. Bimetallic Thermostat Controller.

ST-9677





DTL-826-WST | 0.113CBM | 6PCS

Ceramic Hotplate



- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Size: 310×310×86mm;
- Hotplate with high temperature resistant;
- 10-Power Setting;
- Safety lock;

ST-9671





DTL-693-WST | 0.123CBM | 8PCS


Infrared Cooker



- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Size: 280×360×45mm;
- Material: black crystal panel, stainless steel
- frame, stainless steel chassis, aluminum handle;
- touch panel + knob adjustment, 3 hours timer.

ST-9676





DTL-632-WST | 0.109CBM | 3PCS

Infrared Cooker



- AC 220V-240V 50/60Hz;
- Power: 1800W+1800W;
- Size: 645×410×80mm;
- Material: stainless steel metal frame, stainless
- steelbase plate, aluminum alloy handle, glass panel;
- touch button, knob switch, 10-level temperature control, 3-hour timer;

ST-9679





DTL-696-WST 0.123CBM 8PCS

Infrared Cooker



- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Size: 280×360×45mm;
- Material: 650 degrees high temperature resistant black crystal panel, stainless steel frame, glass panel, stainless steel chassis;
- touch mold panel + knob adjustment, 3 hours timer.

ST-9678





DTL-692-WST 0.142CBM 8PCS

Infrared Cooker



- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Size: 420×290×70mm;
- Hotplate with high temperature resistant;
- 3 hours setting.

ST-9606





DTL-972-WST 0.133CBM 8PCS

Infrared Cooker



- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Size: 280×360×45mm;
- Material: high temperature resistance black eramic panel, silver aluminum alloy handle;
- 4-cooking function.

ST-9679





DTL-1162-WST 0.123CBM 8PCS

Infrared Cooker



- AC 220V-240V 50/60Hz;
- Power: 2200W(Actual: 2000W);
- Capacity: 650 degrees;
- Size: 280×360×45mm;
- Material: Black Crystal Panel; Stainless Steel body.

ST-9102





DTL-1243-WST 0.091CBM 6PCS

Infrared Cooker



- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Size: 280×360×45mm;
- Selling Point: 1. pure copper power cord; 2. touch panel; 3. 650°C crystal glass surface.

ST-9680-A





DTL-1223-WST 0.111CBM 3PCS

Infrared Cooker



- AC 220V-240V 50/60Hz;
- Power: 3600W;
- Size: 645×410×80mm;
- Selling Point: 1. pure copper power cord; 2. touch panel; 3. 650°C crystal glass surface.

ST-9801





DRG-755-WST | 0.173CBM | 4PCS

Electric Skillet



- AC 220V-240V 50/60Hz;
- Power: 1600W;
- Capacity: 6.5L;
- Size: 490×390×190mm;
- Material: formica handle and die-cast aluminum pot body;

ST-9802





DRG-757-WST | 0.132CBM | 4PCS

Electric Skillet



- AC 220V-240V 50/60Hz;
- Power: 1600W;
- Capacity: 6.5L;
- Size: 410×310×210mm;
- Material: bakelite handle and die-cast aluminum pot body;
- Temperature control.

ST-9803





DRG-785-WST | 0.197CBM | 4PCS

Electric Skillet



- AC 220V-240V 50/60Hz;
- Power: 1800W;
- Capacity: 8L;
- Size: 530×430×190mm;
- Material: bakelite handle and die-cast aluminum pot body;
- Temperature control.

ST-9675





DRG-513-WST | 0.131CBM | 6PCS

Electric Skillet



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Size: 300×370×70mm;
- Material: die-casting aluminum, plastic, glass;
- Temperature 5-speed adjustment knob, dry burn automatic power-off protection.

ST-9830





DRG-647-WST | 0.175CBM | 6PCS

Electric Skillet



- AC 220V-240V 50/60Hz;
- Power: 1600W;
- Size: 370×315×210mm;
- Material: Gum wood shell + die-casting aluminum pot body;
- Temperature adjustment knob;
  Dry burning automatic power-off protection, all copper power cord.

ST-9840





DRG-950-WST | 0.161CBM | 12PCS

Electric Pot



- AC 220V-240V 50/60Hz
- Power: 500W;
- Capacity: 1.2L;
- Size: 230×165mm;
- Material: PP housing and PP cover.

ST-9804





Display surface | Steam outlet | Handle | Plug Interface

DRG-875-WST | 0.190CBM | 8PCS

Electric Pot



- AC 220V-240V 50/60Hz;
- Power: 1400W;
- Capacity: 4L;
- Size: 470×140×285mm;
- Stainless Steel Nonstick Pot; Glass Cover.

ST-9762





temperature adjustment knob | oil outlet | handle | anti-slip feet

DKP-1251-WST | 0.161CBM | 6PCS

Electric Grill Pan



- AC 220V-240V 50/60Hz;
- Power: 1600W;
- Size: 583×262×77mm;
- Material: die-cast aluminum;
- Selling Point: 1. nonstick coating; 2. pure copper power cord.

ST-9761





Handle | Drain hole | Oil box | Charging cable

DKP-1080-WST | 0.188CBM | 6PCS

Electric Grill Pan



- AC 220V-240V 50/60Hz;
- Power: 1600W;
- Size: 585×270×10mm;
- Material: bakelite handle and die-cast aluminum pot body;
- Temperature control.

ST-9814





power cord | glass cover | handle | grill plate

DRG-916-WST | 0.191CBM | 4PCS

Hot Pot With Grill



- AC 220V-240V;
- Power: 1800W;
- Capacity: 3L;
- Size: 720×280mm;
- Die-Cast Aluminum Nonstick Pot; Glass Cover.

ST-9201





Fry basket | Cover | Temperature Control Knob | Switch Light

YZG-813-WST | 0.242CBM | 4PCS

Deep Fryer



- AC 220V-240V 50/60Hz
- Power: 2500W;
- Capacity: 6L detachable oil cylinder;
- Material: heating tube (201 stainless steel);

ST-9203





Fry basket | Cover | Temperature control knob | Handle

YZG-815-WST | 0.194CBM | 6PCS

Deep Fryer



- AC 220V-240V 50/60Hz;
- Power: 2000W
- Capacity: 4L detachable oil cylinder;
- Material: heating tube (201 stainless steel);



ST-5801





Switch | Handle | Oil Outlet | Stainless Steel

ZYJ-698-WST | 0.061CBM | 2PCS

Electric Oil Press



- AC 220V-240V 50/60Hz;
- Power: 820W;
- Size: 420×152×320mm;
- Material: Stainless Steel, Pure Copper Wire;
- 200mm cup.

ST-9659





Length14.4cm | Iron Sheet Spray Plastic | 5-Speed Switch | 2 Burners

OHL-464-WST | 0.133CBM | 4PCS

Gas Stove



- Stainless steel;
- Knob: PP new material;
- Cover fixing ring (rubber ring);
- Bottom bending, bent foot, foot pad;
- Electronic lighter, 2 burners.

ST-9660





Silver Spray Painting Process | Enamel Fire Cover | Die-Casting Aluminum Seat | On/Off Button

OHL-465-WST | 0.134CBM | 4PCS


Gas Stove



- Stainless steel;
- Knob: PP new material;
- Cover fixing ring (rubber ring);
- Bottom bending, bent foot, foot pad;
- Electronic lighter, 3 heads.

ST-5658





KSL-514-WST | 0.114CBM | 10PCS

Portable Gas Stove



- Size: 325×285x55mm;
- Material: cold rolled iron, aluminum alloy;
- Gnition mode: piezoelectric ceramic ignition;
- Applicable gas: BDP-250-A/229-A, 2.9KW;
- Gas consumption: 168g/h;
- Ignition times: at least 30000 times;
- Ignition efficiency: > 98%;
- Valve body: snap type.

ST-9661





OHL-466-WST | 0.061CBM | 4PCS

Gas Stove



- Stainless steel;
- Knob: PP new material;
- Cover fixing ring (rubber ring);
- Bottom bending, with bent foot, foot pad;
- Electronic lighter, 4 heads.

ST-9658





OHL-462-WST | 0.103CBM | 2PCS

Gas Stove



- Stainless steel;
- Four heads + cover, pulse igniter;
- Valve: safety valve aperture Φ0.68mm*3+Φ0.5mm*1;
- Knob: PP new material, cover and edge ring, elbow.

ST-9657





MQL-453-WST | 0.021CBM | 4PCS


Gas Stove



- Electronic Ignition, 120mm double gun cast Integrated 120mm Cast Iron Burner;
- Black Thickened Separated Stove Rack;
- Frame + water dish;
- Glass thickness of 6mm;
- Explosion-proof film.

ST-9655





MQL-426-WST | 0.042CBM | 1PCS

Gas Stove



- Size: 680×358x85mm;
- Electronic firing, 115 + 20 + 115 double 115 integrated castiron stove(gold);
- Packaging: five layers of kraft paper outer box;

ST-9668





MQL-791-WST | 0.041CBM | 1PCS

Gas Stove



- With electronic ignition;
- 2-burner;
- Size: 700×358×85mm;
- Split furnace frame.

ST-9656




Side Thickness: 0.35MM


Thickness of Stainless Steel Panel: 0.45MM


Electronic Lighter


Black Spray Thickened Split Furnace Frame

MQL-452-WST 0.047CBM 4PCS

Gas Stove



- Silver & Stainless steel;
- Size: 390×292×105mm;
- 120mm dual gun cast iron integrated furnace head (gold);
- Split type furnace frame.

ST-9654




Flame Button


Gas Inlet


Stove Top


Split Grate

MQL-425-WST 0.09CBM 2PCS

Gas Stove



- Silver + black;
- Size: 695×365×85mm;
- Material: stainless steel panel thickness 0.45mm, side thickness 0.35mm;
- Electronic firing, steel printing LOGO, panel with color steel process.

ST-5662




Speed knob


Burner


Feet


Panel

RQZ-801-WST 0.064CBM 1PCS

Gas Stove



- Pulse ignition;
- 2-burner;
- Size: 730×410×175mm;
- Color: black.

ST-5660




Ignition Stove


Rotary Knob


5-burner


All Black Glass Panel

RQZ-531-WST 0.072CBM 1PCS

Gas Stove



- Power : 3.3/3.0/1.75/1.75/1.8KW;
- Gas source: liquefied gas;
- Size: 900×520×115mm;
- Material: tempered glass, cast iron grate, enamel water tray, matte fire cover;
- Function: 1.5V pulse ignition (1 # battery), without flameout protection.

ST-5661




Ignition


Rotary Knob


Ignition


Anti-slip feet

RQZ-532-WST 0.065CBM 1PCS

Gas Stove



- Power: 3.3/3.0/1.75/1.75/1.8KW;
- Gas source: liquefied gas;
- Size: 870×510×96mm;
- Material: 201 stainless steel panel, knob glass, enamel grate, fire cover;
- Stainless steel 5 stove, 1.5V pulse ignition (1# battery), without flameout protection.

ST-5663




Knob switch


4-burner


Panel


Anti-slip feet

RQZ-536-WST 0.049CBM 1PCS

Gas Stove



- Pulse ignition;
- 4-burner;
- Gas source: liquefied gas;
- Size: 580×510×65mm.

ST-5637





LFJ-704-WST 0.063CBM 60PCS

Hair Clipper



- DC 5V 3W;
- Size: 40×150×35mm;
- Built-in 14500 lithium battery, 3.7V 600mAh;
- Shell material: ABS (UV process);
- Charging time: 1.5 hours.

ST-5638





LFJ-705-WST 0.063CBM 60PCS

Hair Clipper



- DC 5V 3W;
- Size: 40×150×35mm;
- Built-in 14500 lithium battery, 3.7V, 600mAh;
- Shell material: ABS (UV process);
- Charging time: 1.5 hours.

ST-5609





LFJ-261-WST 0.069CBM 60PCS

Hair Clipper



- DC 5V 3W;
- Motor: 7000RPM;
- Size: 140×35x35mm;
- Solar Panel: DC 5V 150mAh;
  Stainless Steel Blade.

ST-5640





LFJ-788-WST 0.063CBM 60PCS


Hair Clipper



- DC 5V 3W;
- Size: 160×45×40mm;
- Built-in 14500 lithium battery, 3.7V 600mAh;
- Shell material: ABS (UV process);
- Charging time: 1.5 hours.

ST-5625





LFJ-336-WST 0.061CBM 60PCS

Hair Clipper



- Size: 37×37×165mm;
- Lithium Battery: 600mAh;
- Digital Display;
  Carbon Steel Blade+ABS;
  USB Charging;
  Travel Lock Protection.

ST-5627





LFJ-337-WST-QS 0.059CBM 60PCS

Hair Clipper



- Size: 37×37×165mm;
- Lithium Battery: 600mAh;
- Digital Display;
  Carbon Steel Blade+ABS;
  USB Charging;
  Travel Lock Protection;



ST-5604



LFJ-231-WST 0.081CBM 24PCS

Hair Clipper



- AC 110V-240V 50/60Hz;
- Adapter Charging: 3 Hours;
- Working time: 4 Hours;
- Size: 182×61×50mm;
- Titanium Ceramic Blade.

ST-5610



LFJ-262-WST 0.069CBM 60PCS

Hair Clipper



- DC 5V 3W;
- Motor: 7000RPM;
- Size: 140×35×35mm;
- Solar Panel: DC 5V 150mAh;
- Adapter Charging: 1.5 Hours;
- Solar Charging: More Than 4 Hours;
- Working time: 1 Hour;
- Stainless Steel Blade;
  Digital Display.

ST-5612H



LFJ-790-WST 0.065CBM 24PCS

Hair Clipper



- DC 5V 5W;
- Motor: 7300RPM;
- Size: 190×60×45mm;
- Adapter Charging: 3 Hours;
- Working time: 4 Hours.

ST-5622





LFJ-652-WST | 0.044CBM | 40PCS

Hair Clipper



- DC 5V 3W;
- Size: 158×50×40mm;
- Charging time 3 hours, discharging time minutes;
- Function: LED display, power display and charging reminder, type-c charging interface, overcharge and overdischarge protection.

ST-5675





LFJ-1232-WST | 0.051CBM | 20PCS

Hair Clipper



- DC 5V 10W;
- Size: 150×45×40mm;
- Battery Capacity: 1400mAh;
- Material: ABS;
- Selling Point: 1. IPX6; 2. LED power display; 3. travel lock function.

ST-2400





LFJ-1151-WST | 0.07CBM | 24PCS

Hair Clipper



- DC 12V;
- Power: 5W;
- Size: 180×60×46mm;
- High Carbon Steel Blade.

ST-5608





LFJ-1010-WST | 0.063CBM | 24PCS

Hair Clipper



- DC 5V 5W;
- Motor: 7300RPM;
- Size: 190×60×45mm;
- Adapter Charging: 3 Hours;
- Working time: 4 Hours.

ST-5605H





LFJ-422-WST | 0.067CBM | 24PCS

Hair Clipper



- DC 5V 5W;
- Motor: 7300RPM;
- Size: 185×60×40mm;
- Lithium Battery: 2000mAh.

ST-5748





LFJ-1697-WST | 0.068CBM | 60PCS

Hair Clipper



- DC 5V 5W;
- Motor: 6500rpm;
- Size: 161×41×38mm;
- Battery Capacity: 600mAh;
- Material: ABS/POM;
- Selling Point: 1. electroplating process; 2. working time ≥90 minutes.



ST-5600





LFJ-190-WST 0.081CBM 24 PCS

Hair Clipper



- AC 110V-240V 50/60Hz 5W;
- Motor: 7300RPM;
- Solar Panel;
- Adapter Charging: 3 Hours; Solar Charging: 20 Hours; Working time: 4 Hours;
- Size: 190×60x45mm;
- High Carbon Steel Electroplated Blade.

ST-5615





LFJ-269-WST 0.074CBM 24PCS

Hair Clipper



- AC 220V-240V 50/60Hz 7W;
- Motor: 3000RPM;
- Adapter Charging: 8-10 Hours;
- Working time: 1 Hour;
- Size: 170x60mm;
- Steel Blade.

ST-5601





LFJ-191-WST 0.064CBM 24PCS

Hair Clipper



- DC 12V 5W;
- Motor: 7300RPM;
- Size: 190×60×45mm;
- High Carbon Steel Electroplated Blade;

ST-5639





LFJ-761-WST | 0.053CBM | 20PCS



Hair Clipper

- DC 5V 5W;
- Size: 185×55×45mm;
- Built-in 18650 lithium battery, 2000mAh; Charging time: 3 hours;
- Shell material: aluminium alloy;

ST-5641





LFJ-980-WST | 0.06CBM | 24PCS



Hair Clipper

- DC 5V 5W;
- Size:180×58×45mm;
- Lithium battery 2000mAh;
- High Carbon Steel Blade;
- Digital Display;

ST-5749





LFJ-1840-WST | 0.091CBM | 60PCS



Hair Clipper

- DC 5V 5W;
- Motor: 7000-7500rpm;
- Size: 169×42×36mm;
- Battery Capacity: 1200mAh;
- Material: ABS/PC;
- Selling Point: 1. ceramic blade; 2. LED display; 3. cleaning reminder.

ST-5749





LFJ-1841-WST | 0.091CBM | 60PCS



Hair Clipper

- DC 5V 5W;
- Motor: 7000-7500rpm;
- Size: 169×42×36mm;
- Battery Capacity: 1200mAh;
- Material: ABS/PC;
- Selling Point: 1. ceramic blade; 2. LED display; 3. cleaning reminder.

ST-5851





MJQ-959-WST | 0.106CBM | 72PCS




Callus Remover

- Size:165×72×45mm;
- AA Battery*2.

ST-5850





MJQ-958-WST | 0.079CBM | 60PCS



Callus Remover

- DC 5V 3W;
- Size:180×34×34mm;
- Lithium battery 800mAh;
- IPX 5.



ST-5686



Switch | Shaver Head | Joint Part | Charging Port

TXD-440-WST 0.058CBM 48PCS

Electric Rotary Shaver

- DC 5V 5W;
- Size: 160×62×65mm;
- Type-C charging port;
- Shell material ABS;
  Blade net: stainless iron;
- USB cable 0.4m.



ST-5684



3 Blades | Digital Display & Switch | IPX 6 | Protection Cover

TXD-379-WST 0.066CBM 48PCS

Electric Shaver

- Size: 160×80×30mm;
- Lithium Battery: 600mAh;
- Digital Display;
  Travel Lock Protection;
  3 Blades;
  IPX 6.



ST-2421



Switch | Bridle Razor | Charger Port | Blade

TXD-1157-WST 0.066CBM 48PCS

Electric Shaver

- DC 12V 2W;
- Size: 160×50×60mm.



ST-5843



TXD-1115-WST 0.054CBM 40PCS

Electric Shaver



- DC 5V 6W;
- Size: 65×35×160mm;
- Lithium Battery 1400mAh.

ST-5683-QS





TXD-365-WST 0.08CBM 40PCS

Electric Rotary Shaver



- DC 5V 3W;
- Size: 165×60×65mm;
- Battery: 600mAh 3.7V;
  Charging: 2 Hours;
  Working time: 1.33Hours;
- Material: ABS+POM;
- Digital Display;
  Travel Lock Protection;
  3 Blades;
  IPX 6.

ST-5687





TXD-610-WST 0.101CBM 48PCS

Electric Shaver



- DC 5V 5W;
- Charging time: 1.5h, Working time: 90 minutes;
- Accessories: USB charging cable, manual,
- warranty card, certificate, protective cover.

ST-5842



TXD-1114-WST 0.07CBM 36PCS

3 IN 1 Electric Shaver



- DC 5V 5W;
- Size: 68×62×160mm.
- Battery: Li-Battery 800mAh;
  Charging: 2hours; Working time: 120mins;
- Material: Aluminum Alloy+Wire drawing oxidation process;
- Function: Magnetic shaving head/Digital display;
  IPX 7;

ST-5846





TXD-1720-WST 0.105CBM 48PCS

Electric Shaver



- DC 5V 3W;
- Battery Capacity: 2000mAh;
- Size: 156×65×60mm;
- Material: ABS;
- Selling Point: 1. floating shaving; 2. 9000±10%rpm; 3.LED display;

ST-5681





TXD-353-WST 0.085CBM 48PCS

Electric Rotary Shaver



- DC 5V 8W;
- Size: 165×60×65mm;
- Charging time 1.5 hours, Working time ≥90 minutes.

ST-5840





TXD-956-WST | 0.077CBM | 48PCS

Electric Shaver



- DC 5V 2W;
- Size: 125×32×54mm;
- Built-in 700mAh lithium battery 3.7V; Magnetic double blade, diamond blade; Charging time: 1.5 hours, Working time: 1.5 hours;
- Material: ABS.

ST-5729





TXD-948-WST | 0.096CBM | 60PCS

Electric Shaver



- DC 5V 5W;
- Size: 116×84×35mm;
- Built-in 14500 lithium battery 3.7V 600mAh; Charging time: 1.5 hours, Working time: 45 mins;
- Material: ABS;
- LED speed display.

ST-5841





TXD-1018-WST | 0.108CBM | 48PCS

Electric Shaver



- DC 5V 5W;
- Size: 160×60×60mm;
- Built-in 14500 lithium battery 3.7V 600mAh; Charging time: 1.5 hours, Working time: 1 hour;
- Material: ABS;
- Plush feel paint + gun color matte plating.

ST-5688





TXD-718-WST | 0.109CBM | 24PCS

Electric Shaver



- DC 5V 5W;
- Size: 160×65×60mm;
- Built-in 18500 lithium battery, 1400mAh;
- Charging time: 2 hours, Working time: 2 hours;
- Shell material: metal and ABS;
- IPX 7.

ST-5689





TXD-896-WST | 0.063CBM | 60PCS

Portable Travel Shaver



- DC 5V 3W;
- Size: 55×30×64mm;
- Battery 250mAh;
- IPX 6.

ST-5844





TXD-1116-WST | 0.042CBM | 60PCS

Portable Travel Shaver



- DC 5V 5W;
- Size: 68×28×56mm;
- Battery: Li-Battery 350mAh; Charging: 1.5hours; Working time: 1hour;
- Material: ABS+Electroplating;
- Function: Digital Display; IPX 6.

ST-5646




Switch


Shaver Head


Power Indicator


Joint Part

GTJ-609-WST | 0.117CBM | 48PCS

Electric Shaver



- DC 5V 5W;
- Size: 150×75×95mm;
- Material: ABS, electroplating process, including removable magnetic tool head.

ST-5821




Button


Digital display


USB type-c charging


5-in-1 replaceable blade

TMQ-949-WST | 0.063CBM | 60PCS

Beauty Kit



- DC 5V 2W;
- Size: 116×23×29mm;
- Built-in NiMH battery 1.2V 600mAh;
- Charging time: 8 hours;
- Material: ABS.

ST-5820




Switch


Charging Port


LED Display


Accessories

TMQ-717-WST | 0.12CBM | 40PCS

5 IN 1 Electric Epilator Set



- DC 5V 5W;
- Size: 170×55×38mm;
- Shell material: ABS;
- IPX 6.

ST-9551




Button


Outlet


Water tank


Lock

ZLQ-1029-WST | 0.14CBM | 12PCS

Facial Steamer



- AC 220V-240V 50/60Hz;
- Power: 600W;
- Capacity: 180mL;
- Size: 180×150×290mm;
- Material: PP+PVC.

ST-6304




power switch


lint shaver mesh


battery compartment


removable battery

MQJ-1225-WST | 0.081CBM | 60PCS

Fabric Shaver



- DC 5V 3W;
- Motor: 8800rpm;
- Size: 132×65×80mm;
- Material: ABS;
- Selling Point: 1. safety protection lock; 2. precision steel blade head.

ST-6303




power switch


lint shaver mesh


bristle brush


TYPE-C charging port

MQJ-1224-WST | 0.074CBM | 36PCS

Fabric Shaver



- DC 5V 3W;
- Motor: 8800rpm;
- Battery capacity: 600mAh;
- Size: 70×75×80mm;
- Selling Point: 1. IPX5; 2. Safety protection lock.



ST-5760





ZFQ-908-WST 0.073CBM 36PCS

Hair Straightener

- Voltage: AC 100V-240V 50/60Hz;
- Power: 38W-42W;
- 5-Temperature Setting;
- Size: 285×32×36mm;
- PTC Heating.



ST-5761





ZFQ-909-WST 0.069CBM 24PCS

Hair Straightener

- Voltage: AC 100V-240V 50/60Hz;
- Power: 77W-85W;
- Temperature Setting: 100-230°C;
- Size: 305×66×38mm;
- PTC Heating.



ST-5773





JFQ-914-WST 0.069CBM 24PCS

Curling Iron

- Voltage: AC 100V-240V 50/60Hz;
- Power: 80W;
- Temperature Setting: 100-230°C;
- Size: 305×66×38mm;
- PTC Heating.



ST-5770





JFQ-911-WST | 0.073CBM | 30PCS

Curling Iron



- Voltage: AC 100V-240V 50/60Hz;
- Power: 60W;
- 6-Temperature Setting;
- Size: 343×28×63mm;
- PTC Heating.

ST-5771





JFQ-912-WST | 0.073CBM | 30PCS

Curling Iron



- Voltage: AC 100V-240V 50/60Hz;
- Power: 76W;
- 6-Temperature Setting;
- Size: 343×32×63mm;
- PTC Heating.

ST-5772





JFQ-913-WST | 0.073CBM | 30PCS

Curling Iron



- Voltage: AC 100V-240V 50/60Hz;
- Power: 80W;
- 6-Temperature Setting;
- Size: 343×37×63mm;
- PTC Heating.

ST-5880





JFQ-1231-WST | 0.071CBM | 24PCS

Curling Iron



- AC 100V-240V 50/60Hz;
- Power: 42W;
- Temperature: 170-190-210°C;
- Size: 302×55×55mm;
- Selling Point: 1. 3-temperature setting; 2. top anti-scald design.

ST-5763





ZFQ-940-WST | 0.096CBM | 24PCS


Hair Straightener



- Voltage: AC 100V-240V 50/60Hz;
- Power: 34W;
- Temperature: 140-220°C;
- Size: 280×28×35mm;
- Ceramic Plate, Infinite Knob Temperature;
- Adjustment, Pure Copper power cord with VDE Plug.

ST-5766





ZFQ-943-WST | 0.096CBM | 24PCS

Hair Straightener



- Voltage: AC 100V-240V 50/60Hz;
- Power: 55W;
- Size: 265×60×50mm;
- Material: PTC+PA;
  Panel material: Ceramic Aluminium;
- Automatical Power off Protection.

ST-5786





JFQ-964-WST 0.096CBM 24PCS

Hair Curling Wand



- Voltage: AC 100V-240V 50/60Hz;
- Power: 55W;
- Temperature: 130-220°C;
- Size: 350×50×37mm;
- Painted Aluminium Tube, Infinite Knob Temperature Adjustment, 90 Degree Folding, Pure Copper power cord with VDE Plug.

ST-5780





JFQ-935-WST 0.096CBM 24PCS


Hair Curling Wand



- Voltage: AC 100V-240V 50/60Hz;
- Power: 40W;
- 5-temperature setting from 140 to 20°C;
- Size: 320×33×45mm;
- PTC heating.

ST-5781





JFQ-936-WST 0.096CBM 24PCS

Hair Curling Wand



- Voltage: AC 100V-240V 50/60Hz;
- Power: 54W;
- 5-temperature setting from 140 to 220°C;
- Size: 320×33×45mm;
- PTC heating.

ST-5783





JFQ-938-WST 0.096CBM 24PCS

Hair Curling Wand



- Voltage: AC 100V-240V 50/60Hz;
- Power: 40W;
- Temperature: 140-220°C;
- Size: 338×48×37mm;
- Painted Aluminium Tube, 5-speed, Pure Copper Power Cord with VDE Plug.

ST-5784





JFQ-939-WST 0.096CBM 24PCS

Hair Curling Wand



- Voltage: AC 100V-240V 50/60Hz;
- Power: 58W;
- Temperature: 140-220°C;
- Size: 350×50×37mm;
- Painted Aluminium Tube, 5-speed, Pure Copper Power Cord with VDE Plug.

ST-5768





ZFQ-946-WST 0.096CBM 24PCS

Hair Straightener



- Voltage: AC 100V-240V 50/60Hz;
- Power: 34W;
- Size: 292×30×60mm;
- Panael material: Ceramic Aluminium; Material: PTC+PA;
- Automatical Power off Protection.

ST-5779-25





JFQ-933-WST 0.096CBM 24PCS

Hair Curling Wand



- Voltage: AC 100V-240V 50/60Hz;
- Power: 62W;
- 5-temperature setting from 140 to 220°C;
- Size: 378×45×70mm.

ST-5778





JFQ-931-WST 0.096CBM 24PCS

Hair Curling Wand



- Voltage: AC 100V-240V 50/60Hz;
- Power: 80W;
- 130-220°C temperature adjustment;
- Size: 332×30×65mm;
- PTC heating.

ST-5779-33





JFQ-934-WST 0.096CBM 24PCS

Hair Curling Wand



- Voltage: AC 100V-240V 50/60Hz;
- Power: 60W;
- 5-temperature setting from 140 to 220°C;
- Size: 378×45×70mm.

ST-5785





JFQ-945-WST 0.096CBM 24PCS

Hair Curling Wand



- voltage: AC 100V-240V 50/60Hz;
- Power: 52W;
- Temperature: 140-220°C;
- Size:320×47×75mm;
- Painted Aluminium Tube,5-speed,Pure Copper Power Cord with VDE Plug.

ST-5782





JFQ-937-WST 0.096CBM 24PCS

Hair Curling Wand



- Voltage: AC 100V-240V 50/60Hz;
- Power: 22W;
- 5-temperature setting from 140 to 220°C;
- Size: 337×45×73mm.

ST-5779-19





JFQ-932-WST 0.096CBM 24PCS

Hair Curling Wand



- Voltage: AC 100V-240V 50/60Hz;
- Power: 52W;
- 5-temperature setting from 140 to 220°C;
- Size: 378×45×70mm.

ST-5777





JFQ-930-WST | 0.096CBM | 24PCS

Hair Curling Wand



- Voltage: AC 110V-240V 50/60Hz;
- Power: 120W;
- Temperature adjustment 140-220°C;
- Size: 365×100×78mm;
- PTC heating.

ST-5833





DCF-1008-WST | 0.088CBM | 24PCS

2 IN 1 Hair Styling Kit



- Voltage: AC 220V-240V 50/60Hz;
- Power: 1200W;
- Size: 330×70×65mm;
- Material: PA66 + ABS Shell;
- Function: 4-speed adjustment.

ST-6000





RFS-1275-WST | 0.124CBM | 24PCS

Hair Styling Kit



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Size: 375×65×65mm;
- Material: ABS+PC;
- Selling Point: 1. 2-speed setting; 2. 3-temperature setting.

ST-5762





ZFQ-910-WST | 0.068CBM | 36PCS

Hair Straightener



- Voltage: AC 100V-240V 50/60Hz;
- Power: 25W;
- Size: 305×66×38mm;
- PTC Heating.

ST-9818





CYQ-1137-WST | 0.108CBM | 30PCS

Water Flosser



- Voltage: DC 5V;
- Power: 10W;
- Capacity: 300mL;
- Lithium battery 1500mAh;
- Size: 61.7×75×259.3mm;
- 5 Cleaning Modes;
  IPX 7.

ST-9817





CYQ-1555-WST | 0.113CBM | 30PCS

Water Flosser



- Voltage: DC 5V;
- Power: 10W;
- Capacity: 300mL;
- Lithium battery 1500mAh;
- Size: 66×71×237mm;
- IPX 7;
  5 Cleaning Modes.

ST-9810



DDYS-1138-WST | 0.089CBM | 40PCS

Electric Toothbrush



- Voltage: DC 5V;
- Power: 1.5W;
- Li-Battery 700mAh;
- Size: 240×26×26mm;
- 42000CPM, IPX7, 5 Brushing Modes, Wireless Charging.

ST-9812





DDYS-1278-WST | 0.073CBM | 40PCS

Electric Toothbrush



- DC 5V;
- Power: 2.6W;
- Battery Capacity: 3.7V 1500mAh;
- Size: 210×28mm;
- Selling Point: 1. 3 modes; 2. IPX7; 3. sweeping & oscillating vibration.

ST-5716





DCF-833-WST | 0.087CBM | 12PCS

3 In 1 Hair Dryer



- Voltage: AC 220V-240V 50/60Hz;
- Power:1600W;
- Size: 250×72×93mm;
- Material: plastic;
- 2-speed and 5-model, Overheat protection.

ST-5707





DCF-523-WST | 0.147CBM | 36PCS

Hair Dryer



- Voltage:AC 220V-240V 50/60Hz;
- Power: 1800W;
- Size: 160×236×74mm;
- Material: ABS;
- 2-speed; 2-temperature: Low(60°C)+High(80°C); Temperature Control.

ST-5708





DCF-524-WST | 0.127CBM | 48PCS

Hair Dryer



- Voltage: AC 220V-240V 50/60Hz;
- Power: 1300W;
- Size: 150×183×65mm;
- Material: PC;
- 2 Speed: Cool+Hot; Temperature Control.

ST-5839





DCF-1228-WST | 0.077CBM | 24PCS

High Speed Hair Dryer



- AC 220V-240V 50Hz;
- Power: 1100W;
- Rotational Speed: 100000RPM;
- Size: 245×77×61mm;
- Material: ABS+PC;
- Selling Point: negative ion function.

ST-5717





DCF-834-WST 0.065CBM 12PCS

Hair Dryer



- Voltage: AC 220V-240V 50/60Hz;
- Power:1600W;
- Size: 250*72*93mm;
- Material: plastic;
- 2 Speeds and 4 Modes;
  Overheat protection.

ST-5831





DCF-1003-WST 0.121CBM 24PCS

3 IN 1 Hair Styling Kit



- Voltage: AC 220V-240V 50/60Hz;
- Power: 650W;
- Size: 276*60*60mm;
- Material: ABS + PC Shell;
- Function: 2-speed adjustment.

ST-5832





DCF-1004-WST 0.103CBM 20PCS

Hair Dryer



- Voltage: AC 220V-240V 50/60Hz;
- Power: 1750W-2100W;
- Size: 185*80*260mm;
- Material: PC Shell;
- Function: 2-speed adjustment.

ST-5738






DCF-1279-WST 0.083CBM 24PCS

Hair Dryer



- AC 220V-240V 50/60Hz;
- Power: 1400W;
- Size: 200*48*236mm;
- Material: ABS+PC;
- Selling Point: 3-temperature setting.

ST-5739





DCF-1705-WST 0.049CBM 6PCS

High Speed Hair Dryer



- AC 220V-240V 50/60Hz;
- Power: 1300W;
- Rotational Speed: 110000RPM;
- Size: 305*65*58mm;
- Material: PU+UV;
- Selling Point: 1. 600 million negative ions;
  2. 3-temperature presets.

ST-5744





DCF-1756-WST 0.079CBM 12PCS

High Speed Hair Dryer



- AC 220V-240V 50/60Hz;
- Power: 1800W-2000W;
- Rotational Speed: 90000RPM;
- Size: 305*65*58mm;
- Material: PC;
- Selling Point: 1. 3m copper power cord;
  2. bldc motor.

ST-5826





DCF-954-WST 0.132CBM 8PCS

3 IN 1 Hair Styling Kit



- Hair straightener: AC 100V-240V 50/60Hz 43W;
- Size: 278×30×37mm;
- Material: PA66;
- Hair curler: AC 100V-240V 50/60Hz 45W;
- Size: 333×46×78mm;
- Material: PC;
- Hair dryer: AC 220V-240V 50/60Hz 2000W-2200W;
- Size: 235×90×275mm;
- Material: PC.

ST-5827





DCF-955-WST 0.132CBM 8PCS

3 IN 1 Hair Styling Kit



- Hair Straightener: AC 100V-240V 50/60Hz 55W;
- Size: 290×30×38mm;
- Material: PA66;
- Hair Curler: AC 100V-240V 50/60Hz 57W;
- Size: 323×30×67mm;
- Material: PC;
- Hair Dryer: AC 220V-240V 50/60Hz 2000W-2200W;
- Size: 235×90×275mm;
- Material: PC;

ST-5834





DCF-1084-WST 0.106CBM 8PCS

5 IN 1
High Speed Hair Dryer



- Voltage: AC 220V-240V 50/60Hz;
- Power: 1300W;
- Size: 305×65×58mm;
- Material: ABS + PC shell ;
- Function: 3-speed adjustment, with negative ion.

ST-5715





DCF-570-WST 0.096CBM 12PCS

Hair Dryer



- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Size: 240×230×90mm;
- Material: PA, pure copper motor and power cord;
- Function: 2 speeds, 3 temperatures with overheat protection.

ST-5706





DCF-484-WST 0.094CBM 12PCS


Hair Dryer



- AC 220V-240V 50/60Hz;
- Power: 2000W, VDE Plug;
- AC alternating current machine; AC pure copper motor; Overheat protection.

ST-571A





DCF-971-WST 0.082CBM 20PCS

Wall-mounted Hair Dryer



- AC 220V-240V 50/60Hz;
- Power: 1600W;
- Size: 260×130×88mm;
- Overheat Protection.



ST-6411





power switch | heating lamp cover | massage head | strap buckle

AMQ-1302-WST | 0.104CBM | 16PCS

Shoulder & Neck Massager



- DC 5V;
- Power: 16W;
- Battery Capacity: 7.4V 2000mAh;
- Size: 390×170×135mm;
- Material: PU;
- Selling Point: 1. hot compress; 2. 2 intensity settings; 3. 2 temperature settings.

ST-6422





1 | 2 | 3 | 4

AMQ-1722-WST | 0.076CBM | 9PCS


Shoulder & Neck Massager



- DC 5V;
- Power: 10W;
- Battery Capacity: 7.4V 2000mAh;
- Size: 298×147×112mm;
- Material: PU;
- Selling Point: 1. 3D simulated kneading; 2. hot compress.

ST-6415





power switch | neon gas lamp switch | massage head | adjustment buckle

AMZ-1613-WST | 0.208CBM | 20PCS

Neck Massager



- DC 5V;
- Power: 7W;
- Battery Capacity: 3.7V 2000mAh;
- Size: 235×235×132mm;
- Selling Point: 1. hot compress; 2. relaxation & vitality modes.

ST-6412





AMQ-1305-WST 0.051CBM 36PCS

Head Massager



- DC 5V;
- Power: 2.5W;
- Battery Capacity: 3.7V 800mAh;
- Size: 95×90×66mm;
- Material: ABS;
- Selling Point: 1. 5 massage modes; 2. IPX7.

ST-6419





AMQ-1619-WST 0.059CBM 20PCS

Eye Massager



- DC 5V;
- Power: 5W;
- Battery Capacity: 3.7V 1100mAh;
- Size: 215×125×75mm;
- Selling Point: 1. hot compress; 2. 10000±10% rpm.

ST-6413





AMQ-1306-WST 0.076CBM 12PCS

Belt Massager



- DC 5V;
- Power: 10W;
- Battery Capacity: 11.1V 3×1500mAh;
- Size: 265×125×105mm;
- Selling Point: 1. 4 modes; 2. 4 intensity settings.

ST-6420





AMZ-1708-WST 0.132CBM 9PCS

Pillow Massager



- DC 5V;
- Power: 10W;
- Battery Capacity: 3.7V 2000mAh;
- Size: 370×125×245mm;
- Selling Point: 1. hot compress; 2. 3D simulated kneading.

ST-6418





AMYK-1614-WST 0.14CBM 8PCS

Waist Massager



- DC 5V;
- Power: 10W;
- Battery Capacity: 7.4V 2000mAh;
- Size: 410×340×115mm;
- Selling Point: 1. ergonomic design; 2. simulated kneading massage.

ST-6421





AMQ-1709-WST 0.102CBM 6PCS

Abdominal Massager



- DC 5V;
- Power: 15W;
- Battery Capacity: 11.1V 2000mAh;
- Size: 364×144×166mm;
- Material: ABS;
- Selling Point: 1. multi-part applicable; 2. 4 intensity settings; 3. 3 intensity settings.

ST-6401





JMQ-1234-WST | 0.069CBM | 30PCS

Fascia Massage Gun



- DC 5V;
- Power: 8W;
- Size: 154×120×61mm;
- Material: ABS;
- Selling Point: 1. timer function; 2. 5-speed setting.

ST-6402





JMQ-1301-WST | 0.068CBM | 12PCS

Fascia Massage Gun



- DC 5V;
- Power: 10W;
- Size: 385×206×47mm;
- Material: ABS;
- Selling Point: 1. replaceable ergonomic handle; 2. 5 Intensity Settings.

ST-6400





JMQ-1233-WST | 0.061CBM | 30PCS

Fascia Massage Gun



- DC 5V;
- Power: 8W;
- Size: 149×117×54mm;
- Material: ABS;
- Selling Point: 1. touch button; 2. 6-speed setting.

ST-6414





AMQ-1612-WST | 0.07CBM | 12PCS

Leg Massager



- DC 5V;
- Power: 10W;
- Battery Capacity: 3.7V 4000mAh;
- Size: 740×600×600mm;
- Selling Point: 1. 5 modes; 2. size-adjustable.

ST-6417





AMQ-1616-WST | 0.073CBM | 1PCS


Foot Massager



- AC 100V-240V 50/60Hz;
- Power: 50W;
- Size: 434×372×307mm;
- Selling Point: 1. 360° full coverage; 2. simulated kneading massage; 3. 4 massage modes.

ST-9520





CMY-1235-WST | 0.152CBM | 8PCS


Mite Vacuum Cleaner



- AC 220V-240V 50/60Hz;
- Power: 300W;
- Capacity: 500mL;
- Size: 215×220×195mm;
- Selling Point: 1. UV mite removal; 2. high-frequency tapping.

ST-5313





Heat Insulation Shell | The Ceramic Plate | Temperature Control | Water Inlet

DYD-499-WST | 0.093CBM | 20PCS



Steam Iron

- AC 220V-240V 50/60Hz
- Power: 2200W;
- Tank capacity: 260mL;
  Steam capacity: 15-20g/min;
  Spray volume: 0.45g;
  Explosion steam: 0.45g;
- ABS shell;
  PP handle is not resistant to high temperature.

ST-6101





Spray Button | Water Inlet | Dial | Spray Nozzle

DYD-774-WST | 0.085CBM | 12PCS



Steam Iron

- AC 220V-240V 50/60Hz
- Power: 2200W;
- Tank capacity: 350mL;
- Size: 300×127×145mm;
- Shell material: thermal insulation shell PBT material.

ST-6102





Spray Button | Water Inlet | Dial | Spray Nozzle

DYD-775-WST | 0.089CBM | 12PCS



Steam Iron

- AC 220V-240V 50/60Hz
- Power: 2200W;
- Tank capacity: 500mL;
- Size: 305×125×147mm;
- Shell material: heat insulation shell PBT material.

ST-5314





Temperature Control | On/Off Button | Water Inlet | The Ceramic Plate

DYD-500-WST | 0.082CBM | 20PCS



Steam Iron

- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Tank capacity: 160mL;
- Steam volume: 12-18g/min;
  Water volume: 0.45g;
  Explosion steam: 0.45g;
- ABS shell;

ST-6123





Spray Button | Dial | Water Inlet | Spray Nozzle

DYD-1005-WST | 0.092CBM | 10PCS



Steam Iron

- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Tank capacity: 380mL;
- Size: 317×128×157mm;
- Shell material: insulation shell PBT.

ST-018





Ceramic Sole Plate | Wide Water Tank | Clothes Guide | Powerful Steam

DYD-94-WST | 0.089CBM | 20PCS



Steam Iron

- AC 220V-240V 50/60Hz;
- Power: 1850W-2200W;
- Tank capacity: 130mL;
- Size: 258×107×142mm;
- Function: dry heating, water spraying, vertical steaming, shock steaming; Adjustable temperature control.

IT material.

ST-428




Water Inlet


Clothes Guide & Self-Clean


Wide Water Tank


Ceramic Sole Plate

DYD-96-WST 0.099CBM 15PCS

Steam Iron



- AC 220V-240V 50/60Hz;
- Power: 2000W-2300W;
- Tank capacity: 400mL;
- Size: 305×120×160mm;
- Function: dry heating, water spraying, vertical steaming, shock steaming, self-cleaning; Adjustable temperature control.

ST-218




Clothes Guide & Self-Clean


Ceramic Sole Plate


Water Inlet


Powerful Steam

DYD-95-WST 0.082CBM 15PCS

Steam Iron



- AC 220V-240V 50/60Hz;
- Power: 2000W-2300W;
- Tank capacity: 300mL;
- Size: 280x110×150mm;
- Function: dry heating, water spraying, vertical steaming, shock steaming, self-cleaning; Adjustable temperature control.

ST-6130




Spray button


Dial


Water Inlet


Spray nozzle

DYD-1037-WST 0.112CBM 15PCS

Steam Iron



- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Tank capacity: 350ml;
- Size: 285×121×145mm;
- Shell material: PBT Shell.

teaming;

ST-6100




Spray Button


Filling Hole


Water Inlet


Spray Nozzle

DYD-773-WST 0.091CBM 12PCS

Steam Iron



- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Tank capacity: 350mL;
- Size: 310×125×145mm;
- Shell material: heat insulation shell PBT material; PP material water tank.

ST-6133




Spray Button


Dial


Water Inlet


Shell Stainless Steel Material *PP

DYD-1085-WST 0.109CBM 12PCS

Steam Iron



- AC 220V-240V 50/60Hz;
- Power: 2000W-2400W;
- Tank capacity: 300mL;
- Size: 309×187×17mm;
- Shell material: heat insulation shell PBT material; PP material water tank.

ST-90401




Øeam adjustment


automatic cord retraction


spray button


soleplate

DYD-1215-WST 0.075CBM 10PCS

Steam Iron



- AC 220V-240V 50/60Hz;
- Power: 2000W-2400W;
- Capacity: 350mL;
- Size: 305×120×150mm;
- Material: PBT shell, ceramic base plate;
- Selling Point: 1. 5 functions; 2. automatic cord retraction; 3. steam: 25±5g/min.

ST-90402





DYD-1216-WST | 0.08CBM | 10PCS

Steam Iron



- AC 220V-240V 50/60Hz;
- Power: 2000W-2400W;
- Capacity: 320mL;
- Size: 290×130×150mm;
- Material: PBT shell, ceramic base plate;
- Selling Point: 1. 5 functions; 2. pure copper power cord.

ST-6152





DYD-1252-WST | 0.089CBM | 10PCS

Steam Iron



- AC 220V-240V 50/60Hz;
- Power: 2560W-3050W;
- Capacity: 350mL;
- Size: 302×126×147mm;
- Material: PBT shell, ceramic base plate;
- Selling Point: 1. 8 functions;
- 2. brust steam; 3. self-cleaning.

ST-6153





DYD-1752-WST | 0.088CBM | 10PCS

Steam Iron



- AC 220V-240V 50/60Hz;
- Power: 2500W;
- Capacity: 350mL;
- Size: 289×124.5×142mm;
- Material: PE shell, ceramic base plate;
- Selling Point: 1. 8 functions;
- 2. LED display; 3. 30±5g/min steam.

ST-5027





DYD-965-WST | 0.111CBM | 16PCS

Handheld Garment Steamer



- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Tank capacity: 120mL;
- Size: 250×96×130mm;
- Material: ABS+PC Shell, PP Water Tank.

ST-5028





DYD-1112-WST | 0.086CBM | 10PCS

Handheld Garment Steamer



- AC 220V-240V 50/60Hz;
- Power: 1100W-1300W;
- Tank capacity: 220mL;
- Size: 125×105×260mm;
- Material: PP Shell, PP Water Tank.

ST-5026





DYD-817-WST | 0.109CBM | 16PCS

Garment Steamer



- AC 220V-240V 50/60Hz;
- Power: 900W-1100W;
- Tank capacity: 120mL;
- Size: 280×125×95mm;
- Preheating time 30-40 seconds, steam capacity: 13±3g/min.

ST-90411





DYD-1257-WST 0.115CBM 24PCS

Garment Steamer



- AC 220V-240V 50/60Hz;
- Power: 1350W-1650W;
- Capacity: ≥140mL;
- Size: 104×125×230mm;
- Material: PP shell;
- Selling Point: 1. continuous steam funtion; 2. steam: 25±5g/min; 3. pure copper power cord.

ST-5002





DYD-102-WST 0.038CBM 8PCS

Dry Iron



- AC 220V-240V 50/60Hz;
- Power: 1000W-1200W;
- Size: 230×105×105mm;
- Dry heating;
  Indicator light;
  Thermostat Gamma KST.

ST-5012





DYD-288-WST 0.109CBM 12PCS

Dry Iron



- AC 220V-240V 50/60Hz;
- Power: 1000W-1200W;
- Size: 244×115×115;
- Dry heating;
  3-power setting;
  Red working signal light;
  Automatic thermostat;
  Non-stick grey sole plate.

ST-5011





DYD-287-WST 0.046CBM 6PCS

Dry Iron



- AC 220V-240V 50/60Hz;
- Power: 1000W-1200W;
- Size: 290×120×145mm;
- Dry heating;
  3-power setting;
  Yellow working signal light;
  Automatic thermostat;
  Non-stick golden sole plate.

ST-138





DYD-90-WST 0.084CBM 20PCS

Dry Iron



- AC 220-240V 50/60Hz;
- Power: 1100W-1300W;
- Size: 260×105×128mm;
- Dry heating function;
  Adjustable temperature control;
  Wide water tank.

ST-5004





DYD-129-WST 0.051CBM 12PCS

Dry Iron



- AC 220V-240V 50/60Hz;
- Power: 1100W-1300W;
- Size: 245×110×120mm;
- Material: stainless steel, handle PP material, PBT.

ST-1255




Clothes Guide


Power Indicator Light


Teflon Soleplate


Rubber Covered Wire

DYD-98-WST | 0.086CBM | 20PCS

Dry Iron



- AC 220V-240V 50/60Hz;
- Power: 1100W-1300W;
- Size: 272×120×112mm;
- Function: Dry ironing function, adjustable temperature control.

ST-6129




Product Overall


Button Switch


Dial


Water tank

DYD-1028-WST | 0.074CBM | 2PCS

Steam Station Iron



- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Tank capacity: 1.7L;
- Size: 356×220×235mm;
- Shell material: PP, PBT, PC+ABS.

ST-6128




Product Overall


Button Switch


Dial


Water tank

DYD-1027-WST | 0.097CBM | 2PCS

Steam Station Iron



- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Tank capacity: 1.3L;
- Size: 370×240×300mm;
- Shell material: PP, PBT, PC+ABS.

ST-5005




Product Overall


Button


Fixation


Water Tank

DYD-635-WST | 0.059CBM | 2PCS

Steam Station Iron



- AC 220V-240V 50/60Hz;
- Power: 2000W-2250W;
- Tank capacity: 1.1L;
- Size: 360×185×250mm;
- Material: Ceramic hot plate, Pure Copper Power Cord;
- Function: 3 Speed, vertical ironing, lasting steam.

ST-6108




Dial


Water Inlet


Water Tank


Steam Head

GTJ-966-WST | 0.1CBM | 4PCS

Garment Steamer



- AC 220V-240V 50/60Hz;
- Power: 2280W;
- Tank capacity: 600mL;
- Size: 276×276×170mm;
- Material: ABS+PC Shell, PP Water Tank.

ST-5025




On/off Switch


Steam Head


Water Tank


Ironing Support

GTJ-732-WST | 0.088CBM | 1PCS

Garment Steamer



- AC 220V-240V 50/60Hz;
- Power: 1580W;
- Tank capacity: 1500mL;
- Size: 360×320×300mm;
- Material: PP;
- Steam capacity (G/MIN): 35±5g/min;
  Preheating time: about 60 seconds;

ST-5024





On/off Switch | Steam Head | Water Tank | Movable

GTJ-720-WST | 0.070CBM | 1PCS

Garment Steamer



- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Tank capacity: 3000mL;
- Size: 300×450×1735mm;
- Shell material: ABS;
- Total length of power cord: 2m;
  Steam gear: two speeds.

ST-6106





Adjust Switch | Water Tank | Adjustment Lever | Movable

GTJ-884-WST | 0.1CBM | 2PCS

Garment Steamer



- AC 220V-240V 50/60Hz;
- Power: 1580W;
- Capacity: 2.7L;
- Size: 250×350×1720mm;
- Steam: 35±5g/min;
  Height: 1160-1720mm.

ST-6107





Adjust Switch | Water Tank | Adjustment Lever | Coat Hanger

GTJ-885-WST | 0.134CBM | 2PCS

Garment Steamer



- AC 220V-240V 50/60Hz
- Power: 1600W;
- Capacity: 2.5L;
- Size: 320×420×1690mm;
- Steam: 11-30g/min;
  Height: 830-1690mm.







CZ-1553-WST 0.079CBM 39PCS

Power Socket

- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 160×80×30mm;
- PC Flame Retardant Material.





CZ-1572-WST 0.1CBM 30PCS

Power Socket

- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 265×80×30mm;
- Material: PC Flame Retardant Shell.





CZ-1576-WST 0.105CBM 30PCS

Power Socket

- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 185×115×30mm;
- Material: PC Flame Retardant Shell.



ST-4035





CZ-155-WST 0.106CBM 50PCS

Power Soket



- AC 220V-250V 50/60Hz;
- Power: 10A/2000W;
- VDE/BS Plug;
- Thickened integrated copper core;
  PP Flame Retardant Material, outlet with safety shutter;
  Plug with fuse and short circuit protection.

ST-4024





CZ-156-WST 0.109CBM 70PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2000W;
- VDE/BS Plug;
- Thickened integrated copper core;
  PP Flame Retardant Material, outlet with safety shutter;
  Plug with fuse and short circuit protection.

ST-4025





CZ-157-WST 0.112CBM 60PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2000W;
- VDE/BS Plug;
- Thickened integrated copper core;
  PP Flame Retardant Material, outlet with safety shutter;
  Plug with fuse and short circuit protection.

ST-4026





CZ-158-WST 0.106CBM 60PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2000W;
- VDE/BS Plug;
- Thickened integrated copper core;
  PP Flame Retardant Material, outlet with safety shutter;
  Plug with fuse and short circuit protection.

ST-4027





CZ-159-WST 0.11CBM 60PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2000W;
- VDE/BS Plug;
- Thickened integrated copper core;
  PP Flame Retardant Material, outlet with safety shutter;
  Plug with fuse and short circuit protection.

ST-4028





CZ-160-WST 0.110CBM 60PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2000W;
- VDE/BS Plug;
- Thickened integrated copper core;
  PP Flame Retardant Material, outlet with safety shutter;
  Plug with fuse and short circuit protection.

ST-4029





CZ-161-WST 0.108CBM 60PCS

Power Socket



- AC 220V-250V 50/60Hz
- Power: 10A/2000W;
- VDE/BS Plug;
- Thickened integrated copper core; PP Flame Retardant Material, outlet with safety shutter; Plug with fuse and short circuit protection.

ST-4032





CZ-162-WST 0.110CBM 50PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2000W;
- VDE/BS Plug;
- Thickened integrated copper core; PP Flame Retardant Material, outlet with safety shutter; Plug with fuse and short circuit protection.

ST-1099U-3





CZ-1521-WST 0.106CBM 40PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 160×80×30mm;
- Material: ABS + PC shell.

ST-2304U





CZ-1577-WST 0.109CBM 50PCS

Power Socket



- AC 220V-240V 50/60Hz;
- Power: 10A/2500W;
- Size: 241×57.5×32.5mm;
- Material: PP;
- Selling Point: 1. outlet with safety shutter; 2. thickened integrated copper core; 3. overload protection.

ST-2306U





CZ-1578-WST 0.109CBM 50PCS


Power Socket



- AC 220V-240V 50/60Hz;
- Power: 10A/2500W;
- Size: 291×57.5×32.5mm;
- Material: PP;
- Selling Point: 1. outlet with safety shutter; 2. thickened integrated copper core; 3. overload protection.

ST-2308U





CZ-1579-WST 0.109CBM 40PCS

Power Socket



- AC 220V-240V 50/60Hz;
- Power: 10A/2500W;
- Size: 341×57.5×32.5mm;
- Material: PP;
- Selling Point: 1. outlet with safety shutter; 2. thickened integrated copper core; 3. overload protection.

ST-1103U





CZ-1598-WST 0.062CBM 30PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 245×48×30mm;
- Material: PC;
- Selling Point: 1. outlet with safety shutter; 2. thickened integrated copper core.

ST-1104U





CZ-1599-WST 0.07CBM 30PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 295×48×30mm;
- Material: PC;
- Selling Point: 1. outlet with safety shutter; 2. thickened integrated copper core.

ST-1105U





CZ-1600-WST 0.08CBM 30PCS


Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 345×48×30mm;
- Material: PC;
- Selling Point: 1. outlet with safety shutter; 2. thickened integrated copper core.

ST-2316U





CZ-1589-WST 0.109CBM 40PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 253×99×29mm;
- Material: PP;
- Selling Point: 1. outlet with safety shutter; 2. thickened integrated copper core; 3. overload protection.

ST-1034





CZ-864-WST 0.076CBM 40PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 90×90mm;
- Material: PC Fire Retardant, Pure Copper Power Cord.

ST-3601





ZHC-1668-WST 0.075CBM 36PCS

Plug Adapter



- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 135×140×28mm;
- Material: PC;
- Selling Point: 1. PC flame retardant shell; 2. outlet with safety shutter.

ST-4047





CZ-488-WST 0.092CBM 40PCS

Power Socket

- AC 22V-250V 50/60Hz;
- Power: 10A/2500W,VDE Plug;
- PP flame retardant fire retardant material.



ST-4048





CZ-491-WST 0.087CBM 40PCS

Power Socket

- AC 220V-250V 50/60Hz;
- Power: 10A/2500W,VDE Plug;
- PP Flame Retardant Material.



ST-1023





CZ-856-WST 0.086CBM 40PCS

Power Socket

- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 175×40×75mm;
- Material: PP Fire Retardant, Pure Copper Power Cord.



ST-1024U





CZ-857-WST 0.097CBM 40PCS

Power Socket

- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 175×40×75mm;
- Material: PP Fire Retardant, Pure Copper Power Cord.



ST-1002





CZ-861-WST 0.063CBM 32PCS

Power Socket

- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 80×80×70mm;
- Material: PC Fire Retardant, Pure Copper Power Cord.



ST-1008





CZ-862-WST 0.059CBM 18PCS

Power Socket

- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 120×78×165mm;
- Material: PP Fire Retardant, Pure Copper Power Cord.



ST-1012





CZ-863-WST 0.073CBM 12PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 201×112×112mm;
- Material: PP Fire Retardant, Pure Copper Power Cord.

ST-1013





CZ-851-WST 0.053CBM 40PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 210×40×48mm;
- Material: PP Fire Retardant, Pure Copper Power Cord.

ST-1013G





CZ-1035-WST 0.036CBM 100PCS

Plug Adaptor



- AC 110V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 70×55×45mm;
- Material: PC shell.

ST-1204S1





CZ-1573-WST 0.037CBM 50PCS

Plug Adapter



- AC 110V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 70×55×45mm;
- Material: PC Flame Retardant Shell Pure Copper Hardware Accessories.

ST-1136





CZ-1024-WST 0.091CBM 100PCS

Plug Adaptor



- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 80×75×55mm;
- Material: PC shell.

ST-1193U





CZ-1590-WST 0.066CBM 50PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 253×99×29mm;
- Material: PC;
- Selling Point: 1. outlet with safety shutter; 2. thickened integrated copper core; 3. pure copper power cord.

ST-1098U





CZ-1422-WST | 0.092CBM | 50PCS

Power Socket



- AC 220V-250V 50/60Hz;
- Power: 10A/2500W;
- Size: 165×80×47mm;
- Material: PC shell.

ST-1044





CZ-867-WST | 0.088CBM | 6PCS

Extension Cable Reel



- AC 220V-250V 50/60Hz;
- 3.9A 900W/9.6A 2200W;
- Material: PC Fire Retardant, Pure Copper Power Cord.

ST-2441





DZC-1219-WST | 0.054CBM | 20PCS

Digital Scale



- DC 4.5V;
- Power: 0.5W;
- Size: 280×260×20mm;
- Selling Point: 1. max weighing 180kg; 2. thickened glass.

ST-4037





MWD-008-WST | 0.127CBM | 10PCS

Mosquito Killer Lamp



- AC 220V-240V 50/60Hz;
- Power: 20W 3000V;
- Size: 385×70×265mm;
- Material: full aluminum alloy, pure copper power cord.

ST-4038-F





MWD-694-WST | 0.121 CBM | 8PCS

Mosquito Killer Lamp



- AC 220V-240V 50/60Hz; Output high voltage: 3000V;
- Power: 30W;
- Size: 495×75×277mm;
- Material: all aluminum alloy, pure copper power cord.

1000VA(WYQ311-981 ST-0007)
1500VA(WYQ311-984 ST-0008)
2000VA(WYQ311-959 ST-0006)





0.044CBM | 4PCS

Voltage Regulator



- Output/Input voltage: AC 220V/100V-260V&110V;
- VDE/BS Plug;
- Digital display;
  Eltransformer;
  High and low voltage protection;
  3 LED status indicators: normal &delay & abnormal.

3000VA(WYQ311-985 ST-0009)




Black Panel


Digital Display


VDE/BS Socket


3 LED Status Indicators

0.030CBM 1PCS

Voltage Regulator



- Output/Input voltage: AC 220V/110V 3000V;
- VDE/BS Plug;
- Digital display;
  Eltransformer;
  High and low voltage protection;
  3 LED status indicators: normal &delay & abnormal.

5000VA(WYQ311-986 ST-0010)




Black Panel


Digital Display


VDE/BS Socket


3 LED Status Indicators

0.030CBM 1PCS

Voltage Regulator



- Output/Input voltage: AC 220V/100V-260V 5000V;
- VDE/BS Plug;
- Digital display;
  Eltransformer;
  High and low voltage protection;
  3 LED status indicators: normal &delay & abnormal.

ST-4106




control panel


adjustment button


misting function


USB+TYPE-C

DFS-1724-WST 0.135CBM 6PCS

10" Table Fan



- DC 5V;
- Power: 6W;
- Size: 315×186×547mm;
- Material: ABS+PP;
- Selling Point: 1. 10L water tank;
  2. brushless motor.

ST-4103




Button


LED Light


Charging port


Handle

DFS-1158-WST 0.145CBM 10PCS

Rechargeable Table Fan 8"



- DC 5V 9W;
- Size: 225×150×350mm;
- Material: ABS, PP;
- Function: 3 speeds, LED light, rechargeable;
  Pure Copper Motor.

ST-4104




control panel


LED lighting


rotatable


removable battery

DFS-1303-WST 0.169CBM 24PCS

8" Table Fan



- DC 5V;
- Power: 3W;
- Size: 234×75×299mm;
- Material: ABS+PP;
- Selling Point: 1. 3-speed setting;
  2. brushless motor.

ST-4105




control panel


LED lighting


rotatable


removable battery

DFS-1304-WST 0.183CBM 24PCS

8" Table Fan



- DC 5V;
- Power: 3W;
- Size: 240×75×321mm;
- Material: ABS+PP;
- Selling Point: 1. 3-speed setting;
  2. brushless motor.



ST-4052





DFS-4025-WST 0.107CBM 20PCS

Rechargeable Table Fan 6"



- DC 5V AC/DC available, USB output;
- Size:186*156*160mm;
- Battery charging time: 4-6hours;
- Material: ABS shell, external 2 sections of 3.7V/1200mAh lithium battery;
- Working time: fan high gear 2 hours, medium gear 3-3.5 hours, low gear 4.5-5.5hours.

ST-4049





DFS-497-WST 0.195CBM 20PCS

Rechargeable Table Fan 8"



- DC 5V 6W;
- Size: 231*119*290mm;
- Battery charging time: 6-8hours (with charging indicator); Working time: 1.5-8hours, LED working time: 18-20hours;
- Material: ABS case with 2 built-in 3.7V 1500mAh lithium batteries;
- LED color temperature: 6500K.

ST-4100





DFS-1052-WST 0.189CBM 24PCS

Rechargeable Table Fan 7"



- DC 5V 5W;
- Size: 248*305*80mm;
- Material: ABS shell;
- 3-speed regulation, height adjustable;
- TYPE-C/USB power cord.

ST-4066





DFS-963-WST | 0.083CBM | 24PCS

Rechargeable Table Fan 8"



- DC 5V 6W;
- Size: 201×75×380mm;
- Material: ABS shell;
- 3-speed regulation, direction adjustable;
- TYPE-C/USB power cord.

ST-4065





DFS-961-WST | 0.170CBM | 24PCS


Rechargeable Table Fan 8"



- DC 5V 6W;
- Size: 214×214×108mm;
- Material: ABS shell;
- 3-speed regulation, height adjustable;
- TYPE-C/USB power cord.

ST-4102





DFS-1054-WST | 0.139CBM | 20PCS

Solar Table Fan 6"



- DC 5V 5W;
- Size: 205×320×60mm;
- Material: ABS shell;
- 3-speed regulation, height adjustable;
- TYPE-C/USB power cord.

ST-4101





DFS-1053-WST | 0.338CBM | 24PCS


Rechargeable Table Fan 7"



- DC 5V 5W;
- Size: 230×330×275mm;
- Material: ABS shell;
- 3-speed regulation, height adjustable;
- TYPE-C/USB power cord.

ST-4067





DFS-1040-WST | 0.072CBM | 8PCS

Rechargeable Table Fan 6"



- DC 5V 12W±3W;
- Size: 200×105×299mm;
- Material: ABS+PC shell, PP blade;
- Function: Fan 14-33 hours, LED lighting 120 hours.

ST-4069





DFS-1042-WST | 0.107CBM | 12PCS

Rechargeable Table Fan 6"



- DC 5V 6W;
- Size: 270×110×205mm;
- Material: ABS plastic shell, PP blade;
- Function: Fan 9-18 hours, LED lighting 72 hours.

ST-4054





Speed Button | LED Light | TYPE-C | Outside Battery

DFS-613-WST | 0.168CBM | 24PCS

Rechargeable Table Fan 8"



- DC 5V 6W;
- Size: 230×70×308mm;
- 3.7V 2000mAh battery;
- Material: ABS shell, PP blades;
- TYPE-C cable;
  Working time: 4-8hours;
  Fan speed: high-2000, middle-1600, low-1200.

ST-4057





Working Display | LED Light | 5-blade Fan | Stable Base

DFS-697-WST | 0.163CBM | 3PCS

Rechargeable Table Fan 12"



- AC/DC both, AC110V-240V
- Power: 34W±2W;
- Size: 440×160×540mm;
  Material: ABS shell, PP blades;
- Cable: copper, 1.2m;
  Function: overcharging protection;

ST-4056





Working Display LED Light | 5-blade Fan | Charging Input | Air Outlet

DFS-636-WST | 0.102CBM | 3PCS

Rechargeable Table Fan 12"



- AC 110V-264V;
- Power: 18W±2W;
- Size: 500×390×160mm;
- Material: ABS shell, PP blades;
  Cable: copper, 1.25m;
- Inside battery 6V 4.5A, rechargeable;
  LED light: 1.5W;
  USB charging input, overcharging protection.

ST-4063





Switch | Light | USB charging | Lithium Batteries

DFS-742-WST | 0.202CBM | 24PCS

Rechargeable Table Fan 8"



- DC 5V 6W;
- Size: 237×80×322mm;
- Material: ABS plastic shell, PP blades;
- TYPE-CUSB cable charging.

ST-4312





control panel | timer function | oscillating function | adjustable height

DFS-1281-WST | 0.104CBM | 2PCS

18" Stand Fan



- AC 230V 50Hz;
- Power: 55W;
- Size: 500×430×1400mm;
- Selling Point: 1. 3-speed setting;
  2. 60-minute timer.

ST-4051





Operation Panel | Hand Holder | 5-blade Fan | Adjustable Height

DFS-496-WST | 0.078CBM | 2PCS

Stand Fan 16"



- AC 230V 50/60Hz;
- Power: 40W;
- Size: 1250×430×370mm;
- Material: PP shell;
- Function: steering, 3 speeds.

n 12"

ion.

ST-4020





DFS-665-WST 0.14CBM 3PCS

Stand Fan 16"



- AC 220V-240V 50/60Hz;
- Power: 55W;
- Size: 1340×445×400mm;
- Material: ABS;
- Function: remote control; 3 Winds: normal+natural+sleeping.

ST-4055





DFS-666-WST 0.145CBM 3PCS

Stand Fan 16"



- AC 220V-240V 50/60Hz;
- Power: 50W;
- Size: 1340×445×400mm;
- Material: ABS shell, PP motor shell;
- Motor: Copper; Cable: Copper, 1.53m.

ST-4205





DFS-1148-WST 0.126CBM 2PCS

Stand Fan 18"



- AC 220V-240V 50/60Hz;
- Power: 65W;
- Size: 1400×435×520mm;
- Material: ABS, PP;
- Function: 3 speeds, timer; Pure Copper Motor.

ST-4206





DFS-1149-WST 0.109CBM 2PCS


Living Fan 16"



- AC 220V-240V 50/60Hz;
- Power: 50W;
- Size: 945×420×360mm;
- Material: ABS, AS;
- Function: 4 speeds, timer, touch screen, remote; Pure Copper Motor.

ST-4201





DFS-756-WST 0.102CBM 2PCS

Stand Fan 18"



- AC 220V-240V 50/60Hz;
- Power: 55W;
- Size: 1400×500×430mm;
- Material: PP body and motor shell, 7118
- pure copper motor;
- 2 hours timing, 3-Speed.

ST-4203





DFS-1014-WST 0.085CBM 2PCS

Stand Fan 16"



- AC 220V-240V 50/60Hz;
- Power: 45W;
- Size: 1300×430×410mm;
- Material: PP shell, PP blade;
- Function: 2 hours timing, 3-Speed, height adjustable.

ST-4305





DFS-1150-WST 0.145CBM 3PCS


Wall-mounted Fan 16"



- AC 220V-240V 50/60Hz;
- Power: 55W;
- Size: 445×330×550mm;
- Material: ABS, PP;
- Function: 3 speeds; Pure Copper Motor.

ST-4060





DFS-1145-WST 0.1CBM 3PCS

Rechargeable Table Fan 14"



- AC 100V-240V 50Hz;
- Power: 17W;
- Size: 375×218×514mm;
- Material: ABS, PP;
- Function: 2 speeds, 2 USB charging functions, rechargeable; Pure Copper Motor.

ST-4061





DFS-1146-WST 0.134CBM 3PCS


Rechargeable Table Fan 16"



- AC 110V-240V 50Hz;
- Power: 18W;
- Size: 430×271×576mm;
- Material: ABS, PP;
- Function: 2 speeds, 2 USB charging
- functions, rechargeable; Pure Copper Motor.

ST-4204





DFS-1147-WST 0.108CBM 2PCS

Stand Fan 16"



- AC 220V-240V 50/60Hz;
- Power: 55W;
- Size: 1400×400×440mm;
- Material: ABS, PP;
- Function: 3 speeds, timer, ambient temperature display, remote; Pure Copper Motor.

ST-4062





DFS-1154-WST 0.2CBM 6PCS

Rechargeable Table Fan 16"



- AC 100V-240VDC 8.5V;
- Power: 13W;
- Size: 945×420×360mm;
- Material: ABS, PP;
- Function: 4 speeds, timer, LED light, rechargeable; Pure Copper Motor.

ST-4300





DFS-1136-WST 0.174CBM 3PCS

Ceiling Fan 16"



- AC 230V 50/60Hz;
- Power: 55W-65W;
- Size: 450×450×350mm;
- Material: PP;
- Function: 3 speeds; Pure Copper Motor.

n 16"

ST-4313



DFS-1741-WST 0.167CBM 2PCS

18" Rechargeable Stand Fan



- AC 220V-240V 50/60Hz / DC 12V-15V;
- Power: 73W, solar panel: 30W;
- Capacity: 1.5L;
- Battery Capacity: 12V 4.5Ah;
- Size: 340×557×1270mm;
- Material: ABS+PP;
- Selling Point: 1. misting; 2. solar charging; 3. pure copper motor.

ST-4207



DFS-1155-WST 0.102CBM 2PCS

Rechargeable Stand Fan 18"



- AC 100V-240V/DC 8.5V;
- Power: 35W;
- Size: 1274×370×420mm;
- Material: ABS, PP;
- Function: 4 speeds, timer, SMD light;
- rechargeable;
  Pure Copper Motor.

ST-4208



DFS-1156-WST 0.108CBM 2PCS

Rechargeable Stand Fan 18"



- AC 100V-240V/DC 8.5V;
- Power: 35W;
- Size: 1325×340×420mm;
- Material: ABS, PP;
- Function: 4 speeds, timer, SMD light;
- rechargeable, remote;
  Pure Copper Motor.

ST-4209



DFS-1266-WST 0.148CBM 2PCS

Air Circulator Fan



- AC 230V 50Hz;
- Power: 2200W;
- Size: 466.7×350×1130mm;
- Selling Point: 1. Voice & Remote Control;
- 2. 5-Speed Wind Setting.

ST-4311



DFS-1276-WST 0.112CBM 2PCS

18" AI Stand Fan



- AC 230V 50Hz;
- Power: 55W;
- Size: 430×500×1400mm;
- Selling Point: 1. Voice & Remote Control;
- 2. 7.5H timer.

ST-A12CS-T3



KT-1113-WST 0.082CBM 1PCS

Air Conditioner



- AC 220V 50Hz;
- Power: 1.5P;
- Size: 840×290×202mm;
- Cooling Capacity: 12000 BTU;
- Cooling-Only, T3-Rated.

ST-A09CI-T3





Function Panel | Air Outlet | Heat Exhaust Pipe | Heat Dissipation Hole

KT-1142-WST | 0.124CBM | 1PCS

Air Conditioner



- AC 220V 50Hz;
- Power: 1P;
- Size: 310×340×715mm;
- Cooling Capacity: 9000 BTU;
- Cooling-Only.

ST-4084





Grille For Heating Elements | Function Control Knob | Stand | Handle

QNQ-649-WST | 0.078CBM | 8 PCS

Portable Space Heater



- AC 220V-240V 50/60Hz;
- Power: 1800W-2000W;
- Size: 225×135×280mm;
- Material: PP plastic shell;
- Function: 1000W/2000W and common fan for choice;
- Overheating protection, adjustable thermostat.

ST-4085





Safety Metal Cover | Reflector Cover | Heating Button | Base Support

QNQ-650-WST | 0.076CBM | 6PCS

Portable Space Heater



- AC 220-240V 50/60Hz;
- Power: 2400W;
- Size: 218×165×255mm;
- Material: iron shell +PP plastic;
- 3 gears: natural wind 25W/1 gear 1500W/2 gear 2400W.



ST-4088





Speed Knob | Temperature Adjusting Knob | Air Outlet | Handle

QNQ-1048-WST | 0.054CBM | 6PCS



Portable Space Heater

- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Size: 210×90×220mm;
- Overheat Protection.

ST-4087





Speed Knob | Temperature Adjusting Knob | PTC Heater | Safety Handle

QNQ-1011-WST | 0.057CBM | 8PCS



Portable Space Heater

- AC 220V-240V 50/60Hz;
- Power: 900W-1500W;
- Size: 160×120×223.5mm;
- PTC Heating;
  Overheat Protection;
  Tip-Over Switch.

ST-4089





Speed Knob | Temperature Adjusting Knob | Air Outlet | Handle

QNQ-1086-WST | 0.095CBM | 6PCS



Portable Space Heater

- AC 220V-240V 50Hz;
- Power: 1500W;
- Size: 178×160×210mm;
- PTC heating.

ST-4081





Anti-Tipping Switch | Left And Right Head Shaking | Grille For Heating Elements | Function Control Panel

QNQ-638-WST | 0.132CBM | 6PCS



Portable Space Heater

- AC 220V-240V 50/60Hz;
- Power: 2000W;
- Size: 430×182×175mm;
- Material: ABS plastic shell, PTC ceramic heat generator;
- Function: 3 seconds fast heat, left and right head shaking, 3-step temperature adjustment, dumping power off, overheating protection, 12 hours timer, ECO intelligent thermostat adjustment;
  Function mode: natural wind - LO - HI - ECO.

ST-4090





Button | Do Not Touch Reminder | Digital Display | Handle

QNQ-1089-WST | 0.132CBM | 2PCS



Space Heater

- AC 220V-240V 50Hz;
- Power: 3000W;
- Size: 260×260×586mm;
- Material: ABS+PTC +PP;
- 3 Speeds: natural wind/ 1 speed / 2 speed;
  Overheat protection.

ST-4091





Button | Digital Display | Air Outlet | Handle

QNQ-1090-WST | 0.176CBM | 2PCS



Portable Space Heater

- AC 220V-240V 50Hz;
- Power: 2000W;
- Size: 342×255×606mm;
- Material: ABS+PTC +PP;
- 3 Speeds: natural wind / 1 speed / 2 speed;
  Overheat protection.



XCQ-1256-WST 0.116CBM 2PCS

Vacuum Cleaner

- AC 230V 50Hz;
- Power: 2500W;
- Capacity: 2.5L;
- Suction: ≥23kPa;
- Noise: ≤85dB(A);
- Size: 420×290×249mm;
- Selling Point: 1. stepless speed regulation; 2. automatic cord retraction.

ST-5032



XCQ-446-WST 0.055CBM 1PCS

Vacuum Cleaner

- AC 220V-240V 50/60Hz;
- Power: 1800W;
- Vacuum degree: 22kpa;
- Sound intensity: 75dB;
- Size: 450×310×260mm;
- Function: dry vacuum; Foot push;
- Accessories: 1 main engine, 1 metal telescopic tube, 1 metal plate brush, 1 black hose,1 combined suction brush.

ST-5054



XCQ-1164-WST 0.118CBM 2PCS

Vacuum Cleaner

- AC 220V-240V 50/60Hz;
- Power: 2500W;
- Capacity: 3.5L;
- Size: 450×290×269mm;
- Material: PP Plastic Body; Pure Copper Wire.

ST-5053



XCQ-1120-WST 0.055CBM 1PCS

Vacuum Cleaner

- AC 220V-240V 50/60Hz;
- Power: 2200W;
- Vacuum degree ≥27kpa;
- Noise <81dB;
- Capacity: 3L;
- Size: 450×290×260mm;
- Material: ABS.

ST-5052





XCQ-902-WST | 0.129CBM | 4PCS

Vacuum Cleaner



- AC 220V-240V 50Hz;
- Power: 1200W;
- Suction Power: ≥16kPa;
- Capacity: 2L;
- Size: 330×215×280mm;
- Power cord: 2m.

ST-5043





XCQ-743-WST | 0.128CBM | 4PCS

3 IN 1 Vacuum Cleaner



- AC 100V-240V 50/60Hz;
- Power: 140W+15W;
- Vacuum: 10-12Kpa;
- Noise: 70-80dB;
- Size: 1170×245×210mm.

ST-5044





XCQ-812-WST | 0.112CBM | 3PCS

3 IN 1 Vacuum Cleaner



- AC 100V-240V 50/60Hz;
- Power: 360W+25W;
- Vacuum: 8-27Kpa;
- Noise≤ 75dB;
- Size: 1170×245×210mm.

ST-6200





XCQ-1271-WST | 0.13CBM | 4PCS

Vacuum Cleaner



- AC 100V-240V 50/60Hz;
- Power: 180W+15W;
- Capacity: 0.8L;
- Suction: 8-22kPa;
- Noise: 70-80dB;
- Size: 1170×245×210mm;
- Selling Point: 1. hepa filtration system; 2. touchscreen control.

ST-5047





XCQ-1108-WST | 0.105CBM | 4PCS

2 IN 1 Vacuum Cleaner



- AC 220V-240V 50Hz;
- Power: 450W;
- Vacuum: 15kpa;
- Noise: 79dB;
- Capacity: 500mL;
- Size: 360×228×285mm.

ST-5046





XCQ-1078-WST | 0.093CBM | 2PCS

4 IN 1 Vacuum Cleaner



- AC 220V-240V 50/60Hz;
- Power: 550W;
- Vacuum: 15kpa;
- Noise: ≤80dB;
- Capacity: 1.2L;
- Size: 1145×235×245mm.

ST-5035





Start/Stop Button | Upper/Lower Lock | HEPA | Roller

XCQ-907-WST | 0.033CBM | 1PCS

Dry-wet Vacuum Cleaner



- AC 220V-240V 50/60Hz;
- Power: 1000W;
- Suction Power: ≥16kPa;
- Capacity: 10L;
- Blowing Function.

ST-5030





Metal Pail | Snap Buckle | Bag Inside | Switch

XCQ-404-WST | 0.063CBM | 1PCS

Vacuum Cleaner



- AC 220V-240V 50/60Hz;
- Power: 1800W;
- Capacity: 21L;
- Size: 515×310×370mm;
- Multi Filter System; Full Dust Indicator.

ST-5030





Speed knob | Anti-slip Feet | 304 Stainless Steel Tube | Roller

XCQ-747-WST | 0.064CBM | 1PCS

Vacuum Cleaner



- AC 220V-240V 50/60Hz;
- Power: 1800W;
- Capacity: 21L;
- Size: 530×310×370mm;
- Multi Filter System; Full Dust Indicator.

ST-5034





Snap Buckle | Shift Knob | Air Outlet | Dust Bin

XCQ-418-WST | 0.065CBM | 1PCS

Dry-wet Vacuum Cleaner



- AC 220V-240V 50/60Hz;
- Power: 1600W;
- Copper motor, suction power: ≥ 16 kpa;
- Noise: ≤ 84dB (A);
- Capacity: 25L stainless steel tank;
- Size: 530×310×370mm.

ST-90301





power switch | floor brush | snap fastener | wheel

XCQ-1254-WST | 0.175CBM | 2PCS


Vacuum Cleaner



- AC 220V-240V 50/60Hz;
- Power: 1600W;
- Capacity: 25L;
- Suction: ≥20kPa;
- Noise: ≤84dB(A);
- Size: 530×310×370mm;
- Material: stainless steel;
- Selling Point: 1. hepa & sponge filtration system; 2. blowing function.

ST-5036





Button | Snap Buckle | Tank | wheel

XCQ-976-WST | 0.073CBM | 1PCS

Dry-wet Vacuum Cleaner



- AC 220V-240V 50/60Hz;
- Power: 1400W;
- Vacuum: ≥17kpa;
- Noise: ≤82 db (A);
- Capacity: 15L;
- Size: 310×370×495mm.

ST-4610





control panel | water tank | hose | brush head

QXJ-1698-WST | 0.062CBM | 2PCS

Spot Cleaner



- AC 220V-240V 50/60Hz;
- Power: 600W-1200W;
- Suction: ≥17kPa;
- Noise: ≤85dB;
- Size: 307×170.6×280mm;
- Material: ABS;
- Selling Point: 1. 3 in 1 Stain Removal; 2. 99.9% sterilized.

ST-4609





water tank | adjustment knob | wall-mounted | cord storage

QXJ-1621-WST | 0.092CBM | 3PCS

Steam Cleaner



- AC 220V-240V 50/60Hz;
- Power: 1500W;
- Capacity: 400mL;
- Size: 220×325×1200mm;
- Material: ABS;
- Selling Point: 1. 35s rapid heating; 2. multi-function.

ST-4604





Button | Digital Display | Handle | Vacuum Cleaner Head

QXJ-1079-WST | 0.066CBM | 1PCS

3 IN 1 Vacuum Cleaner



- AC 100V-240V 50/60Hz;
- Power: 200W;
- Battery: 2500mAh;
- Capacity: 580mL/520mL, 8.5KP-16KP;
- Size: 272×210×1075mm;
- Material: ABS;
- Pure copper power cord.

ST-4608





power switch | water tank | floor brush | hose connection port

QXJ-1298-WST | 0.162CBM | 1PCS

Carpet Cleaner



- AC 230V 50/60Hz;
- Power: 2240W;
- Capacity: 3.8L+1.4L;
- Suction: ≥20kPa;
- Noise: ≤79dB;
- Size: 302×55×55mm;
- Material: ABS+PP;
- Selling Point: 1. steam cleaning; 2. 99.99% sterilized.

ST-4602





Handle | Drain Tank | Right Power Switch | Left Dump Control Switch

QXJ-1015-WST | 0.101CBM | 1PCS

3 IN 1 Carpet Cleaner



- AC 220V-240V 50/60Hz
- Power: 800W;
- Suction Power: ≥13kPa, 68°C Max
- Capacity: 1.35L+1.25L;
- Size: 340×380×1160mm;
- Material: PP Shell +ABS water tank;
- Heating, IPX4.

ST-4603





Button | Handle | Power Cord Management | Spray Gun

QXJ-1051-WST | 0.029CBM | 1PCS

Portable Pressure Washer



- AC 220V-240V 50/60Hz;
- Power: 1200W;
- Pressure: 60bar;
- Flow Rate: 5L/min;
- Size: 330×180×430mm;
- Material: PP, Pure copper power cord.



ST-6503

Compressor Water Outlet Stock Area Closing State

YSJ-043-WST 0.114CBM 1PCS

Water Dispenser

- AC 220V-240V 50Hz;
- Heating: 550W, cooling: 65W;
- Material: 304 Stainless Steel+ABS;
- Compressor;
- Double Temperature Control;
- Auto Warm Keeping.

ST-6503





Body Compressor Opening State Water Outlet

YSJ-045-WST 0.114CBM 1PCS

Water Dispenser

- AC 220V-240V 50Hz;
- Heating: 550W, cooling: 65W;
- Material: 304 Stainless Steel+ABS;
- Compressor;
- Double Temperature Control;
- Auto Warm Keeping.

ST-6503





Closing State Opening State Compressor Charging

YSJ-044-WST 0.114CBM 1PCS

Water Dispenser

- AC 220V-240V 50Hz;
- Heating: 550W, cooling: 65W;
- Material: 304 Stainless Steel+ABS;
- Compressor;
- Double Temperature Control;
- Auto Warm Keeping.

ST-6503





Water Outlet Body Compressor Opening State

YSJ-046-WST 0.114CBM 1PCS

Water Dispenser

- AC 220V-240V 50Hz;
- Heating: 550W, cooling: 65W;
- Material: 304 Stainless Steel+ABS;
- Compressor;
- Double Temperature Control;
- Auto Warm Keeping.

ST-6505-HS






YSJ-590-WST 0.110CBM 1PCS

Water Dispenser

- AC 220V-240V 50/60Hz;
- Heating: 550W, cooling: 90W;
- Material: 304 Stainless Steel+ABS;
- Function: Cold/warm/hot water with compressor and double temperature control, Have refrigerator.

ST-6505-YS





YSJ-591-WST 0.110CBM 1PCS

Water Dispenser

- AC 220V-240V 50/60Hz;
- Heating: 550W, cooling: 90W;
- Material: 304 Stainless Steel+ABS;
- Function: Cold/warm/hot water with compressor and double temperature control, Have refrigerator.

ST-6507





YSJ-831-WST 0.11CBM 1PCS



Water Dispenser

- AC 220V-240V 50/60Hz;
- Heating power: 500W, cooling power: 80/90W;
- Size: 340×310×960mm;
- Material: plastic shell and 304 SS inner tank;
- Overcurrent protection, child lock.

ST-6506-HS






YSJ-592-WST 0.110CBM 1PCS

Water Dispenser

- AC 220V-240V 50/60Hz;
- Heating: 550W, cooling: 100W;
- Material: 304 Stainless Steel+ABS;
- Function: Cold/warm/hot water with compressor and double temperature control.

ST-6506-YS





YSJ-593-WST 0.110CBM 1PCS

Water Dispenser

- AC 220V-240V 50/60Hz;
- Heating: 550W, cooling: 100W;
- Material: 304 Stainless Steel+ABS;
- Function: Cold/warm/hot water with compressor and double temperature control.

ST-6510





YSJ-1236-WST 0.16CBM 1PCS



Water Dispenser

- AC 220V-240V 50/60Hz;
- Power: 500W+95W;
- Size: 325×350×1070mm;
- Material: ABS+stainless steel;
- Selling Point: 1. pure copper power cord; 2. overcurrent protection.

ST-6513





water inlet | indicator light | water outlet | power switch

YSJ-1297-WST | 0.062CBM | 1PCS



Water Dispenser

- AC 220V-240V 50/60Hz;
- Power: 500W+80W;
- Size: 340×310×495mm;
- Material: ABS+stainless steel;
- Selling Point: 1. cold/warm/hot water; 2. antibacterial plastic.

ST-6514





control panel | water outlet | water tank | cooling vent

YSJ-1501-WST | 0.091CBM | 1PCS



Water Dispenser

- AC 220V-240V 50/60Hz;
- Power: 2100W+70W;
- Capacity: 6L+1.8L;
- Size: 422×235×415mm;
- Material: ABS+stainless steel;
- Selling Point: 1. ro water filtration; 2. direct drinking.

ST-6512





control panel | thermal carafe | anti-slip feet | storage space

YSJ-1286-WST | 0.143CBM | 1PCS



Water Dispenser

- AC 220V-240V 50/60Hz;
- Power: 1350W+75W;
- Size: 400×300×1180mm;
- Material: ABS+stainless steel;
- Selling Point: 1. cold/warm/hot water; 2. boil-dry protection.

ST-6504





Teakettle And Thermos Kettle | LED Screen | Head Cover | Cabinet

YSJ-523-WST | 0.135CBM | 1PCS

Multifunctional Water Dispenser



- AC 220V-240V 50/60Hz;
- Heating power: 1350W, Insulation power: 15W;
- Size: 390×320×1170mm;
- Material: box with baking paint ABS plastic & punching parts side panel, 30g compressor, R-05 cold water tank;
- Function: boil-dry protection + temperature control, overcurrent protection, auto warm keeping;
  Refrigrant: R134A.

ST-6511





control panel | thermal carafe | anti-slip feet | storage space

YSJ-1285-WST | 0.164CBM | 1PCS



Water Dispenser

- AC 220V-240V 50/60Hz;
- Power: 1350W+75W;
- Size: 420×355×1230mm;
- Material: ABS+stainless steel;
- Selling Point: 1. cold/warm/hot water; 2. touchscreen; 3.remote control .

ST-9703





Vertical Ice Cream Maker | Toggle Madter Switch | Three flavors | Body 201 Stainless Steel

BQLJ-461-WST | 0.56CBM | 1PCS

Ice Cream Machine



- AC 220V-240V 50Hz;
- Power: 1850W;
- 3.8L*2 cylinder;
- 1.8L*2 refrigeration cylinder;
- Material: stainless steel;
- Avic Sanyo compressor;
  R22 refrigerant;
  Intelligent digital display.

ST-XPB120-8SA





XYJ-028-WST | 0.536CBM | 1PCS

Washing Machine

- AC 220V 50Hz;
- Washing Power: 600W;
  Dehydration Power: 220W;
- Washing capacity: 12kg;
- Size: 860×550×1000mm;
- Aluminum Motor;
  IPX 4.

ST-XPB130-2009SVA





XYJ-721-WST | 0.567CBM | 1PCS

Washing Machine

- AC 220V-240V 50/60Hz;
- Washing motor power: 300W;
  Dewatering motor power: 70W;
- Washing capacity: 15kg;
  Spinning capacity: 6.5kg;
- Size: 886×532×1035mm;
- ABS control panel/transparent cover.

ST-XQG100DP





XYJ-1270-WST | 0.407CBM | 1PCS



Washing Machine

- AC 220V-240V 50Hz;
- Power: 1800W+150W;
- Capacity: 10kg;
- Size: 596×645×850mm;
- Material: stainless steel;
- Selling Point: 1. 9 washing modes;
  2. water temperature adjustment.



ST-BCD-118L





BG-81-WST | 0.209CBM | 1PCS

Refrigerator

- AC 220V-240V
- Power: 80W;
- Capacity: 60L;
- Size: 420×415×820mm;
- Cooling Temperature: 5°C;
  Freezing Temperature: -21°C;
- Wall Thickness: 50mm;
  Danpu Compressor.

ST-BCD-152L





BG-83-WST | 0.254CBM | 1PCS

Refrigerator

- AC 220V-240V 80W;
- Capacity: 76L;
- Danfu Compressor;
- Wall Thickness: 50mm;
- Cooling Temperature: 5°C;
- Freezing Temperature: -21°C;
- Size: 420×415×1040mm;
- Color: Rose Gold & Grey.

ST-BD-180L





BG-1071-WST | 0.469CBM | 1PCS

Upright Freezer

- AC 220V-240V 50Hz;
- Power: 150W;
- Capacity: 180L;
- Size: 540×580×1425mm;
- Material: Iron Shell.



BG-48-WST 0.278CBM 1PCS

Chest Freezer

- AC 220V-240V/DC 12V/24V;
- Power: Input power 75W;
- Capacity: 108L;
- Size: 520×520×845mm;
- Material: Maddle compressor model QDAH30G;
- The condenser evaporator adopts Bundy pipe (iron pipe/galvanized pipe); LC/25-35H standard controller (aluminum case).

ST-BD-158L



BG-49-WST 0.372CBM 1PCS

Chest Freezer

- AC 220V-240V/DC 12V/24V;
- Power: Input power 86W;
- Capacity: 158L;
- Size: 710×520×845mm;
- Material: Maddle compressor model QDAH35G;
- The condenser evaporator adopts Bundy pipe (iron pipe/galvanized pipe); LC/25-35H standard controller (aluminum case).

ST-BD-208L



BG-50-WST 0.45CBM 1PCS

Chest Freezer

- AC 220V-240V/DC 12V/24V;
- Power: Input power 115W;
- Capacity: 208L;
- Size: 875×520×845mm;
- Material: Maddle compressor model QDAH43G;
- Bundy tube (iron tube) for condenser and evaporator;
- Zhiying brand controller.

ST-BD-258L



BG-51-WST 0.578CBM 1PCS

Chest Freezer

- AC 220V-240V/DC 12V/24V;
- Power: Input power 115W;
- Capacity: 258L;
- Size: 1035×555×845mm;
- Material: Maddle compressor model QDAH43G; DC45H65Y/75Y standard with controller (aluminum shell);
- Condenser/evaporator with Bundy tube;
- Mechanical thermostat.

ST-BD-108L





BG-448-WST 0.276CBM 1PCS

Chest Freezer

- AC 220V-240V;
- Power: Input power 75W;
- Capacity: 108L;
- Size: 520×520×845mm;
- Material: Maddie compressor model ADW43;
- Condenser/evaporator with Bondi tube (iron tube/galvanized tube);
- mechanical temperature controller.

ST-BD-158L





BG-449-WST 0.371CBM 1PCS

Chest Freezer

- AC 220V-240V;
- Power: Input power 86W;
- Capacity: 158L;
- Size: 710×520×845mm;
- Material: Madi compressor model ADW51L;
- Condenser/evaporator using Bundy tube (iron pipe/galvanized pipe);
- mechanical temperature controller.

ST-BD-208L





BG-450-WST 0.457CBM 1PCS

Chest Freezer

- AC 220V-240V;
- Power: Input power 115W;
- Capacity: 208L;
- Size: 875×520×845mm;
- Material: Madi compressor model ADW51ML;
- Bundy tube (iron tube/galvanized tube);
- mechanical thermostat.

ST-BD-258L





BG-451-WST 0.562CBM 1PCS

Chest Freezer

- AC 220V-240V;
- Power: Input power 115W;
- Capacity: 258L;
- Size: 1035×555×845mm;
- Material: Madi compressor model ADW51ML;
- Bundy tube (iron tube/galvanized tube);
- Mechanical thermostat.

ST-BD-108L





BG-552-WST 0.415CBM 1PCS

Chest Freezer

- AC 220V/DC 12V 15A;
- Power: 47W;
- Capacity: 108L;
- Size: 670×661×840mm;
- Material: Aluminium, thickened Shell;
- Function: cold: -18- -32°C, cooling 0- -10°C.

ST-BD-158L





BG-553-WST 0.515CBM 1PCS

Chest Freezer

- AC 220V/DC 12V 15A;
- Power: 49W;
- Capacity: 158L;
- Size: 840×661×840mm;
- Material: Aluminium, thickened Shell;
- Function: cold: -18- -32°C, cooling 0- -10°C.

ST-BD-208L





Handle | Lock | Indicator Light | Heat Dissipation Holes

BG-554-WST | 0.622CBM | 1PCS

Chest Freezer

- AC 220V/DC 12V 15A;
- Power: 68W;
- Capacity: 208L;
- Size: 996×661×840mm;
- Material: Aluminum, thickened Shell;
- Function: cold: -18- -32°C, cooling: 0- -10°C.

ST-BD-258L





Handle | Lock | Indicator Light | Heat Dissipation Holes

BG-555-WST | 0.727CBM | 1PCS

Chest Freezer

- AC 220V/DC 12V 15A;
- Power: 78W;
- Capacity: 258L;
- Size: 1038×745×840mm;
- Material: Aluminum, thickened Shell;
- Function: cold: -18- -32°C, cooling: 0- -10°C.

ST-BD/BC-109Q





BG-1675-WST | 0.315CBM | 1PCS

Chest Freezer

- AC 220V-240V/DC 12V/24V 50Hz;
- Power: 55W;
- Capacity: 109L;
- Size: 535×550×850mm;
- Function: cold: ≤-18°C, cooling: 0- 10°C.

ST-BD/BC-159Q





control panel | handle | Internal storage space | condenser tube

BG-1676-WST | 0.393CBM | 1PCS

Chest Freezer

- AC 220V-240V/DC 12V/24V 50Hz;
- Power: 67W;
- Capacity: 159L;
- Size: 735×535×840mm;
- Function: cold: ≤-18°C, cooling: 0- 10°C.

ST-BD/BC-209Q





control panel | handle | Internal storage space | condenser tube

BG-1677-WST | 0.458CBM | 1PCS

Chest Freezer

- AC 220V-240V/DC 12V/24V 50Hz;
- Power: 67W;
- Capacity: 209L;
- Size: 870×535×840mm;
- Function: cold: ≤-18°C, cooling: 0- 10°C.

ST-BD/BC-259Q





control panel | handle | Internal storage space | condenser tube

BG-1678-WST | 0.564CBM | 1PCS

Chest Freezer

- AC 220V-240V/DC 12V/24V 50Hz;
- Power: 70W;
- Capacity: 259L;
- Size: 1074×535×840mm;
- Function: cold: ≤-18°C, cooling: 0- 10°C.



ST-D002





DSJ-1058-WST 0.102CBM 3PCS

LED TV (Smart) 32"



- AC 110V-240V 50/60Hz MAX≥75W;
- Resolution: 1366×768(2K);
- System: Android 12;
- Bluetooth+WIFI+Eshare;
- Size: 718.8×65×431.6mm.

ST-D003





DSJ-1059-WST 0.152CBM 2PCS

LED TV (Smart) 43"



- AC 110V-240V 50/60Hz MAX≥75W;
- Resolution: 3840×2160(4K);
- System: Android 12;
- Bluetooth+WIFI+Eshare;
- Size: 954.7×82.4×564.8mm.

ST-5833





DSJ-1060-WST 0.213CBM 2PCS

LED TV (Smart) 55"



- AC 110V-240V 50/60Hz MAX≥90W;
- Resolution: 3840×2160(4K);
- System: Android 12;
- Bluetooth+WIFI+Eshare;
- Size: 1225×82.3×713.8mm.

ST-8101





control panel audio port area handle anti-slip feet

YX-6553-WST 0.166CBM 4PCS

Party Box



- DC 5V;
- Power: 50W;
- Battery Capacity: 6000mAh;
- Size: 264×283×329mm;
- Material: ABS;
- Selling Point: 1. wireless microphone*2; 2. 11.5h of play time data from winningstar lab; 3.remote control.

ST-8100





control panel audio port area RGB lighting handle

YX-6540-WST 0.181CBM 8PCS

Party Box



- DC 5V;
- Power: 60W;
- Battery Capacity: 6000mAh;
- Size: 405×164×216mm;
- Material: ABS;
- Selling Point: 1. massive sound & super bass; 2. 12h of play time data from winningstar lab; 3.IPX5.

ST-8102





control panel audio port area RGB lighting handle


YX-6686-WST 0.187CBM 4PCS

Party Box



- DC 5V;
- Power: 80W;
- Battery Capacity: 6000mAh;
- Size: 497×208×259mm;
- Material: ABS;
- Selling Point: 1. EQ & ECHO adjustment; 2. 15h of play time data from winningstar lab; 3.IPX4.

ST-Y9198



control panel audio port area handle wheel

YX-6257-WST 0.159CBM 1PCS

Party Box

- AC 110V-240V 50/60Hz;
- Power: 100W;
- Size: 380×340×860mm;
- Material: ABS+PP;
- Selling Point: 1. 10-inch subwoofer*2; 2. EQ knob; 3. stereo surround.

AC 110V PRODUCTS

ST-2161

AC 110V





Function Pannel Coffee Bean Tank Coffee Making Powder Adjustable

KFJ-768-WST 0.070CBM 1PCS

Espresso Machine



- AC 110V 60Hz;
- heat: 1250W, grinder: 150W;
- Pressure: 15bar;
- Capacity: 2L water tank, 150g coffee bean tank;
- Size: 309×311×407mm;
- Material: ABS+AS, Pure Copper Power Cord;
- Function: Grinder, Foam and Hot Water, Adjustable Powder Coarseness.

ST-9613

AC 110V





Function Selector Shelf Glass door Cover

KJ-1107-WST 0.244CBM 1PCS

Gas Cooker



- AC 110V 60Hz;
- Capacity: 52L;
- Size: 495×640×545mm.

ST-2121

AC 110V





Body Indicator light Handle Anti-slip Feet

SMZJ-733-WST-110V 0.055CBM 8PCS

Waffle Maker



- AC 110V 60Hz;
- 750W (upper and lower plates 375W);
- Size: 230×225×77mm;
- Material: plastic shell, non-stick inner plate;
- Automatic temperature control.

ST-2121

AC 110V





Body Indicator light Handle Anti-slip Feet

SMZJ-734-WST-110V 0.056CBM 8PCS

Waffle Maker



- AC 110V 60Hz;
- 750W (upper and lower plates 375W);
- Size: 230×225×77mm;
- Material: plastic shell, non-stick inner plate;
- Automatic temperature control.

ST-2122

AC 110V





Body Indicator light Handle Anti-slip Feet

SMZJ-735-WST-110V 0.055CBM 8PCS

Sandwich Maker



- AC 110V 60Hz;
- 750W (upper and lower plates 375W);
- Size: 230×225×77mm;
- Material: plastic shell, non-stick inner plate;
- Automatic temperature control.

ST-2122

AC 110V





Body Indicator light Handle Anti-slip Feet

SMZJ-736-WST-110V 0.056CBM 8PCS

Sandwich Maker



- AC 110V 60Hz;
- 750W (upper and lower plates 375W);
- Size: 230×225×77mm;
- Material: plastic shell, non-stick inner plate;
- Automatic temperature control.

ST-2123

AC 110V





Body Indicator light Handle Anti-slip Feet

SMZJ-737-WST-110V 0.048CBM 8PCS

Donut Maker



- AC 110V 60Hz;
- 750W (upper and lower plates 375W);
- Size: 230×225×77mm;
- Material: plastic shell, non-stick inner plate;
- Automatic temperature control.

ST-2123

AC 110V





Body Indicator light Handle Anti-slip Feet

SMZJ-738-WST-110V 0.049CBM 8PCS

Donut Maker



- AC 110V 60Hz;
- 750W (upper and lower plates 375W);
- Size: 230×225×77mm;
- Material: plastic shell, non-stick inner plate;
- Automatic temperature control.

ST-2090

AC 110V





control panel | handle | PC soundproof cover | anti-slip feet

ZZJ-1691-WST | 0.102CBM | 2PCS



High Speed Blender

- AC 110V 60Hz;
- Power: 1600W;
- Capacity: 1.8L;
- Size: 215×210×475mm;
- Material: ABS+stainless steel;
- Selling Point: 1. available for commercial use; 2. stepless speed regulation.

ST-2092

AC 110V





control panel | stainless steel blade | juice outlet | handle

ZZJ-1827-WST | 0.119CBM | 2PCS



High Speed Blender

- AC 110V 60Hz;
- Power: 1600W;
- Capacity: 5.5L;
- Size: 220×220×550mm;
- Selling Point: 1. durable PC cup; 2. 6-blade 420 stainless steel.

ST-2086

AC 110V





power switch | juice outlet | 1.5L glass jar | handle

ZZJ-1666-WST | 0.093CBM | 6PCS



Blender

- AC 110V 60Hz;
- Power: 300W;
- Capacity: 1.5L;
- Size: 170×190×385mm;
- Material: PP+stainless steel;
- Selling Point: 1. 2-speed setting; 2. 201 stainless steel blade.

ST-2081

AC 110V





6-Blade Knife | Rotary Switch | Detachable Transparent Lid | Bowl

ZZJ-709-WST-110V | 0.103CBM | 6PCS



2 IN 1 Blender

- AC 110V 60Hz;
- Power: 350W;
- Stainless steel & PE & PP Material;
- Multi-function 2 in 1 blender & grinder; 2 bowls with lid; 5-speed control.

ST-5563

AC 110V





Rotary Switch | Detachable Transparent Lid | Small Bowl | Anti-slip Feet

ZZJ-566-WST | 0.168CBM | 10PCS



Multifunctional Juicer

- AC 110V 60Hz;
- Power: 350W;
- Thickened PC bowl & ABS base & stainless steel housing;
- Multi-function 3 in 1 blender & grinder; Copper Bearing; Anti-slip Feet.

ST-2087

AC 110V





power switch | stainless steel blade | juice outlet | handle

ZZJ-1667-WST | 0.163CBM | 6PCS



Blender

- AC 110V 60Hz;
- Power: 350W;
- Capacity: 2L;
- Size: 175×440mm;
- Material: ABS+stainless steel;
- Selling Point: 1. durable PC cup; 2. pure copper motor.

ST-2082

AC 110V





201 Stainless Steel 4-Blade Knife | PC Cup | PP Base | On/Off Button

ZZJ-712-WST-110V | 0.134CBM | 8PCS

2 IN 1 Blender



- AC 110V 60Hz;
- Power: 350W;
- Capacity: 1.8L;
- Copper-clad aluminum motor;
  Temperature control;
  Run for 3 minutes with a one minute rest.

ST-2083

AC 110V





Knob | Blade | Spout | Handle

ZZJ-1119-WST | 0.115CBM | 8PCS

2 IN 1 Blender



- AC110V 60Hz;
- Power: 350W;
- Capacity: 1.8L;
- Size: 390×185×165mm;
- Material: PC plastic;
- Overload Protection.

ST-2091

AC 110V





power switch | stainless steel blade | durable PC cup | anti-slip feet

ZZJ-1784-WST | 0.132CBM | 20PCS

Blender



- AC 110V 60Hz;
- Power: 450W;
- Capacity: 0.6L;
- Size: 120×120×360mm;
- Selling Point: 1. durable PC cup;
  2. 4-blade 304 stainless steel.

ST-2088

AC 110V





power switch | juice outlet | juicing cup | handle

ZZJ-1684-WST | 0.132CBM | 4PCS

Masticating Juicer



- AC 110V 60Hz;
- Power: 150W;
- Capacity: 500mL;
- Size: 200×130×480mm;
- Material: ABS+stainless steel;
- Selling Point: 1. 15cm wide feed chute; 2. forward & reverse control.

ST-2089

AC 110V





power switch | safety lock | pomace cup | juice outlet

ZZJ-1687-WST | 0.12CBM | 6PCS

Masticating Juicer



- AC 110V 60Hz;
- Power: 300W;
- Size: 270×190×340mm;
- Material: PP+stainless steel;
- Selling Point: 1. 2-speed setting;
  2. juice-pulp separation.

ST-2372

AC 110V





power switch | multi-function cup | juicing cup | grinding cup

LLJ-1685-WST | 0.101CBM | 2PCS

Food Processor



- AC 110V 60Hz;
- Power: 400W;
- Capacity: 1.5L+1.5+50g;
- Size: 250×230×410mm;
- Material: AS+ABS+stainless steel;
- Selling Point: 1. 3-speed setting;
  2. overload protection; 3. pure copper power cord.

ST-2066

AC 110V





power switch | indicator light | spout | stainless steel inner pot

RSH-1742-WST | 0.118CBM | 12PCS

Electric Kettle



- AC 110V 60Hz;
- Power: 1100W;
- Capacity: 1.8L;
- Size: 215×155×250mm;
- Material: PP+stainless steel;
- Selling Point: 1. Bimetallic Thermostat Controller; 2. overload protection.

ST-2061

AC 110V





Switch | Spout | Cover | On/off Button

RSH-713-WST | 0.155 CBM | 16PCS

Electric Kettle



- AC 110V 60Hz;
- Power: 1000W;
- Capacity: 1.7L;
- Size: 235×148×223mm;
- Material: 201 Stainless Steel;
- Function: Boil-dry protection; Pure Copper Power Cord.

ST-2067

AC 110V





power switch | spout | handle | heatproof borosilicate glass

RSH-1757-WST | 0.131CBM | 12PCS

Electric Kettle



- AC 110V 60Hz;
- Power: 1000W;
- Capacity: 1.7L;
- Size: 195×160×240mm;
- Material: PP+stainless steel;
- Selling Point: 1. heatproof borosilicate glass; 2. pure copper power cord.

ST-2065

AC 110V





power switch | spout | top cover | heatproof borosilicate glass

RSH-1070-WST | 0.134CBM | 12PCS

Electric Kettle



- AC 110V 60Hz;
- Power: 1000W;
- Capacity: 1.8L;
- Size: 215×155×230mm;
- Material: PP+stainless steel;
- Selling Point: 1. boil-dry protection; 2. heatproof borosilicate glass.

ST-2064

AC 110V





Stainless Steel Cover | Button | Spout | Cover

RSH-1002-WST | 0.139CBM | 16PCS

Electric Kettle



- AC 110V 60Hz;
- Power: 1000W;
- Capacity: 1.8L;
- Size: 225×150mm;
- Material: PP+Stainless steel;
- Function: Boil-dry protection; Copper Power Cord.

ST-2063

AC 110V





Stainless Steel Cover | Button | Spout | Cover

RSH-967-WST | 0.174CBM | 20PCS

Electric Kettle



- AC 110V 60Hz;
- Power: 1000W;
- Capacity: 1.8L;
- Size: 225×155mm;
- Material: PP+Stainless steel;
- Function: Boil-dry protection; Copper Power Cord.

ST-2162

AC 110V





Button | WaterTank | Button | Shell

KFJ-1038-WST | 0.107CBM | 4PCS

Coffee Machine



- AC 110V 60Hz;
- Power: 1000W;
- Capacity: 1.25L;
- Size: 210×220×335mm;
- Material: 430ss+PP;
- Adjustable Powder Coarseness;
  Pure Copper Power Cord.

ST-2000

AC 110V





Switch | Cover | Handle | Anti-slip Feet

DFG-710-WST-110V | 0.168CBM | 6PCS

Rice Cooker



- AC 110V 60Hz 900W;
- Capacity: 5L;
- Material: iron shell and glass cover;
  Rice spoon and measuring cup;
- Size: 330×290×350mm;
- Color: black.

ST-2000

AC 110V





Switch | Cover | Handle | Anti-slip Feet

DFG-711-WST-110V | 0.173CBM | 6PCS

Electric Rice Cooker



- AC 110V 60Hz;
- Power: 900W;
- Capacity: 5L;
  Size: 330×290×350mm;
- Material: iron shell and glass cover,
- rice spoon and measuring cup.

ST-2001

AC 110V





Multi-function Options | Vapor Outlet | Cover | Handle

DFG-1065-WST | 0.156CBM | 4PCS

Electric Pressure Cooker



- AC 110V 60Hz;
- Power: 1000W;
- Capacity: 6L;
- Size: 350×360mm;
- Material: stainless steel shell.

ST-2101

AC 110V





Temperature regulation | Switch | Groove | Waste board

MBJ-729-WST-110V | 0.103CBM | 12PCS

Slice Toaster



- AC 110V 60Hz;
- Power: 750W;
- Size: 260×144×172mm;
- Material: PP and ABS;
- Double backing, 7-speed temperature adjustment and 2 grooves.

ST-2043

AC 110V





open the way | control panel | handle | air fryer basket

KQZG-1832-WST | 0.074CBM | 2PCS

Air Fryer



- AC 110V 60Hz;
- Power: 1400W;
- Capacity: 4.5L;
- Size: 217×360×285mm;
- Material: PP+stainless steel;
- Selling Point: 1. visual cooking;
  2. touch screen; 3. 8 cooking presets.

ST-2282

AC 110V





Button | Mixing stick | Mixing head | Connection

JBQ-1110-WST | 0.101CBM | 24PCS

2 IN 1 Hand Blender



- AC 110V 60Hz;
- Power: 400W;
- Capacity: 600mL;
- Size: 66×52×170mm;
- Material: ABS+AS;
- Copper Motor, Stainless Steel Blades.

ST-2281

AC 110V





Button | Mixing stick | Mixing head | Connection

JBQ-1069-WST | 0.102CBM | 16PCS

4 IN 1 Hand Blender



- AC 110V 60Hz;
- Power: 400W;
- Capacity: 600mL;
- Size: 65×50×193mm;
- Material: ABS+AS;
- Copper Motor, Stainless Steel Blades.

ST-2066

AC 110V





power switch | indicator light | spout | stainless steel inner pot

RSH-1742-WST | 0.118CBM | 12PCS

Electric Kettle



- AC 110V 60Hz;
- Power: 1100W;
- Capacity: 1.8L;
- Size: 215×155×250mm;
- Material: PP+stainless steel;
- Selling Point: 1. Bimetallic Thermostat Controller; 2. overload protection.

ST-2272

AC 110V





Speed Control | Switch | Eject Key | Heat Sink

DDJ-1093-WST | 0.062CBM | 20PCS

Hand Mixer



- AC 110V 60Hz;
- Power: 200W;
- Size: 180×75×130mm;
- Material: ABS shell;
- Function: Stirring/knead dough, 5-speed.

ST-2271

AC 110V





Speed Control | Eject Key | Heat Sink | Stirring Stick

DDJ-1064-WST | 0.06CBM | 16PCS

Hand Mixer



- AC 110V 60Hz;
- Power: 300W;
- Size: 170×150×75mm;
- Material: ABS + stainless steel shell;
- Function: Stirring/knead dough, 5-speed.

ST-2065

AC 110V





power switch | spout | top cover | heatproof borosilicate glass

RSH-1070-WST | 0.134CBM | 12PCS

Electric Kettle



- AC 110V 60Hz;
- Power: 1000W;
- Capacity: 1.8L;
- Size: 215×155×230mm;
- Material: PP+stainless steel;
- Selling Point: 1. boil-dry protection; 2. heatproof borosilicate glass.

ENJOY SMART LIFE

ST-2041

AC 110V




Open the Way


8 Adjustable Modes


5.5L Oil Pan Support Plate with Non-Stick PTFE


Shell Stainless Steel Material +PP

KQZG-714-WST-110V | 0.102CBM | 2PCS

Air Fryer



- AC 110V 60Hz;
- Power: 1400W;
- Capacity: 5.5L;
- Material: stainless steel;
- S304 stainless steel heating tube; Overheat protection, Anti-slip Feet; Copper coated aluminum motor; Digital touch screen.

ST-2700

AC 110V




6-speed setting


switch


lock


egg whisk

CSJ-1750-WST | 0.102CBM | 4PCS

Stand Mixer



- AC 110V 60Hz;
- Power: 300W;
- Capacity: 3L;
- Size: 316×192×248mm;
- Selling Point: 1. 6-speed setting; 2. stainless steel bowl.

ST-2351

AC 110V




Button


Net plate


Handle


Anti-slip Feet

KJ-1099-WST | 0.098CBM | 1PCS

Electric Oven



- AC 110V 60Hz;
- Power: 1500W;
- Capacity: 40L;
- Size: 530×360×350mm;
- 60min Timing, 100-250 degrees.

ST-2261

AC 110V




Hot Plate


Adjustment Knob


Indicator Light


Heat Dissipation Holes

DRL-1062-WST | 0.054CBM | 12PCS

Hot Plate



- AC 110V 60Hz;
- Power: 900W;
- Size: 220×220×60mm;
- Material: Iron Shell;
- Function: 5-speed switch, auto temperature control.

ST-2262

AC 110V




Hot Plate


Adjustment Knob


Indicator Light


Heat Dissipation Holes

DRL-1063-WST | 0.068CBM | 6PCS

Hot Plate



- AC 110V 60Hz;
- Power: 900W+900W;
- Size: 460×240×70mm;
- Material: Iron Shell;
- Function: 5-speed switch, auto temperature control.

ST-2331

AC 110V




Touch Function


Button


Adjustment Knob, Black Crystal Panel


Handle

DTL-1094-WST | 0.107CBM | 6PCS

Ceramic Hotplate



- AC 110V 60Hz;
- Power: 2000W;
- Size: 420×300×78mm;
- Material: High temperature resistant black crystal panel;
- Function: 4 touch function buttons + Adjustment Knob.

ST-2026

AC 110V





Switch | Water Inlet | Visual Water Tank | Wide Water Tank

DYD-988-WST | 0.077CBM | 20PCS

Steam Iron



- AC 110V 60Hz;
- Power: 1000W;
- Capacity: 90mL;
- Size: 245×104×111mm;
- Material: PP shell.

ST-2022

AC 110V





Powerful Steam | Clothes Guide | Water Inlet | Wide Water Tank

DYD-739-WST-110V | 0.083CBM | 20PCS

Steam Iron



- AC 110V 60Hz 1000W;
- Tank capacity: 150mL;
- Size: 245×108×123mm;
- Function: dry heating,
- steaming, water spraying;
  Ceramic sole plate;
  Adjustable temperature control.

ST-2024

AC 110V





Heat Insulation Shell | The Ceramic Plate | Temperature Control | Water Inlet

DYD-740-WST-110V | 0.096CBM | 20PCS

Steam Iron



- AC 110V 60Hz;
- Power: 1000W;
- Tank capacity: 260mL;
- ABS shell;
- Steam volume: 15-20g/min;
  Spray volume: 0.45g;
  Explosion steam: 0.45g.

ST-2027

AC 110V





water inlet | steam adjustment | detachable base | soleplate

DYD-1721-WST | 0.091CBM | 10PCS

Steam Iron



- AC 110V 60Hz;
- Power: 1100W;
- Capacity: 300mL;
- Size: 300×125×150mm;
- Material: PBT shell, ceramic base plate;
- Selling Point: 1. 5 functions;
  2. 15-20g/min steam; 3. detachable base.

ST-2028

AC 110V





steam outlet | power switch | water tank | indicator light

DYD-1754-WST | 0.049CBM | 8PCS

Garment Steamer



- AC 110V 60Hz;
- Power: 1000W;
- Capacity: 220mL;
- Size: 252×145×116mm;
- Material: ABS shell;
- Selling Point: 1. detachable water tank; 2. stainless steel soleplate;

ST-2291

AC 110V





Speed Control | Temperature Control | Air Outlet | Heat Dissipation Holes

DCF-1077-WST | 0.076CBM | 12PCS

Hair Dryer




- AC 110V 60Hz;
- Power: 1600W;
- Size: 210×90×45mm;
- Material: PA + PC Shell;
- Function: 2-speeds adjustment.

ST-2292

AC 110V





power switch | 3-temperature presets | 3-speed setting | cooling vent

DCF-1716-WST | 0.073CBM | 6PCS

High Speed Hair Dryer



- AC 110V 60Hz;
- Power: 1300W;
- Rotational Speed: 110000RPM;
- Size: 305×65×58mm;
- Material: PU+UV;
- Selling Point: 1. 600 million negative ions; 2. 3-temperature presets.

ST-2293

AC 110V





air outlet | switch | 3 | cooling vent

DCF-1755-WST | 0.152CBM | 20PCS

Hair Dryer



- AC 110V 60Hz;
- Power: 1200W;
- Size: 283×218×95mm;
- Material: PA;
- Selling Point: 1. pure copper power cord; 2. overheat protection.

ST-3202U

AC 110V





power switch | socket | USB+TYPE-C | hanging hole

CZ-1593-WST | 0.076CBM | 50PCS

Power Socket



- AC 110V 60Hz;
- Power: 13A/1430W;
- Size: 253×99×29mm;
- Material: PVC;
- Selling Point: 1. thickened integrated copper core; 2. pure copper power cord.

ST-2143

AC 110V





control panel | locking knob | adjustable height | oscillating function

DFS-1255-WST | 0.064CBM | 2PCS

18" Stand Fan



- AC 110V 60Hz;
- Power: 55W;
- Size: 490×455×1280mm;
- Selling Point: 1. 3-speed setting; 2. 5-blade fan.

ST-2142

AC 110V





Speed Switch | Timer Switch | Steering Switch | Height Adjustment

DFS-1012-WST | 0.088CBM | 2PCS

Stand Fan 16"



- AC 110V 60Hz;
- Power: 45W;
- Size: 1360×440×400mm;
- Material: PP shell, PP blades;
- Function: 1 hour timing, 3-Speed, height adjustable.

ST-2142

AC 110V





Speed Switch | Timer Switch | Steering Switch | Height Adjustment

DFS-1013-WST | 0.080CBM | 2PCS

Stand Fan 16"




- AC 110V 60Hz;
- Power: 45W;
- Size: 1300×430×400mm;
- Material: PP shell, PP blades;
- Function: 1 hour timing, 3-Speed, height adjustable.

ST-2141

AC 110V





Speed switch | Timing switch | Direction adjustment | Height adjustment

DFS-768-WST-110V | 0.087CBM | 2PCS

16" Stand Fan



- AC 110V 60Hz;
- Power: 45W;
- Size: 1360×440×400mm;
- Material: PP shell;
- 3-speed regulation, height adjustable.

ST-2141

AC 110V





Speed switch | Timing switch | Direction adjustment | Height adjustment

DFS-767-WST-110V | 0.087CBM | 2PCS

16" Stand Fan



- AC 110V 60Hz;
- Power: 45W;
- Size: 1360×440×440mm;
- Material: PP shell;
- 3-speed regulation, height adjustable.

ST-2241

AC 110V





Button | Dust Cup | Floor Brush | Heat dissipation vents

SDJ-1055-WST | 0.089CBM | 6PCS

2 IN 1 Robot Vacuum Cleaner



- AC 100V-240V 50/60Hz;
- Power: 11W;
- Force: 400Pa;
- Noise: ≤68dB(A);
- Size: 290×290×71mm;
- Material: ABS;
- Working Time: 60-80mins.

ST-2251

AC 110V





Button | Retraction Button | Lock | Dust Cup

XCQ-1061-WST | 0.051CBM | 1PCS

Vacuum Cleaner



- AC 110V 60Hz;
- Power: 1000W;
- Force: ≥18kPa;
- Noise: ≤80dB;
- Size: 440×280×295mm;
- Material: plastic.

ST-2311

AC 110V





Button | Water Outlet | Display Light | Waste Trough

YSJ-1087-WST | 0.110CBM | 1PCS

Water Dispenser

- AC 110V 60Hz;
- Power: 550W;
- Size: 980×310×310mm;
- Material: plastic;
- Function: hot+cold+normal water;
  Copper power cord.