100 PEX&PE-RT PIPES

09

3-90 HVAC PRODUCTS

11

401 BRASS FITTING

13

101 PPR FITTING

39

501 CPVC PRODUCTS

41

800 UPVC PIPING SYSTEM

43

101 PEX COMPRESSION FITTING

15

121 PEX PRESS FITTING

17

141 COPPER PIPE COMPRESSION FITTING

19

801 UPVC PRODUCTS BSPTHREAD FITTINC

45

802 STD UPVC FITTINC

47

804 DIN/GB/NBR UPVC FITTINGS

49

151 COPPER/BRASS/BRONZ WELDING FITTING

21

161 PE PIPE BRASS COMPRESSION FITTING

23

131 PEX & BRASS & PPSU & BRASS AXIAL PRODUCTS

25

901 UPVC PRODUCTS WATER DRAINAGE

51

600 PE PIPE PRODUCTS

53

601 PE&PP PRODUCTS

55

GAS SYSTERM

27

81068 BRASS VALVES

29

84001 BRASS TAPS

31

632 PE FITTING

57

701 PPH PRODUCTS

59

TOOLS

61

200 STAINLESS STEEL CORRUGATED PIPES

33

PLASTIC PIPING SYSTEM

35

100 PPR PIPE PRODUCTS

37



# PEX&PE-RT PIPES

Size:16,18,20,25,26,32,40,50,63
PEX PIPES Size:16mm-63mm
Pressure:PN10,PN12.5,PN16,PN20

Applications: Drinking Water
Cold & Hot
Color Availlable: All Customizable,
Such as Green, White, Grey, Blue

## Pipes size range:



Z-10-A01

### PEX-AL-PEX

| Size(MM) | PACKING |
|---|---|
| 16x2.0 | 100m/200m/500m |
| 18x2.0 | 100m/200m/500m |
| 20x2.0 | 100m/200m/500m |
| 25x2.5 | 100m/50m |
| 26x3.0 | 100m/50m |
| 32x3.0 | 100m/50m |



Z-10-A02

### PEX-AL Stabi

| Size(MM) | PACKING |
|---|---|
| 16.2x2.6 | 100m/200m/500m |
| 20x2.9 | 100m/200m |
| 25x3.7 | 100m/50m |
| 32x4.7 | 100m/50m |
| 40x6.0 | 100m/50m |



Z-10-A03

### Pex-a/Pex-a EVOH

| Size(MM) | PACKING |
|---|---|
| 16x2.0 | 100m/200m/500m |
| 16x2.2 | 100m/200m/500m |
| 20x2.0 | 100m/200m/300m |
| 20x2.8 | 100m/200m |
| 25x3.5 | 100m/50m |
| 32x4.4 | 100m/50m |



Z-10-A04

### Pex-b/Pex-b EVOH

| Size(MM) | PACKING |
|---|---|
| 16x2.0 | 100m/200m/500m |
| 16x2.2 | 100m/200m/500m |
| 20x2.0 | 100m/200m/300m |
| 20x2.8 | 100m/200m |
| 25x3.5 | 100m/50m |
| 32x4.4 | 100m/50m |



Z-10-A05

### Pex pipe US STD

| Size(MM) | FT/ROLL |
|---|---|
| 1/8" (8.35x1.19) | 1000FT |
| 1/4"(9.52x1.57) | 1000FT |
| 5/16"(10.92x1.63) | 500FT/1000FT |
| 3/8"(12.7x1.78) | 500FT/1000FT |
| 1/2"(15.88x1.78) | 300FT/500FT/1000FT |
| 5/8"(19.05x2.12) | 300FT/500FT/1000FT |
| 3/4"(22.22x2.47) | 300FT/500FT |
| 1"(28.58x3.18) | 300FT/100FT |
| 1-1/4"(34.92x3.88) | 100FT |
| 1-1/2"(41.28x4.59) | 100FT |
| 2"(53.98x6.0) | 100FT |



Z-10-A06

### Pex EVOH pipe US STD

| Size(MM) | FT/ROLL |
|---|---|
| 1/8" (8.35x1.19) | 1000FT |
| 1/4"(9.52x1.57) | 1000FT |
| 5/16"(10.92x1.63) | 500FT/1000FT |
| 3/8"(12.7x1.78) | 500FT/1000FT |
| 1/2"(15.88x1.78) | 300FT/500FT/1000FT |
| 5/8"(19.05x2.12) | 300FT/500FT/1000FT |
| 3/4"(22.22x2.47) | 300FT/500FT |
| 1"(28.58x3.18) | 300FT/100FT |
| 1-1/4"(34.92x3.88) | 100FT |
| 1-1/2"(41.28x4.59) | 100FT |
| 2"(53.98x6.0) | 100FT |



Z-10-A07

### Pert/Pert EVOH pipe

| Size(MM) | PACKING |
|---|---|
| 16x2.0 | 100m/200m/500m |
| 16x2.2 | 100m/200m/500m |
| 20x2.0 | 100m/200m/300m |
| 20x2.3 | 100m/200m/300m |
| 20x2.8 | 100m/200m |
| 25x3.5 | 100m/50m |
| 32x4.4 | 100m/50m |



Z-10-A08

### Corrugated Pipe (Pipe in Pipe)

| Size(MM) | PACKING |
|---|---|
| 16x2.0 (25x20) | 50m |
| 16x2.2 (25x20) | 50m |
| 17x2.0 (23x28) | 50m |
| 18x2.0 (23x28) | 50m |
| 18x2.5 (23x28) | 50m |
| 20x2.0 (25x30) | 50m |
| 22x2.5 (26x34) | 50m |



Z-10-A09

### Insulation Pipe (MLP)

| Size(MM) | PACKING |
|---|---|
| 16x2.0 | 100m |
| 18x2.0 | 100m |
| 20x2.0 | 100m |
| 26x3.0 | 50m |



Z-10-A10

### Insulation Pipe (MLP)

| Size(MM) | PACKING |
|---|---|
| 16x2.0 | 100m |
| 18x2.0 | 100m |
| 20x2.0 | 100m |
| 26x3.0 | 50m |



# HVAC PRODUCTS

Size:DN25-DN32
PEX PIPES Size:16-32
Pressure:PN16

Applications: HVAC
Color Availlable: All Customizable








Z-12-A01/W08


Z-12-A02/W08E


Z-12-A03/W08C


Z-12-A04/W01


Z-12-A05/W04


Z-12-A06/W15


Z-12-A07/W07


Z-12-A08/W02


Z-12-A09/W10


Z-12-A10


Z-12-A11


Z-12-A12


Z-12-A13


Z-12-A14/W15


Z-12-A15/W01


Z-12-A16


Z-12-A17


Z-12-A18


Z-12-A19


Z-12-A20


Z-12-A21


Z-12-A22


Z-12-A23


Z-12-A24


Z-12-A25


Z-12-A26


Z-12-A27


Z-12-A28


Z-12-A29


Z-12-A30


Z-12-A31


Z-12-A32


Z-12-A33



# HVAC PRODUCTS

Size:1/2"-3/4"
PEX PIPES Size:16-32
Pressure:PN16

Applications: HAVC
Color Availlable: All Customizable





# BRASS FITTINGS (400)




BRASS FITTING

- Material: 57-3/CW617/C46500
- Size: 1/2"- 4"
- Connection: BSP
- Package: innerbox+carton




BRASS FITTING

- Material: 57-3/CW617/C46500
- Size: 1/2"- 4"
- Connection: BSP
- Package: innerbox+carton




BRASS FITTING

- Material: 57-3/CW617/C46500
- Size: 1/2"- 4"
- Connection: BSP
- Package: innerbox+carton




BRONZE WELDING FITTING ASTM

- Material: Bronze
- Size: 1/2"- 2"
- Connection: BSP
- Package: innerbox+carton






# PEX COMPRESSION FITTING (100)

Size:16,18,20,25,26,32mm
PEX PIPES Size:16-63
Pressure:PN16

Applications: Drinking Water
Cold & Hot
Color Availlable: All Customizable,
Such as Green, White, Grey, Blue


















# PEX PRESS FITTINGS (120)

Size:16,18,20,25,26,32mm
PEX PIPES Size:16-63
Pressure:PN16
Profile: U TH UTH

Applications: Drinking Water
Color Availlable: All Customizable, Such as Green, White, Grey, Blue




**121UA**



- Material: 67-3/CW617/C46500
- Size: 16-32
- Connection: Press/BSP
- Package: inner box+carton

BRASS PEX PRESS FITTING

**121UC2**



- Material: 67-3/CW617/C46500
- Size: 16-32
- Connection: Press/BSP
- Package: inner box+carton

BRASS PEX PRESS FITTING

**122UD2**



- Material: 67-3/CW617/C46500
- Size: 16-32
- Connection: Press/BSP
- Package: inner box+carton

PPSU PEX PRESS FITTING

**122**



- Material: PPSU
- Size: 16-32
- Connection: Press/BSP
- Package: inner box+carton

BRASSCARD SLEEVE PEX PRESS FITTING



# COPPER PIPE COMPRESSION FITTING (140)

Brass Standard:57%/CW617
Cooper Content
Size:15,18,22,28,35,42,54

Applications: Drinking Water
Cold & Hot
Color Availlable: Brass color
and Plated color






141A

COPPER PIPE COMPRESSION FITTING 141A



144

COPPER PIPE COMPRESSION FITTING 144



401

BRASS PEX AXIAL FITTING



1122

COPPER PIPE COMPRESSION FITTING 141B




# COPPER / BRASS / BRONZE WELDING FITTING (150)

Brass Standard:57%,CW617,
Bronze,Copper
Cooper Content
Size:15,18,22,28,35,42,54

Applications: Drinking Water
Cold & Hot
Color Availlable: All Customizable,
Such as Green, White, Grey, Blue







BRASS WELDING FITTING 151




BRONZE WELDING FITTING 152




COPPER WELDING FITTING 153 (ISO Standard)




COPPER S WELDING FITTING 154 (USA Standard)




# PE PIPE BRASS COMPRESSION FITTING (160)

Brass Standard:57% /CW617 Cooper Content
Size:20,25,32,40,50,63
Pressure: PN16

Applications: Drinking Water Cold & Hot
Color Availlable: All Customizable, Such as Green, White, Grey, Blue


















# PEX & BRASS & PPSU & BRASS PUSH PRODUCTS (130)

Size:16,20,25,32mm
PEX PIPES Size:16-63
Pressure:PN16

Applications: Drinking Water
Color Availlable: All Customizable, Such as Green, White, Grey, Blue



White Red Blue Pink



Z-28-A01 Z-28-A02 Z-28-A03 Z-28-A04 Z-28-A05



Z-28-A06 Z-28-A07 Z-28-A08 Z-28-A09 Z-28-A10



Z-28-A11 Z-28-A12 Z-28-A13 Z-28-A14 Z-28-A15




Z-28-A17 (1807) Z-28-A18 (1960) Z-28-A19 (1807) Z-28-A22 (1807) Z-28-A21 (1960)




BRASS PEX AXIAL FITTING




BRASS PEX AXIAL FITTING S5




PPSU PEX AXIAL FITTING




PEX FITTING 138&139




# GAS SYSTERM

Brass Standard:57%,CW617
Cooper Content
Size:1/2"- 2"

Applications: Drinking Water
Cold & Hot
Color Availlable: All Customizable,
Such as Green, White, Grey, Blue






# BRASS VALVES

Brass Standard:57%/CW617
Cooper Content
Size:1/2"-2"

Applications: Drinking Water
Cold & Hot
Color Availlable: All Customizable,
Such as, yellow, nickel plated





# BRASS BIBCOCK

Brass Standard:57%,CW617
Cooper Content
Size:1/2"-3/4"

Applications: Drinking Water
Color Availlable: All Customizable,
Such as, yellow, nickel plated





# STAINLESS STEEL CORRUGATED PIPES

Size:13.5,15.8,16.8,19.8,25,32
Pressure: PN16

Applications: Drinking Water/Gas
Color Availlable: All Customizable















# PLASTIC PIPING SYSTEM

- 100 PPR PIPING SYSTEM
- 800 UPVC PIPING SYSTEM (PRESSURE)
- 900 UPVC PIPING SYSTEM (NO PRESSURE)
- 600 PE PIPING SYSTEM
- 500 CPVC PIPING SYSTEM



100 PPR PIPING SYSTEM




600 PE PIPING SYSTEM



800 UPVC PIPING SYSTEM (PRESSURE)



500 CPVC PIPING SYSTEM



900 UPVC PIPING SYSTEM (NO PRESSURE)

## ADVANCED PIPING SYSTEM

www.ifanplus.com



# PPR PIPE PRODUCTS





**PN 20 Pure-Plastic PP-R Pipe**

| Specification(mm): |
|---|
| Φ20x2.8 |
| Φ25x3.5 |
| Φ32x4.4 |
| Φ40x5.5 |
| Φ50x6.9 |
| Φ63x8.6 |
| Φ75x10.1 |
| Φ90x12.3 |
| Φ110x15.1 |
| Φ125x17.4 |



**PN 25 Pure-Plastic PP-R Pipe**

| Specification(mm): |
|---|
| Φ20x3.4 |
| Φ25x4.2 |
| Φ32x5.4 |
| Φ40x6.7 |
| Φ50x8.4 |
| Φ63x10.5 |
| Φ75x12.5 |
| Φ90x15 |
| Φ110x18.3 |
| Φ125x20.8 |



**PP-R FB Pipe**

| Specification(mm): |
|---|
| Φ20x2.8 |
| Φ25x3.5 |
| Φ32x4.4 |
| Φ40x5.5 |
| Φ50x6.9 |
| Φ63x8.6 |
| Φ75x10.1 |
| Φ90x12.5 |
| Φ110x15.1 |
| Φ125x17.4 |



**Double layer ppr pipe**

| Specification(mm): |
|---|
| Φ20x3.4 |
| Φ25x4.2 |
| Φ32x5.4 |
| Φ40x6.7 |
| Φ63x8.4 |
| Φ63x10.5 |
| Φ75x12.5 |
| Φ90x15 |
| Φ110x18.3 |
| Φ125x20.8 |



**PPR-PE UV**

| Specification(mm): |
|---|
| Φ20×3.4 |
| Φ25×4.2 |
| Φ32×5.4 |
| Φ40×6.7 |
| Φ50×8.4 |
| Φ63×10.5 |



**PPR aluminum PPR**

| Specification(mm): |
|---|
| Φ20×3.4 |
| Φ25×4.2 |
| Φ32×5.4 |
| Φ40×6.7 |
| Φ50×8.4 |
| Φ63×10.5 |



**PPR Stabi Pipe**

| Specification(mm): |
|---|
| Φ20x3.4 |
| Φ25x4.2 |
| Φ32x5.4 |
| Φ40x6.7 |
| Φ50x8.4 |
| Φ63x10.5 |



**PN 16 PP-R Pipe**

| Specification(mm): |
|---|
| Φ20×2.3 |
| Φ25×2.8 |
| Φ32×3.6 |
| Φ40×4.5 |
| Φ50×5.6 |
| Φ63×7.1 |



# PPR PRODUCTS (100)


















# CPVC PRODUCTS (500)

- 501 CPVC 2846
- 502 CPVC DIN
- 503 CPVC SCH80









# UPVC PIPING SYSTEM

- 800-1 GB/DIN UPVC PIPE
- 800-2 ASTM SCH40/SCH80 UPVC PIPE
- 800-3 BS3505-1 UPVC PIPE
- 800-4 JIS K6741:1999 PVC Pipe
- 800-5 AS/NZS UPVC PIPE







| NAME | PN | SDR | SIZE |
|---|---|---|---|
| 800-1 GB/DIN UPVC PIPE | PN25 | SDR9 | 20*2.3 25*2.3 |
| | PN20 | SDR11 | 20*2.0 25*2.3 |
| | PN16 | SDR13.6 | 25X2.0 32X2.4 40X3.0 50X3.7 63X4.7 75X5.6 90X6.7 110X8.1 125X7.4 140X8.3 |
| | | SDR17 | 160X9.5 200X11.9 250X14.8 315X18.7 355(X21.1 400X23.7 450X26.7 500X29.7 |
| | PN12.5 | SDR17 | 32X2.0 40X2.4 50X3.0 63X3.8 75X4.5 90X5.4 110X6.3 125X6.0 140X8.3 160X7.7 |
| | | SDR21 | 200X9.6 250X11.9 315X15.0 355X16.9 400X19.1 450X21.5 500X23.9 560X26.7 630X30.0 |
| | PN10 | SDR21 | 25X2.0 32X2.4 40X3.0 50X3.7 63X4.7 75X5.6 90X6.7 110X8.1 125X7.4 140X8.3 |
| | | SDR26 | 160X6.2 200X11.9 250X14.8 315X18.7 355X21.1 400X23.7 450X26.7 500X29.7 |
| | PN 8 | SDR26 | 25X2.0 32X2.4 40X3.0 50X3.7 63X4.7 75X5.6 90X6.7 110X8.1 125X7.4 140X8.3 |
| | | SDR33 | 160X9.5 200X11.9 250X14.8 315X18.7 355X21.1 400X23.7 450X26.7 500X29.7 |
| | PN 6.3 | SDR33 | 25X2.0 32X2.4 40X3.0 50X3.7 63X4.7 75X5.6 90X6.7 110X8.1 125X7.4 140X8.3 |
| | | SDR41 | 160X6.2 200X11.9 250X14.8 315X18.7 355X21.1 400X23.7 450X26.7 500X29.7 |

| NAME | CLASS | SIZE |
|---|---|---|
| 800-2 ASTM SCH40/SCH80 UPVC PIPE | SCH40 | 1/2" (21.34*2.77) 3/4" (26.67*2.87) 1" (33.40*3.38) 1-1/4" (42.16*3.56) 1-1/2" (48.26*3.68) 2" (60.32*3.91) 2-1/2" (73.03*5.16) 3" (88.90*5.49) 4" (114.30*6.02) 5" (141.3*6.55) 6" (168.28*7.11) 8" (219.08*8.18) 10" (273.05*9.27) 12" (323.85*10.31) 14" (355.6*11.13) 16" (406.4*12.7) |
| | SCH80 | 1/2" (21.34*3.73) 3/4" (26.67*3.91) 1" (33.40*4.55) 1-1/4" (42.16*4.85) 1-1/2" (48.26*5.08) 2" (60.32*5.54) 2-1/2" (73.03*7.01) 3" (88.90*7.62) 4" (114.30*8.56) 5" (141.3*9.53) 6" (168.28*10.97) 8" (219.08*12.7) 10" (273.05*15.06) 12" (323.85*17.45) 14" (355.60*19.05) 16" (406.4*21.41) |

| NAME | CLASS | SIZE |
|---|---|---|
| 800-3 BS3505-1 UPVC PIPE | Class E 16 Bar | 1/2" (21.2*1.7) 3/4" (26.6*1.9) 1" (33.4*2.2) 1-1/4" (42*2.7) 1-1/2" (48.1*3.1) 2" (60.2*3.9) 3" (88.7*5.7) 4" (114.1*7.3) 6" (168*10.8) 8" (218.8*12.8) |
| | Class D 12 bar | 1-1/4" (42*2.3) 1-1/2" (48.1*2.5) 2" (60.2*3.1) 3" (88.7*4.8) 4" (114.1*6) 6" (168*8.8) 8" (218.8*10.3) |
| | Class C 9 bar | 2" (60.2*2.5) 3" (88.7*3.5) 4" (114.1*4.5) 6" (168*6.6) 8" (218.8*8.6) |
| | Class B 6 bar | 3" (88.7*3.5) 4" (114.1*3.4) 6" (168*4.5) 8" (218.8*5.3) |

| NAME | CLASS | SIZE |
|---|---|---|
| 800-4 JIS K6741:1999 PVC Pipe | VP(AW) 5.8m/pc | 3/8"(18*2.7) 1/2"(22*2.7) 3/4"(28*2.7) 1"(32*3.1) 1-1/4"(38*3.1) 1-1/2"(48*3.5) 2"(60*4.0) 2-1/2"(76*4.5) 3"(89*5.0) 4"(114*6.0) 5"(140*7.0) 6"(165*8.5) 8"(216*10.3) 10"(267*12.7) 12"(318*15.1) |
| | VU(AE) 5.6m/pc | 1-1/2"(40*1.8) 2"(50*1.8) 2-1/2"(76*1.9) 3"(90*2.7) 4"(114*2.6) 5"(140*4.1) 6"(165*5.1) 8"(216*6.6) 10"(267*7.8) 12"(318*9.2) 14"(318*9.2) 16"(318*9.2) 18"(318*9.2) 20"(318*9.2) |

| NAME | CLASS | PN | SIZE |
|---|---|---|---|
| 800-5 AS/NZS UPVC PIPE | 450 | 16 | 100(122*4.55) 150(177*6.55) 200(232*8.45) 225(259*7.10) 250(285*8.00) 300(345*9.55) 375(428*10.65) 450(507*12.50) 600(687*16.50) |
| | 500 | | |
| | 900 | 25 | 100(122*4.55) 150(177*6.75) 200(232*8.95) 225(259*8.60) 250(285*11.10) 300(345*13.25) 375(428*16.45) 450(507*19.85) 600(687*20.75) |




# UPVC PRODUCTS BSP THREAD FITTING (801)

Size: 1/2"-4"
Pressure: PN16

Applications: Drinking Water
Cold & Hot
Color Availlable: All Customizable,
Such as Green, White, Grey, Blue






# USA STD UPVC FITTINGS
# 802 SCH40 | 803 SCH80

Size: 1/2"-4"
Pressure: SCH40/SCH80

Applications: Drinking Water
Color Availlable: All Customizable,
Such as, White/Grey





# DIN/GB/NBR UPVC FITTINGS

- 804 NBR STD
- 805 GB PN10
- 806 GB PN16

Size: 20/250
Pressure: PN10/PN16

Applications: Drinking Water
Cold & Hot
Color Availlable: All Customizable,
Such as, White/Grey/Black





# UPVC PRODUCTS

## Water Drainage (900)

































# PE PIPE PRODUCTS

Size:20mm-630mm
Pressure: PN16,PN12.5,PN10
PN8,PN6

Connector: Welding.
Applications: Drinking Water
Color Availlable: All Customizable



**PE Pipe PN-16 S11**

| Specification(mm): |
|---|
| 20X2.3 |
| 25X2.3 |
| 32X3.0 |
| 40X3.7 |
| 50X4.6 |
| 63X5.8 |
| 75X6.8 |
| 90X8.2 |
| 110X10.0 |
| 125X11.4 |
| 140X12.7 |
| 160X14.6 |
| 180X16.4 |
| 200X18.2 |
| 225X20.5 |
| 250X22.7 |
| 280X25.4 |
| 315X28.6 |
| 355X32.2 |
| 400X36.3 |
| 450X40.9 |
| 500X45.4 |
| 560x50.80 |
| 630x57.20 |



**PE Pipe PN-12.5 S13.6**

| Specification(mm): |
|---|
| 50x3.7 |
| 63X4.7 |
| 75X5.6 |
| 90X6.7 |
| 110X8.1 |
| 125X9.2 |
| 140X10.3 |
| 160X11.8 |
| 180X13.3 |
| 200X14.7 |
| 225X16.6 |
| 250X18.4 |
| 280X20.6 |
| 315X23.2 |
| 355X26.1 |
| 400X29.4 |
| 450X33.1 |
| 500X36.8 |
| 560x41.20 |
| 630x46.30 |



**PE Pipe PN-10 S17**

| Specification(mm): |
|---|
| 75X4.5 |
| 90X5.4 |
| 110X6.6 |
| 125X7.4 |
| 140X8.3 |
| 160X9.5 |
| 180X10.7 |
| 200X11.9 |
| 225X13.4 |
| 250X14.8 |
| 280X16.6 |
| 315X18.7 |
| 355X21.1 |
| 400X23.7 |
| 450X26.7 |
| 500X29.7 |
| 560x33.20 |
| 630x37.40 |



**PE Pipe PN-08 S21**

| Specification(mm): |
|---|
| 90X4.3 |
| 110X5.3 |
| 125X6.0 |
| 140X6.7 |
| 160X7.7 |
| 180X8.6 |
| 200X9.6 |
| 225X10.8 |
| 250X11.9 |
| 280X13.4 |
| 315X15.0 |
| 355X16.9 |
| 400X19.1 |
| 450X21.5 |
| 500X23.9 |
| 560x26.70 |
| 630x30.00 |



**PE Pipe PN-06 S26**

| Specification(mm): |
|---|
| 110X4.2 |
| 125X4.8 |
| 140X5.4 |
| 160X6.2 |
| 180X6.9 |
| 200X7.7 |
| 225X8.6 |
| 250X9.6 |
| 280X10.7 |
| 315X12.1 |
| 355X13.6 |
| 400X15.3 |
| 450X17.2 |
| 500X19.1 |
| 560x21.40 |
| 630x24.10 |



# PE&PP PRODUCTS

Size:20mm-110mm
Pressure: PN25,PN20,PN16,PN10

Connector: Welding.
Applications: Drinking Water
Color Availlable: All Customizable






**601**

- Material: PP
- SIZE: 20-110
- Connection: Compression
- Package: OPP bag

PP COMPRESSION FITTING



**602**

- Material: PP
- SIZE: 20-110
- Connection: Compression
- Package: OPP bag

PP COMPRESSION FITTING



**603**

- Material: PP
- SIZE: 20-110
- Connection: Compression
- Package: OPP bag

PP COMPRESSION FITTING



**606**

- Material: PP
- SIZE: 20-110
- Connection: Compression
- Package: OPP bag

PP COMPRESSION FITTING



**641**

- Material: PP
- SIZE: 20-110
- Connection: Compression
- Package: OPP bag

SADDLE CLAMP



**608**

- Material: PP
- SIZE: 20-110
- Connection: Compression
- Package: OPP bag

PP WELDING FITTING





# PE FITTING (630)

Pressur: PN16,PN10
Size:20-630

Applications: Drinking Water
Color Availlable: All Customizable





# PPH PRODUCTS (700)




PPH THREAD PIPE & FITTING

- Corrosion resistance
- low permeability
- Good heat resistance




PPH THREAD PIPE & FITTING

- long life
- Economical and practical
- low permeability





# TOOLS

PTFE TEFLON Size:10m-30m
Max Degree:-190-260
CPIPE CUTTER Size: 20mm-110mm
WELDING MACHINE Size: 20mm-110mm

Applications: Drinking Water
Color Availlable: All Customizable,
Such as Green, White, Grey, Blue

