


# COOKING RANGE








- All Stainless Steel Body,Strong And Durable
- Electronic Direct Spark Ifnition,Flame Failure Safety Device For Each Control
- Heavy Duty Gas Burner With Individual Switch And Themostat
- Adjustable Legs
- Devices Are Preset To City Gas,Natural Gas Or Lpg
- Key-component From Famous International Suppliers



# Gas Luxury Furnace Series



## 4-Burner Gas Range With Cabinet

Model: **HGR-905ZB**
Dimension: 800x900x920mm
LPG2800-3700Pa: 1.73Kg/h
NG2000-2500Pa: 2.33m³/h
Power Supply: 7.5x2+4.5x2KW



## 6-Burner Gas Range With Gas Oven

Model: **HGR-996**
Dimension: 1200x900x920mm
Oven Dimensions: 550x680x270mm
LPG2800-3700Pa: 3.55Kg/h
NG2000-2500Pa: 5.26m³/h
Power Supply: 7.5x6+5.8KW

Model: **HGR-776**
Dimension: 1050x700x920mm
Oven Dimensions: 560x600x270mm
LPG2800-3700Pa: 3.55Kg/h
NG2000-2500Pa: 5.26m³/h
Power Supply: 7.5x6+5.8KW



## 6-Burner Gas Range With Electric Oven

Model: **HGR-996A**
Dimension: 1200x900x920mm
Oven Dimensions: 550x680x270mm
LPG2800-3700Pa: 3.34Kg/h
NG2000-2500Pa: 4.85m³/h
Power Supply: 7.5x6+4.8KW
Voltage: 380V

Model: **HGR-776A**
Dimension: 1050x700x920mm
Oven Dimensions: 550x550x270mm
Power Supply: 7.5x6+4.8KW
Voltage: 380V



## 6-Burner Gas Range With Cabinet

Model: **HGR-996B/996ZB**
Dimension: 1200x900x920mm
LPG2800-3700Pa: 3.34/2.40Kg/h
NG2000-2500Pa: 4.66/3.49m³/h
Power Supply: 7.5x3+4.5x3KW

Model: **HGR-776B**
Dimension: 1050x700x920mm
LPG2800-3700Pa: 3.34Kg/h
NG2000-2500Pa: 4.66m³/h
Power Supply: 7.5x6KW






## 6-Burner Gas Range With Gas/Electric Oven

Model: **HGR-996Z/996ZA**
Dimension: 1200x900x920mm
Oven Dimensions: 550x680x270mm
LPG2800-3700Pa: 2.96Kg/h
NG2000-2500Pa: 3.98m³/h
Power Supply: 7.5x3+4.5x3+5.8KW



## 4-Burner Gas Stove & Griddle & Oven

Model: **HGR-998**
Dimension: 1200x900x920mm
Oven Dimensions: 550x680x270mm
Power Supply: 7.5x4+5.8+5.8KW



## 4-Burner Gas Stove & Griddle & Electric Oven

Model: **HGR-998A**
Dimension: 1200x900x920mm
Oven Dimensions: 550x680x270mm
Power Supply: 7.5x4+5.8+4.8KW
Voltage: 380V



## Gas Griddle (2/3 Flat&1/3 Grooved) with Cabinet

Model: **HGR-906**
Dimension: 800x900x920mm
Griddle Size: 702x612x16mm
LPG2800-3700Pa: 0.86Kg/h
NG2000-2500Pa: 1.28m³/h
Power Supply: 11.8KW



Model: **HGR-706**
Dimension: 700x700x920mm
Griddle Size: 600x475x16mm
LPG2800-3700Pa: 0.86Kg/h
NG2000-2500Pa: 1.28m³/h
Power Supply: 9.2KW





# Gas Luxury Furnace Series

Super Star Product



## 4-Burner Gas Range with Gas/Electric Oven

Model: **HGR-905/905A**
Dimension: 800x900x920mm
Oven Dimensions: 550x680x270mm
LPG2800-3700Pa: 2.62Kg/h
NG2000-2500Pa: 3.70m³/h
Power Supply: 7.5x4+5.8KW



## 4-Burner Gas Range with Gas/Electric Oven

Model: **HGR-705/705A**
Dimension: 700x700x920mm
Oven Dimensions: 550x550x270mm
LPG2800-3700Pa: 2.06Kg/h
NG2000-2500Pa: 3.07m³/h
Power Supply: 7.5x4+5.8KW



## 4-Burner Gas Range With Cabinet

Model: **HGR-905B**
Dimension: 800x900x920mm
LPG2800-3700Pa: 2.06Kg/h
NG2000-2500Pa: 3.07m³/h
Power Supply: 7.5x4KW

Model: **HGR-705B**
Dimension: 700x700x920mm
Power Supply: 7.5x4KW



## 4-Burner Gas Range With Gas/Electric Oven

Model: **HGR-905Z/905ZA**
Dimension: 800x900x920mm
Oven Dimensions: 550x680x270mm
LPG2800-3700Pa: 2.10Kg/h
NG2000-2500Pa: 2.81m³/h
Power Supply: 7.5x2+4.5x2+5.8KW






## Gas Pasta Cooker With Cabinet

Model: **HGF-910**
Dimension: 800x900x920mm
LPG2800-3700Pa: 1.58Kg/h
NG2000-2500Pa: 2.28m³/h
Power Supply: 25KW



Model: **HGF-710**
Dimension: 700x700x920mm
LPG2800-3700Pa: 1.58Kg/h
NG2000-2500Pa: 2.28m³/h
Power Supply: 22KW





## Gas Pasta Cooker With Cabinet

Model: **HGN-915**
Dimension: 800x900x920mm
LPG2800-3700Pa: 1.58Kg/h
NG2000-2500Pa: 2.28m³/h
Power Supply: 25KW

Model: **HGN-715**
Dimension: 700x700x920mm
LPG2800-3700Pa: 1.68Kg/h
NG2000-2500Pa: 2.29m³/h
Power Supply: 22KW



## Gas Bain Marie With Cabinet

Model: **HGR-909**
Dimension: 800x900x920mm
LPG2800-3700Pa: 0.43Kg/h
NG2000-2500Pa: 0.63m³/h
Power Supply: 6KW

Model: **HGR-709**
Dimension: 700x700x920mm
LPG2800-3700Pa: 0.43Kg/h
NG2000-2500Pa: 0.63m³/h
Power Supply: 5KW



## Gas Solid Top With Gas Oven

Model: **HRQ-911B**
Dimension: 800x900x920mm
Oven Dimensions: 550x680x270mm
LPG2800-3700Pa: 1.30Kg/h
NG2000-2500Pa: 1.87m³/h
Power Supply: 10+5.8KW



# Gas Luxury Furnace Series



## Gas Griddle (2/3Flat,1/3Grooved) With Gas/Electric Oven

1. Model: **HGR-913/913B**
   Dimension: 800x900x920mm
   Griddle Size: 702x612x16mm
   Oven Dimensions: 550x680x270mm
   LPG2800-3700Pa: 1.25Kg/h
   NG2000-2500Pa: 1.77m³/h
   Power Supply: 11.8+5.8KW



2. Model: **HGR-713A**
   Dimension: 700x750x920mm
   Griddle Size: 625x496x20mm
   Oven Dimensions: 560x600x270mm
   LPG2800-3700Pa: 1.22Kg/h
   NG2000-2500Pa: 1.86m³/h
   Power Supply: 11.8+5.8KW





## 1-Tank Gas Fryer With Cabinet

2. Model: **HGF-968**
   Dimension: 400x900x920mm
   LPG2800-3700Pa: 1.23Kg/h
   NG2000-2500Pa: 1.56m³/h
   Power Supply: 15.5KW
   Capacity: 20± 2L



3. Model: **HGF-768**
   Dimension: 350x700x920mm
   LPG2800-3700Pa: 0.9Kg/h
   NG2000-2500Pa: 1.2m³/h
   Power Supply: 12KW
   Capacity: 15± 2L





## 2-Tank Gas Fryer With Cabinet

4. Model: **HGF-908**
   Dimension: 800x900x920mm
   LPG2800-3700Pa: 2.46Kg/h
   NG2000-2500Pa: 3.12m³/h
   Power Supply: 32KW
   Capacity: (20± 2)x2L



5. Model: **HGF-708**
   Dimension: 700x700x920mm
   LPG2800-3700Pa: 1.9Kg/h
   NG2000-2500Pa: 2.4m³/h
   Power Supply: 24KW
   Capacity: (15± 2)x2L





## Gas Lava Rock Grill with Cabinet

6. Model: **HGL-907**
   Dimension: 800x900x920mm
   LPG2800-3700Pa: 1.20Kg/h
   NG2000-2500Pa: 1.75m³/h
   Power Supply: 18KW



7. Model: **HGL-707**
   Dimension: 700x700x920mm
   LPG2800-3700Pa: 1.07Kg/h
   NG2000-2500Pa: 1.48m³/h
   Power Supply: 14.4KW








## 2-Tank Electric Fryer With Cabinet

Model: **HEF-908A**
Dimension: 800x900x920mm
Volts: 380V
Power Supply: 24KW
Capacity: (28± 2)x2L

Model: **HEF-708A**
Dimension: 700x700x920mm
Volts: 380V
Power Supply: 24KW
Capacity: (23± 2)x2L



## 1-Tank Electric Fryer With Cabinet

Model: **HEF-968A**
Dimension: 400x900x920mm
Volts: 380V
Power Supply: 12KW
Capacity: 28± 2L



Model: **HEF-768A**
Dimension: 350x700x920mm
Volts: 380V
Power Supply: 12KW
Capacity: 23± 2L





## Electric Griddle (1/3Grooved) With Electric Oven

Model: **HER-913A**
Dimension: 800x900x920mm
Griddle Size: 702x612x16mm
Oven Dimensions: 550x680x270mm
Volts: 380V
Power Supply: 12+4.8KW



Model: **HER-713A**
Dimension: 700x750x920mm
Griddle Size: 600x475x16mm
Oven Dimensions: 550x550x270mm
Volts: 380V
Power Supply: 9+4.8KW





## Electric Lava Rock Grill With Cabinet

Model: **HEL-907A**
Dimension: 800x900x920mm
Volts: 380V
Power Supply: 12KW

Model: **HEL-707A**
Dimension: 700x700x920mm
Power Supply: 9KW
Volts: 380V



# Gas / Electric Luxury Furnace Series



## Gas Solid Top With Cabinet

Model: **HGZ-011**
Dimension: 400x900x920mm
LPG2800-3700Pa: 0.71Kg/h
NG2000-2500Pa: 1.0m³/h
Power Supply: 10KW



## Gas Tilting Braising Pan

Model: **ZH-RS80**
Dimension: 800x900x920mm
LPG2800-3700Pa: 1.51Kg/h
NG2000-2500Pa: 2.19m³/h
Pressure: 21kpa
Capacity: 80L
Power Supply: 25KW



## Gas Indirect Jacketed Boiling Pan

Model: **HGK-100**
Dimension: 600x900x920mm
LPG2800-3700Pa 1.78Kg/h
NG2000-2500Pa: 2.58m³/h
Pressure: 25kpa
Capacity: 100L
Power Supply: 61000BTU



## Electric Griddle (2/3Flat&1/3Grooved) With Cabinet

Model: **HER-906A**
Dimension: 800x900x920mm
Griddle Size: 702x612x16mm
Volts: 380V
Power Supply: 12KW



Model: **HER-706A**
Dimension: 700x700x920mm
Griddle Size: 600x475x16mm
Volts: 380V
Power Supply: 9KW








## Electric Pasta Cooker With Cabinet

Model: **HEN-910A**
Dimension: 800x900x920mm
Volts: 380V
Power Supply: 18KW

Model: **HEN-710A**
Dimension: 700x700x920mm
Volts: 380V
Power Supply: 12KW



## Electric Pasta Cooker With Cabinet

Model: **HEN-915A**
Dimension: 800x900x920mm
Volts: 380V
Power Supply: 18KW

Model: **HEN-715A**
Dimension: 700x700x920mm
Volts: 380V
Power Supply: 12KW



## Electric Bain Marie With Cabinet

Model: **HEB-909A**
Dimension: 700x700x920mm
Volts: 380V
Power Supply: 6KW

Model: **HEB-709**
Dimension: 700x750x920mm
Volts: 380V
Power Supply: 6KW



## Electric Tilting Braising Pan

Model: **ZH-TS80**
Dimension: 800x900x920mm
Pan Size: 595x528mm
Volts: 380V
Power Supply: 12KW
Capacity: 80L
Net Weight: 140Kg



# Electric Luxury Furnace Series



## 4-Plate Electric Cooker With Oven

Model: **HRQ-912A**
Dimension: 800x900x920mm
Oven Dimensions: 550x680x270mm
Volts: 380V
Power: 2x2+2.6x2+4.8KW



Model: **HRQ-712A**
Dimension: 700x700x920mm
Oven Dimensions: 550x550x270mm
Power: 2x4+4.8KW
Volts: 380V





## 4-Plate Electric Cooker With Cabinet

Model: **HRQ-912**
Dimension: 800x900x920mm
Volts: 380V
Power: 2x2+2.6x2KW



Model: **HRQ-712**
Dimension: 700x700x920mm
Volts: 380V
Power: 2x4KW





## 6-Plate Electric Cooker With Oven

Model: **HRQ-962A**
Dimension: 1200x900x920mm
Oven Dimension: 550x680x270mm
Voltage: 380V
Power Supply: 2x3+2.6x3+4.8KW



Model: **HRQ-762A**
Dimension: 1050x700x920mm
Oven Dimension: 550x550x270mm
Voltage: 380V
Power Supply: 2x6+4.8KW






## 6-Plate Electric Cooker With Cabinet

Mode: **HRQ-962**
Dimension: 1200x900x920mm
Power Supply: 2x2+2.6x2KW
Voltage: 380V



Model: **HRQ-762**
Dimension: 1050x700x920mm
Power Supply: 2x6KW
Voltage: 380V







2-Tank 2-Basket Gas Fryer with Cabinet

Model: **HGF-668**
Dimension: 600x650x1035mm
Power: 5.6KW+5.6KW



2-Burner Gas Range with Cabinet

Model: **HGR-665**
Dimension: 600x650x1035mm
Power: 4.5KW+3.5KW



Gas Pasta Cooker with Cabinet

Model: **HGN-660**
Dimension: 600x650x1035mm
Power: 11.2KW



Gas Lava Rock Grill with Cabinet

Model: **HGL-667**
Dimension: 600x650x1035mm
Power: 14.4KW



Gas Griddle with Cabinet

Model: **HGR-663**
Dimension: 600x650x1035mm
Power: 10KW



Electric French Fries Warmer with Cabinet

Model: **HCW-660**
Dimension: 400x650x1275mm
Power: 1.2KW






## Electric Indirect Jacketed Boiling Pan

Model: **HEK-150**
Dimension: 800x900x920mm
Pressure: ≤ 50kpa
Volts: 380V
Power Supply: 24KW
Capacity: 150L

Model: **HEK-100**
Dimension: 800x900x920mm
Pressure: ≤ 50kpa
Volts: 380V
Power Supply: 18KW
Capacity: 100L



## 6-Plate Electric Cooker With Oven(Square)

Model: **HSQ-962B**
Dimension: 1200x900x920mm
Oven Dimensions 550x680x270mm
Volts: 380V
Power Supply: 4x6+4.8KW



## 4-Plate Electric Cooker With Oven(Square)

Model: **HSQ-912B**
Dimension: 800x900x920mm
Oven Dimensions 550x680x270mm
Volts: 380V
Power Supply: 4x4+4.8KW



## 4-Plate Electric Cooker With Cabinet(Square)

Model: **HSQ-912C**
Dimension: 800x900x920mm
Volts: 380V
Power Supply: 4x4KW






**HRQ-605E**
Counter Top 4-Burner Electric Cooker



**HEG-606**
Counter Top Electric Griddle (All Flat)



**HEF-608**
Counter Top 2-Tank 2-Basket Electric Fryer

| Model | Dimension | Volts | Hp | N/W | Capacity |
|---|---|---|---|---|---|
| **HRQ-605E** | 600x600x380mm | 220-240V/50-60Hz | 8KW | 20Kg | - |
| **HEG-606** | 600x600x380mm | 220-240V/50-60Hz | 5KW | 43Kg | - |
| **HEF-608** | 600x600x460mm | 220-240V/50-60Hz | 3.25+3.25KW | 25Kg | 8L+8L |










**HEL-607**
Counter Top Electric Lava Rock Grill



**HEB-609**
Counter Top Electric Bain Marie



**HEN-610**
Counter Top Electric Pasta Cooker

| Model | Dimension | Volts | Power | Weight |
|---|---|---|---|---|
| **HEL-607** | 650x600X380mm | 220-240V/50-60Hz | 4.8KW | 43Kg |
| **HEB-609** | 700x600x380mm | 220-240V/50-60Hz | 1.5KW | 24Kg |
| **HEN-610** | 600x600x380mm | 220-240V | 6KW | 22.6Kg |



# Counter Top Gas Combination Oven





Capacity: 8L+8L



**HGR-605**
Counter Top 4-Burner Gas Range

**HGF-608**
Counter Top 2-Tank 2-Basket Gas Fryer

**HGL-609**
Counter Top Gas Bain Marie

| Model | Dimension | Hp | Valve Type | Butners | N/W |
|---|---|---|---|---|---|
| **HGR-605** | 600x680x485mm | 92MJ | Low-pressure Valve | 4 | 44Kg |
| **HGF-608** | 600x612x485mm | 40.4MJ | Low-pressure Valve | 2 | 29Kg |
| **HGL-609** | 700x612x485mm | 27.7MJ | Low-pressure Valve | 1 | 29Kg |

















**HGL-610**
Counter Top Gas Pasta Cooker

**HGR-606**
Counter Top Gas Griddle

**HGL-607**
Counter Top Gas Griddle

| Model | Dimension | Hp | Valve Type | Butners | N/W |
|---|---|---|---|---|---|
| **HGL-610** | 600x612x485mm | 26MJ | Low-pressure Valve | 1 | 25Kg |
| **HGR-606** | 600x612x485mm | 28.8MJ | Low-pressure Valve | 2 | 46Kg |
| **HGL-607** | 600x612x485mm | 57.6MJ | Low-pressure Valve | 2 | 49Kg |



# Fryer



SALE



## 1-Tank 1-Basket Electric Fryer

Model: **HEF-4L**
Dimension: 270x380x305mm
Packing Size: 250x415x335mm
Volts: 220V-240V/50-60Hz
Power: 2KW
N/W: 5Kg



## 2-Tank 2-Basket Electric Fryer

Model: **HEF-4L-2**
Dimension: 490x380x320mm
Packing Size: 470x410x335mm
Volts: 220V-240V/50-60Hz
Power: 2x2KW
N/W: 9.2Kg





SALE



## 1-Tank 1-Basket Electric Fryer

Model: **HEF-6L**
Dimension: 324x410x295mm
Packing Size: 300x450x310mm
Volts: 220V-240V/50-60Hz
Power: 2.5KW
N/W: 5.6Kg



## 2-Tank 2-Basket Electric Fryer

Model: **HEF-6L-2**
Dimension: 600x410x295mm
Packing Size: 580x445x325mm
Volts: 220V-240V/50-60Hz
Power: 2x2.5KW
N/W: 10.2Kg





# Fryer

- High efficiency stainless steel heating element, automatic control temperature,timer installation.
- Anti-high temperature oil valve.
- Folded and dismantle basket handle.
- Used gas:liquefied petroleum gas(LPG), customized to natural gas (1800-2500pa).
- Over temperature protection.
- Movable heating element to make cleaning easier.

Super Star Product





## 1-Tank 1-Basket Electric Fryer

Model: **HEF-81**
Dimension: 285x450x310mm
Packing Size: 480x315x325mm
Capacity: 6L
Volts: 220-240V/50-60Hz
Power: 2.5KW
N/W: 4.6Kg



Model: **HEF-88**
Dimension: 285x450x360mm
Packing Size: 480x315x325mm
Capacity: 8L
Volts: 220-240V/50-60Hz
Power: 2.8KW
N/W: 5.6Kg



## 2-Tank 2-Basket Electric Fryer

Model: **HEF-82** (2-Tank 2-Basket)
Dimension: 570x450x310mm
Packing Size: 620x470x325mm
Capacity: 6L+6L
Volts: 220-240V/50-60Hz
Power: 2.5+2.5KW N/W: 8.6Kg



Model: **HEF-83** (1-Tank 2-Basket)
Dimension: 540x450x310mm
Packing Size: 620x470x325mm
Capacity: 12L
Volts: 220-240V/50-60Hz
Power: 2.5+2.5KW N/W: 8.4Kg



Model: **HEF-89** (2-Tank 2-Basket)
Dimension: 570x450x360mm
Capacity: 8L+8L
Volts: 220-240V/50-60Hz
Power: 2.8+2.8KW N/W: 10Kg



Super Star Product





## 1-Tank 1-Basket Electric Fryer

Model: **HEF-81A**
Dimension: 275x460x300mm
Packing Size: 460x295x305mm
Capacity: 6L
Volts: 220V-240V/50-60Hz
Power: 2.5KW
N/W: 4.5Kg





## 2-Tank 2-Basket Electric Fryer

Model: **HEF-82A** (2-Tank 2-Basket)
Dimension: 550x460x300mm
Packing Size: 570x455xx315mm
Capacity: 6L+6L
Volts: 220V-240V/50-60Hz
Power: 2.5+2.5KW N/W: 9Kg



Model: **HEF-83A** (1-Tank 2-Basket)
Packing Size: 570x460x300mm
Dimension: 550x430x290mm
Capacity: 12L Volts: 220V-240V/50-60Hz
Power: 2.5+2.5KW N/W: 9Kg








## 1-Tank 1-Basket Electric Fryer

Model: **HEF-12L**
Dimension: 290x485x450mm
Packing Size: 325x515x470mm
Volts: 220V-240V/50-60Hz
Power: 3.25KW
N/W: 9.8Kg





## 2-Tank 2-Basket Electric Fryer

Model: **HEF-12L-2**
Dimension: 580x485x450mm
Packing Size: 610x515x470mm
Volts: 220V-240V/50-60Hz
Power: 2x3.25KW
N/W: 17.6Kg



SALE



## 1-Tank 1-Basket Electric Fryer

Model: **HEF-101V**
Dimension: 290x530x340mm
Capacity: 10L
Volts: 220V-240V/50-60Hz
Power: 3KW

Model: **HEF-131V**
Dimension: 320x530x350mm
Capacity: 13L
Volts: 220V-240V/50-60Hz
Power: 5KW N/W: 8Kg

Model: **HEF-161V**
Dimension: 345x560x360mm
Capacity: 16L
Volts: 220V-240V/50-60Hz
Power: 5KW N/W: 10Kg





## 2-Tank 2-Basket Electric Fryer

Model: **HEF-102V**
Dimension: 580x530x340mm
Capacity: 10L+10L
Volts: 220V-240V/50-60Hz
Power: 3+3KW

Model: **HEF-132V**
Dimension: 635x530x350mm
Capacity: 13L+13L
Volts: 220V-240V/50-60Hz
Power: 5+5KW N/W: 18Kg

Model: **HEF-162V**
Dimension: 695x560x360mm
Capacity: 16L+16L
Volts: 220V-240V/50-60Hz
Power: 5+5KW N/W: 20Kg








### 1-Tank 1-Basket Electric Fryer

Model: **HEF-8L**
Dimension: 324x410x345mm
Packing Size: 300x450x380mm
Volts: 220V-240V/50-60Hz
Power: 3.25KW
N/W: 6.2Kg





### 2-Tank 2-Basket Electric Fryer

Model: **HEF-8L-2**
Dimension: 538x415x345mm
Packing Size: 575x450x380mm
Volts: 220V-240V/50-60Hz
Power: 3.25KW
N/W: 11Kg





### 1-Tank 1-Basket Electric Fryer

Model: **HEF-11L**
Dimension:381x445x345mm
Packing Size: 355x475x380mm
Volts: 220V-240V/50-60Hz
Power: 3.5KW
N/W: 11.4Kg





### 2-Tank 2-Basket Electric Fryer

Model: **HEF-11L-2**
Dimension: 730x445x345mm
Packing Size: 705x480x380mm
Volts: 220V-240V/50-60Hz
Power: 2x3.5KW
N/W: 15Kg



# Fryer ELECTRIC FRYER

SALE

All stainless steel body, unique exterior design, thermostat, thick plate, heat more evenly, thermostat assembly 360°C temperature control, energy efficient, safe and practical.



## 2-Tank 2-Basket Electric Fryer



Model: **HEF-912**
Dimension: 850x515x1140mm
Capacity: 21+21L
Volts: 220V-240V
Power: 4.5+4.5KW
N/W: 34Kg

2-Tank 2-Basket Gas Fryer
Model: **HGF-912**
Dimension: 850x515x1140mm
Capacity: 21L+21L
Gas: LPG



## 1-Tank 1-Basket Gas Fryer

Model: **HGF-779**
Dimension: 340x615x630mm
Capacity: 18L
Gas: LPG
Power: 5KW/Hr
N//W: 22Kg



## 2-Tank 2-Basket Gas Fryer

Model: **HGF-780**
Dimension: 680x615c630mm
Capacity: 18L+18L
Gas: LPG
Power: 10KW/Hr
N/W: 38Kg



## 2-Tank 2-Basket Gas Fryer

Model: **HGF-907C**
Dimension: 850x515x650mm
Capacity: 21L+21L
Gas: LPG
N/W: 32Kg



## 1-Tank 1-Basket Electric Fryer

Model: **HEF-779**
Dimension: 340x615x630mm
Capacity: 18L
Volts: 220V-240V/50-60Hz
Power: 4.5KW
N/W: 22Kg



## 2-Tank 2-Basket Electric Fryer

Model: **HEF-780**
Dimension: 680x615x630mm
Capacity: 18L+18L
Volts: 220V-240V/50-60Hz
Power: 4.5KW+4.5KW
N/W: 38Kg



## 2-Tank 2-Basket Electric Fryer

Model: **HEF-906C**
Dimension: 850x515x650mm
Capacity: 21L+21L
Volts: 220V-240V/50-60Hz
Power: 3.5+3.5KW
N/W: 32Kg

# Fryer



SALE



## 1-Tank 1-Basket Electric Fryer

Model: **HEF-901**
Dimension: 300x570x450mm
Packing Size: 370x640x520mm
Capacity: 8L
Volts: 220V-240V/50-60Hz
Power: 2.8KW
N/W: 10Kg





## 2-Tank 2-Basket Electric Fryer

Model: **HEF-902**
Dimension: 600x570x450mm
Packing Size: 670x540x520mm
Capacity: 16L
Volts: 220V-240V/50-60Hz
Power: 2.8+2.8KW
N/W: 18Kg





## 1-Tank 1-Basket Electric Fryer

Model: **HEF-903**
Dimension: 330x600x440mm
Packing Size: 670x410x545mm
Capacity: 12.5L
Volts: 220V-240V/50-60Hz
Power: 3KW
N/W: 13Kg





## 2-Tank 2-Basket Electric Fryer

Model: **HEF-904**
Dimension: 660x600x440mm
Packing Size: 720x670x545mm
Capacity: 25L
Volts: 220V-240V/50-60Hz
Power: 3KW+3KW
N/W: 23.2Kg








## 1-Tank 1-Basket Gas Fryer

Model: **HGF-971**
Dimension: 300x600x560mm
Capacity: 8L
Power: 4KW/Hour
N/W: 22Kg





## 2-Tank 2-Basket Gas Fryer

Model: **HGF-972**
Dimension: 600x600x560mm
Capacity: 8L+8L
Power: 8KW/Hour
N/W:35Kg





## 2-Tank 2-Basket Gas Fryer

Model: **HGF-772**
Dimension: 600x650x550mm
Capacity:12.5L+12.5L
Power: 9KW/Hour
N/W: 40Kg






## 1-Tank 1-Basket Gas Fryer

Model: **HGF-71**
Dimension: 290x500x460mm
Capacity: 6L
Power: 18.9TU/hr
N/W: 10.8Kg





## 2-Tank 2-Basket Gas Fryer

Model: **HGF-72** (2-Tank 2-Basket)
Dimension: 570x500x460mm
Capacity: 6L+6L
Power: 37.8Tu/nr
N/W: 18.4Kg



Model: **HGF-73** (1-Tank 2-Basket)
Dimension: 550x500x460mm
Capacity: 12L
Power: 37.8Tu/nr
N/W: 14.8Kg



# Fryer





## 1-Tank 1-Basket Electric Fryer

Model: **HEF-161C**
Dimension: 340X530X940mm
Capacity: 16L
Volts: 220-240V
Power: 5KW
N/W: 20.6Kg



## 2-Tank 2-Basket Electric Fryer

Model: **HEF-162C**
Dimension: 690x530x940mm
Capacity: 16Lx2
Volts: 220-240V
Power: 5KWx2
N/W: 33.5Kg

SALE



## 1-Tank 2-Basket Gas Fryer

Model: **HGF-778(2-burner)**
Dimension: 400x700x1100mm
Capacity: 25L
Gas: LPG or Natural Gas
Power: 12KW/Hr
N/W: 41Kg

Model: **HGF-778S(3-burner)**
Dimension: 400x700x1100mm
Capacity: 25L
Gas: LPG or Natural Gas
Power: 15.5KW/Hr
N/W: 41Kg



## 1-Tank 1-Basket Gas Fryer

Model: **HGF-181C**
Dimension: 345x585x1025mm
Capacity: 18L
Gas: LPG or Natural Gas
N/W: 25Kg



## 2-Tank 2-Basket Gas Fryer

Model: **HGF-182C**
Dimension: 690x585x1025mm
Capacity: 18x2L
Gas: LPG or Natural Gas
N/W: 50Kg






### 1-Tank 2-Basket Electric Fryer

Model: **HEF-26**
Dimension: 420x830x1080mm
Capacity: 30L
Volts: 380V
Power: 10KW
N/W: 38Kg





### 2-Tank 4-Basket Electric Fryer

Model: **HEF-26-2**
Dimension: 800x830x1080mm
Capacity: 30L+30L
Volts: 380V
Power: 10+10KW
N/W: 58Kg





### 1-Tank 2-Basket Computer Fryer

Model: **HEF-871**
Dimension: 400x800x1100mm
Capacity: 28L
Volts: 3N~380V
Hp: 18KW
N/W: 40Kg





### 2-Tank 4-Basket Computer Fryer

Model: **HEF-872**
Dimension: 800x800x1100mm
Capacity: 28L+28L
Volts: 3N~380V
Hp: 18+18KW
N/W: 80Kg



# Griddle

- Strong stainless steel body with splash guard.
- Large output capacity.
- Thick steel plate for heat retention, heatuniform.
- Fat drainage drawer for convenience.
- Thermostat controller.
- Energy saving and safety.
- Easy to use and clean-up.



SALE



## Electric Griddle

Model: **HEG-818**
Dimension: 550x430x240mm
Volts: 220V-240V/50-60Hz
Power: 3KW
N/W: 25Kg





## Electric Griddle

Model: **HEG-818A**
Dimension: 540x400x220mm
Volts: 220V-240V/50-60Hz
Power: 2.6KW
N/W: 23Kg





## Electric Griddle

Model: **HEG-821**
Dimension: 550x450x230mm
Volts: 220V-240V/50-60Hz
Power: 3KW
N/W: 23Kg





## Electric Griddle

Model: **HEG-820**
Dimension: 730x470x240mm
Volts: 220V-240V/50-60Hz
Power: 4.4KW
N/W: 34Kg



SALE



## Electric Griddle

Model: **HEG-822**
Dimension: 730x470x240mm
Volts: 220V-240V/50-60Hz
Power: 4.4KW
N/W: 32Kg





# Fryer



### Electric Pressure Fryer

Model: **MDXZ-24**
Dimension: 460x960x1230mm
Capacity: 25L
Volts: 3N-380V/50HZ
Power: 12KW
N/W: 95kgs
For 4-6Chickens



### Electric Pressure Fryer

Model: **MDXZ-24A**
Dimension: 460x960x1230mm
Capacity: 25L
Volts: 3N-380V/50HZ
Power: 13.5KW
N/W: 135kgs
For 4-6Chickens



### Gas Pressure Fryer

Model: **MDXZ-25**
Dimension:470x1030x1180mm
Capacity: 25L
Volts: 220V/50HZ
Power: 0.1KW
Gas Consumption: 0.48kg/h
N/W: 125kgs



### Gas Pressure Fryer

Model: **MDXZ-25A**
Dimension:470x1030x1180mm
Capacity: 25L
Volts: 220V/50HZ
Power: 0.65KW
Gas Consumption: 0.48kg/h
N/W: 160kgs



### Electric Pressure Fryer

Model: **MDXZ-24D**
Dimension:460x960x1230mm
Capacity: 25 L
Volts: 3N-380V/50HZ
Power: 13.5KW
N/W: 135kgs
For 4-6Chickens



### Gas Pressure Fryer

Model: **MDXZ-25D**
Dimension:470x1030x1180mm
Capacity: 25L
Volts: 220V/50HZ
Power: 0.65KW
Gas Consumption: 0.48kg/h
N/W: 160kgs



### Electric Pressure Fryer

Model: **MDXZ-16**
Dimensions:350x400x500mm
Packing Size:430x500x540mm
Capacity: 16L
Volts: 220V/50Hz
Power: 3KW N/W: 18Kg
For 2-3 Chickens






### Electric Griddle

Model: **HEG-350**
Dimension: 350x520x320mm
Volts: 220V-240V/50-60Hz
Power: 2KW
N/W: 40Kg





### Electric Griddle

Model: **HEG-500**
Dimension:500x520x320mm
Volts:220V-240V/50-60Hz
Power:3KW
N/W: 50Kg



Model: **HEG-700**
Dimension:700x520x320mm
Volts:220V-240V/50-60HZ
Power:4.4KW
N/W: 65Kg



### Electric Griddle & Salamander

Model: **HEG-580**
Dimensions: 580x455x332mm
Volts: 220-240V/50-60Hz
Power: 2.4KW
N/W: 34Kg





### Gas Griddle

Model: **HGG-350**
Dimension: 350x520x320mm
Power: 4KW/Hour
N/W: 40Kg



Model: **HGG-500**
Dimension: 500x520x320mm
Power: 8KW/Hour
N/W: 50Kg



### Gas Griddle

Model: **HGG-700**
Dimension:700x520x320mm
Power: 12KW/Hour
N/W: 65Kg





### Gas Griddle (1/3 Grooved)

Model: **HGG-530-2**
Dimension: 530x600x475mm
Gas: LPG or Natural Gas
Power: 10.7KW



Model: **HGG-600-2**
Dimension: 600x600x475mm
Gas: LPG or Natural Gas
Power: 11.7KW

Model: **HGG-750-2**
Dimension: 750x600x475mm
Gas: LPG or Natural Gas
Power: 11.7KW






### Electric Griddle

Model: **HEG-920**
Dimension: 760x600x350mm
Volts: 220V-240V/50-60Hz
Power: 2.2+2.2KW
N/W: 65Kg





### Electric Griddle

Model: **HEG-824**
Dimension: 610x620x360mm
Volts: 220~240V/50Hz~60Hz
Power: 8KW
N/W: 70Kg



Model: **HEG-836**
Dimension: 915x620x360mm
Volts: 380V/50Hz
Power: 12KW
N/W: 100Kg

Model: HEG-848
Dimension: 1215x620x360mm
Volts: 380V/50Hz
Power: 16KW
N/W: 130Kg



### Electric Griddle

Model: **HEG-922**
Dimension: 760x600x350mm
Volts: 220V-240V/50-60Hz
Power: 2.2+2.2KW
N/W: 65Kg





### Electric Griddle With Gas/Electric Fryer

Model: **HEG-908**
Dimension: 760x630x460mm
Volts: 220~240V/50Hz~60Hz
Power: 3+2.8KW
N/W: 48Kg





### Electric Griddle With Gas/Electric Fryer

Model: **HGG-751**
Dimension: 760x650x550mm
Gas:LPG
Power:12KW/Hour
N/W:48Kg








## Gas Griddle (1/3 Grooved)

Model: **HGG-752**
Dimension: 760x650x550mm
Gas: LPG or Natural Gas
Power: 16KW/Hour
N/W: 70Kg





## Gas Griddle (All Flat)

Model: **HGG-753**
Dimension: 760x650x550mm
Gas: LPG or Natural Gas
Power: 16KW/Hour
N/W: 70Kg





## Beef Griddle

Model: **HX-NPL-3**
Material: SUS 201
Layer: 8Layers
Dimension: 235x557x355mm
Packing Size: 350x520x455mm
Power: 9000BTU
Gas : LPG/NG
Push-button electronic ignition
Temperature Range: 200-500℃
External accessories include flat screen, slag basin, drawer type pallet, 2 silicone oven gloves
G/W: 10Kgs





## Beef Griddle

Model: **HX-NPL-4**
Material: SUS 201
Layer: 8Layers
Dimension: 235x47x23mm
Packing Size: 350x47x23mm
Power: 9000BTU
Gas : LPG/NG
Push-button electronic ignition
Temperature Range: 200-500℃
External accessories include flat net, slag basin, movable door front foldable hanging plate, 2 silicone oven gloves
G/W: 10 Kgs



# Griddle



SALE



### Gas Griddle

Model: **HGG-718**
Dimension: 550x480x420mm
Packing Size: 615x555x445mm
Power: 36.7Tu/hr
N/W: 30Kg





### Gas Griddle

Model: **HGG-720**
Dimension: 730x520x420mm
Packing Size: 790x615x500mm
Power: 37.8Tu/hr
N/W: 43Kg





### Gas Griddle

Model: **HGG-721**
Dimension: 550x480x420mm
Packing Size: 615x555x445mm
Power: 36.7Tu/hr
N/W: 30Kg





### Gas Griddle

Model: **HGG-722**
Dimension: 730x520x420mm
Packing Size: 790x615x500mm
Power: 37.8Tu/hr
N/W: 43Kg








Counter Top Electric Pasta Cooker

Model: **HEN-4A**
Dimension: 410x570x280mm
Volts:220~240V/50~60Hz
Power: 4KW
N/W: 13Kg



Counter Top Electric Pasta Cooker

Model: **HEN-6A**
Dimension: 590x550x280mm
Volts: 220~240V/50~60Hz
Power: 6KW
N/W: 17Kg



Electric Pasta Cooker

Model: **HEN-4HX**
Dimension: 430x610x920mm
Volts: 220~240V/50~60Hz
Power: 4KW
N/W: 17Kg



Gas Pasta Cooker

Model: **HGN-4HX**
Dimension: 430x610x920mm
Gas: LPG or Natural Gas
Power: 56500BTU/Hour
N/W: 20Kg



Gas Pasta Cooker

Model: **HGN-6HX**
Dimension: 600x610x920mm
Gas: LPG or Natural Gas
Power: 84750BTU/Hour
N/W: 31Kg



Electric Pasta Cooker

Model: **HEN-6HX**
Dimension: 600x610x920mm
Volts: 220~240V/50~60Hz
Power: 6KW
N/W: 22Kg






## Gas Griddle

Model: **HGG-24**
Dimension: 610x620x440mm
Gas: LPG or Natural Gas
Power: 9KW
N/W: 51Kg





## Gas Griddle

Model: **HGG-36**
Dimension: 915x620x440mm
Gas: LPG or Natural Gas
Power: 13.5KW
N/W: 76Kg





## Gas Griddle

Model: **HGG-48**
Dimension: 1215x620x440mm
Gas: LPG or Natural Gas
Power: 18KW
N/W: 105Kg






## Food Display Warmer



HW-861




HW-862




HW-863

| Model | Dimensions(mm) | Volts | Power | Weight |
|---|---|---|---|---|
| HW-861 | 350x455x580 | 220~240V/50~60Hz | 1.2KW | 21Kg |
| HW-862 | 650x455x580 | 220~240V/50~60Hz | 1.3KW | 33Kg |
| HW-863 | 900x455x580 | 220~240V/50~60Hz | 1.75KW | 41Kg |



HW-1PA



HW-3P




HW-2P



HW-2PS / HW-3PS

| Model | Dimensions(mm) | Volts | Power | Weight |
|---|---|---|---|---|
| HW-1PA | 380x480x610 | 220V/50HZ | 0.5KW | - |
| HW-2P | 660x495x615 | 220~240V/50~60Hz | 0.8KW | 21Kg |
| HW-3P | 950x495x615 | 220~240V/50~60Hz | 1.2KW | 30Kg |
| HW-2PS | 660x495x615 | 220~240V/50~60Hz | 0.8KW | 21Kg |
| HW-3PS | 950x495x615 | 220~240V/50~60Hz | 1.2KW | 30Kg |



# Food Warmer

- The designs with different shapes and colors.
- Different models with different functions,like to keep dry,
- Keep wet,keep warm or keep cold.
- Removable crumb tray.
- Humidity pan prevents dryness.
- Thermostatically controlled temperature.
- Themperature indicating gauge for monitoring internal temperature.
- Convenient sliding doors provide quick,easy access.
- Interior light.





## Food Display Warmer

Model: **HW-2x2**
Dimension: 700x655x740mm
Volts: 220~240V/50~60Hz
Power: 0.7KW
N/W: 27Kg



## Food Display Warmer

Model: **HW-2x3**
Dimension: 1100x655x740mm
Volts: 220~240V/50~60Hz
Power: 1.4KW
N/W: 35Kg



Model: **HW-2x4**
Dimension: 1200x655x740mm
Volts: 220~240V/50~60Hz
Power: 1.4KW
N/W: 43Kg



SALE









## Food Display Warmer

Model: **HW-6P-B**
Dimension: 1200x760x860mm
Volts: 220~240V/50~60Hz
Power: 2.15KW
N/W: 94Kg



Model: **HW-6P**
Dimension: 1500x760x860mm
Volts: 220~240V/50~60Hz
Power: 2.2KW
N/W: 112Kg



Model: **HW-6P-A**
Dimension: 1800x760x860mm
Volts: 220~240V/50~60Hz
Power: 3.8KW
N/W: 152Kg



Model: **HW-6P-C**
Dimension: 2200x760x860mm
Volts: 220~240V/50~60Hz
Power: 4.8KW
N/W: 180Kg





# Food Warmer

SALE





## Pie Warmer

Model: **HW-1P**
Dimension: 350x430x500mm
Volts: 220~240V/50~60Hz
Power: 0.75KW
N/W: 18Kg



## Egg Tart Warmer Display Cabinet

Model: **HW-501**
Material: SUS 201 &Acrylic
Dimension: 500x400x378mm
Packing Size: 550x450x430mm
Preservative Temperature Range: 30-85℃
Volts: 220V/50Hz Power: 750W
G/W: 8Kgs





## Food Display Warmer

Model: **HW-500H**
Dimension: 380x420x760mm
Volts: 220~240V/50~60Hz
Power: 1.2KW
N/W: 24Kg





## Food Display Warmer (Touch Screen)

Model: **HW-500HA**
Dimension: 380x420x760mm
Volts: 220~240V/50~60Hz
Power: 1.2KW
N/W: 24Kg





## Food Display Warmer

Model: **HW-600H**
Dimension: 480x540x840mm
Volts: 220~240V/50~60Hz
Power: 1.6KW
N/W: 36Kg








HW-60-1 / HW-60-2 / HW-60-3



HW-580 / HW-805



HW-9002 / HW-9003 / HW-9004

| Model | Dimensions(mm) | Volts | Power | Weight |
|---|---|---|---|---|
| **HW-60-1** | 660x480x610 | 220~240V/50~60Hz | 1.84KW | 33Kg |
| **HW-60-2** | 900x480x610 | 220~240V/50~60Hz | 1.84KW | 50Kg |
| **HW-60-3** | 1200x480x610 | 220~240V/50~60Hz | 2.2KW | 72Kg |
| **HW-580** | 642x350x535 | 220~240V/50~60Hz | 1.5KW | 45Kg |
| **HW-805** | 865x360x625 | 220~240V/50~60Hz | 1.5KW | 60Kg |
| **HW-9002** | 620x530x560 | 220~240V/50~60Hz | 1.5KW | 32Kg |
| **HW-9003** | 900x530x560 | 220~240V/50~60Hz | 1.8KW | 46Kg |
| **HW-9004** | 1200x530x560 | 220~240V/50~60Hz | 2.0KW | 52Kg |



HW-2D / HW-3D / HW-4D



HW-660 / HW-900 / HW-1200



HW-1002 / HW-1003 / HW-1004

| Model | Dimensions(mm) | Volts | Power | Weight |
|---|---|---|---|---|
| **HW-2D** | 630x485x550 | 220~240V/50~60Hz | 1.5KW | 33Kg |
| **HW-3D** | 890x485x550 | 220~240V/50~60Hz | 1.8KW | 42Kg |
| **HW-4D** | 1110x485x550 | 220~240V/50~60Hz | 2.0KW | 53Kg |
| **HW-660** | 660x505x420 | 220~240V/50~60Hz | 1.5KW | 30Kg |
| **HW-900** | 900x505x420 | 220~240V/50~60Hz | 1.8KW | 38Kg |
| **HW-1200** | 1200x505x420 | 220~240V/50~60Hz | 2.0KW | 45Kg |
| **HW-1002** | 610x440x700 | 220~240V/50~60Hz | 1.5KW | 30Kg |
| **HW-1003** | 880x440x700 | 220~240V/50~60Hz | 1.8KW | 39Kg |
| **HW-1004** | 1200x440x700 | 220~240V/50~60Hz | 2.0KW | 46Kg |






### Food Warmer Cart

- Model: **HW-11-5F**
  Dimension: 780x960x1325mm
  Inner Size: 540x680x940mm
  Volts: 220-240V
  Power: 1.26KW
  Layer Distance: 160mm
  Layer Number: 5-layer



### Food Warmer Cart

- Model: **HW-11-21**
  Dimension: 780x960x1790mm
  Inner Size: 540x680x1380mm
  Volts: 220-240V
  Power: 2.52KW
  Layer Distance: 115mm
  Layer Number: 11-layer



### Food Warmer Cart

- Model: **HW-11-22**
  Dimension: 1580x960x1790mm
  Inner Size: 1350x680x1380mm
  Volts: 220-240V
  Power: 2.52KW
  Layer Distance: 115mm
  Layer Number: 22-layer





### Sushi Display Cooler

- Model: **HSD-1200**
  Dimension: 1200x350x340mm
  Volts: 220-240V/50-60Hz
  Power: 0.23KW

- Model: **HSD-1500**
  Dimension: 1500x350x340mm
  Volts: 220-240V/50-60Hz
  Power: 0.32KW

- Model: **HSD-1800**
  Dimension: 1800x350x340mm
  Volts: 220-240V/50-60Hz
  Power: 0.34KW

### Sushi Display Cooler

- Model: **HSD-1200-2**
  Dimension: 1200x350x500mm
  Volts: 220-240V/50-60Hz
  Power: 0.35KW

- Model: **HSD-1500-2**
  Dimension: 1500x350x500mm
  Volts: 220-240V/50-60Hz
  Power: 0.39KW

- Model: **HSD-1800-2**
  Dimension: 1800x350x500mm
  Volts: 220-240V/50-60Hz
  Power: 0.41KW






### Pizza Display Warmer

Model: **HW-815**
Dimension: 490x490x810mm
Volts: 220-240V/50-60HZ
Power: 0.6KW
Weight: 15Kg





### Pizza Display Warmer

Model: **HW-816**
Dimension: 490x490x810mm
Volts: 220-240V/50-60HZ
Power: 0.6KW
Weight: 15Kg





### Infared Warm lamp

Model: **HW-819B (2-Lamp)**
Dimension: 335x560x465mm
Volts: 220-240V/50-60Hz
Power: 0.05KW



Model: **HW-819C (3-Lamp)**
Dimension: 810x350x440mm
Volts: 220-240V/50-60Hz
Power: 0.75KW





### Electric Warming Tray

Model: **HTC-2F**
Dimension: 730x580x550mm
Volts: 220-240V/50-60Hz
Power: 0.5KW
Weight: 14Kg





### 1- Head Electric Plate Warmer Cart

Model: **HPW-1**
Dimension: 455x555x925mm
Volts: 220-240V/50-60Hz
Power: 0.4KW





### 2- Head Electric Plate Warmer Cart

Model: **HPW-2**
Dimension: 455x950x925mm
Volts: 220-240V/50-60Hz
Power: 0.8KW









## Infrared Lamps

Model: **A031**
Power:220V/250W
Diameter:175mm
Adjustable Height:0.6~1.8m




## Infrared Lamps

Model: **A032**
Power: 220V/250W
Diameter: 175mm
Adjustable Height: 0.6~1.8m




## Infrared Lamps

Model: **A033**
Power:220V/250W
Diameter:270mm
Adjustable height:0.6~1.8m



# Food Dehydrator



Food Dehydrator

Model: **HFD-6**
Size: 557x300x355mm
Volts: 220-240V/50-60Hz
Power: 400W
Temperature: 30-90℃
Size of Rack: 285x200mm
Distance between Racks: 46mm



Food Dehydrator

Model: **HFD-10**
Size: 464x402x440mm
Volts: 220-240V/50-60Hz
Power: 1000W
Temperature: 30-90 C
Size of Rack: 385x285mm
Distance between Racks: 35mm



Food Dehydrator

Model: **HFD-12**
Size: 464x402x440mm
Volts: 220-240V/50-60Hz
Power: 1000W
Temperature: 30-90℃
Size of Rack: 385x283mm
Distance between Racks: 30mm



Food Dehydrator

Model: **HFD-16**
Size: 570x470x690mm
Volts: 220-240V/50-60Hz
Power: 1500W
Temperature: 30-90℃
Size of Rack: 380x400mm
Distance between Racks: 35mm



Food Dehydrator

Model: **HFD-20**
Size: 470x570x880mm
Volts: 220-240V/50-60Hz
Power: 1500W
Temperature: 30-90℃
Size of Rack: 380x400mm
Distance between Racks: 35mm



Food Dehydrator

Model: **HFD-30**
Size: 530x438x1380mm
Volts: 220-240V/50-60Hz
Power: 2400W
Temperature: 30-90℃
Size of Rack: 400x380mm
Distance between Racks: 35mm



# Popcorn Machine

- Charming designs and excellent product display make thses units a winner.
- Different designs and dimensions are available. Ideal for cafes,canteens,cutdoor events,restaurants,etc.
- Non-Stick kettle.
- High effciency stainless steel heating element.
- Hinge down feature for easy loading popcorn.
- Bottom element ensures that popcorn stays warm.
- Hygienic and easy to clean.



Model: POP6C
Dimension: 940*500*825mm



Model: POP6C-S
Dimension: 650*435*925mm





- Charming designs and excellent product display make thses units a winner.
- Different designs and dimensions are available. Ideal for cafes,canteens,outdoor events,restaurants,etc.
- Non-Stick kettle.
- High effciency stainless steel heating element.
- Hinge down feature for easy loading popcorn.
- Bottom element ensures that popcorn stays warm.
- Hygienic and easy to clean.






Model: POP6A
Dimension: 560*417*760mm
Volts:220V/50Hz
Power:1.35KW
Package Size: 570*430*780mm
Yield: 1pot/2min



Popcorn Machine

Model: POP6E
Dimension: 450*375*585mm
Volts:220V/50Hz
Power:1.175KW
Package Size: 520*445*630mm



Model: POP6A-2
Dimension: 900*420*760mm
Volts:220V/50Hz
Power:2.67KW
Package Size: 915*430*785mm
Yield: 1pot/2min






Model: POP6A-D
Dimension: 900*420*760mm
Volts:220V/50Hz
Power:1.7KW
Package Size: 915*430*785mm
Yield: 1pot/2min

Our high output Candy Floss Machines are used by professional operators all over the world,very popular among stadiums,carnivals,arenas,department stores, festivals,amusement parks or other large venuse.
When you need to have high quantities of cotton candy in a short period of time-these workhorses are the machines to ues.

Pink color and orange color are available.
Speed controller is optional.
All Candy Floss Machines come with a dedicated sugar spoon.
Over-temperature protection device.



机罩需另外购买

型号：ET-MF05(ϕ520)
规格：960*520*870mm
电源：220V/50Hz
功率：1080W
产量：30秒/个
毛重净重：22.4kg/18.4kg
包装尺寸：648*560*515mm

型号：ET-MF05(ϕ720)
规格：960*720*895mm
电源：220V/50Hz
功率：1080W
产量：30秒/个
毛重净重：25.8kg/24.1kg

520mm



型号：ET-MF-JZ-520
规格：ϕ520*350mm
材质：亚克力
功能：防止机器工作时飞糖乱窜

720mm



型号：ET-MF-JZ-720
规格：ϕ720*360mm
材质：亚克力
功能：防止机器工作时飞糖乱窜



型号：ET-MF06(ϕ520)
糖盆：直径52厘米
尺寸：960*520*890mm
电源：12V
功率：80W
产量：30秒一个
毛重净重：24kg/22.8kg
包装：560*530*530mm

型号：ET-MF06(ϕ720)
糖盆：直径72厘米
尺寸：960*720*910mm
电源：12V
功率：80W
产量：30秒一个
毛重净重：27.6kg/26.4kg
包装：730*730*530mm






## 常规棉花糖机 插电款

型号：ET-MF01(糖盆直径φ520)
尺寸：520*520*480mm
电源：220V/50Hz
功率：1080W
产量：30秒/个
毛重净重：14.6kg/11kg
包装尺寸：570*570*445mm



## 大糖盘棉花糖机 插电款

型号：ET-MF01(糖盆直径φ720)
尺寸：720*720*500mm
电源：220V/50Hz
功率：1080W
产量：30秒/个
毛重净重：16.8kg/14.6kg
包装尺寸：730*730*435mm



## 常规燃气棉花糖机

型号：ET-RMF01(糖盆直径φ520)
尺寸：520*520*480mm
包装尺寸：570*570*445mm

## 大糖盘燃气棉花糖机

型号：ET-RMF01(糖盆直径φ720)
尺寸：720*720*500mm
包装尺寸：730*730*435mm

- All stainless steel body.
- With stainless steel G/N pans.
- High efficiency heating elements.
- Variable heat control.
- Tap for easy drainage.
- Great for buffets, serving lines,restaurants,
- Outside caterers,completely portable.






## Table Top Bain Marie

Model: **HB-M2**
Dimensions: 405x600x360mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 12Kg



## Electric Bain Marie

Model: **HB-2T**
Dimension:430x680x280mm
Volts: 220-240V/50-60Hz
Power: 1.6KW
N/W: 12Kg





## Electric Bain Marie

Model: **HB-904**
Dimension: 715x560x380mm
Volts: 220-240V/50-60Hz
Power: 1.6KW
N/W: 27Kg

Model: **HB-906**
Dimension: 615x560x380mm
Volts: 220-240V/50-60Hz
Power: 1.6KW
N/W: 25Kg



## Electric Bain Marie

Model: **HB-4TA**
Dimension: 750x680x290mm
Volts: 220-240V/50-60Hz
Power: 1.6KW N/W: 26Kg

Model: **HB-4T**
Dimension: 750x680x290mm
Volts: 220-240V/50-60Hz
Power: 1.6KW N/W: 18Kg

Model: **HB-6T**
Dimension: 1100x680x290mm
Volts: 220-240V/50-60Hz
Power: 1.6KW N/W: 27Kg



# Bain Marie



## Chocolate Stove

Model: **HW-22 (2-Pan)**
Dimension: 220x480x160mm
Volts: 220-240V/50-60Hz
Power: 1KW N/W: 7Kg

Model: **HW-23 (3-Pan)**
Dimension: 220x660x160mm
Volts: 220-240V/50-60Hz
Power: 2KW N/W: 9Kg

Model: **HW-24 (4-Pan)**
Dimension: 380x480x160mm
Volts: 220-240V/50-60Hz
Power: 3KW N/W: 10Kg






## Electric Bain Marie

Model: **HB-4**
Dimension: 705x580x280mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 14.3Kg

Model: **HB-4V**
Dimension: 700x600x280mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 16.5Kg



## Electric Bain Marie

Model: **HB-3**
Dimension: 570x390x275mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 12Kg

Model: **HB-3V**
Dimension: 570x390x225mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 10Kg



## Electric Bain Marie

Model: **HB-750**
Dimension: 750x750x280mm
Volts: 220-240V/50-60Hz
Power: 3KW
N/W: 18Kg



## Electric Bain Marie

Model: **HB-1080**
Dimension: 1080x750x280mm
Volts: 220-240V/50-60Hz
Power: 3KW
Weight: 28.2Kg



## Electric Bain Marie

Model: **HB-6V**
Dimension: 700x590x275mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 19Kg



# Bain Marie

## Tabletop Bain Marie

- Model: **HBM-20-1**
  Dimension: 1175x460x700mm
  Volts: 220-240V/50-60Hz
  Power: 1.3KW
  Capacity: 4x(1/2x150)Pan
- Model: **HBM-20-2**
  Dimension: 1450x460x700mm
  Volts: 220-240V/50-60Hz
  Power: 1.8KW
  Capacity: 5x(1/2x150)Pan
- Model: **HBM-20-3**
  Dimension: 1725x460x700mm
  Volts: 220-240V/50-60Hz
  Power: 1.8KW
  Capacity: 6x(1/2x150)Pan





## Tabletop Bain Marie

- Model: **HBM-21-1**
  Dimension: 1080x660x700mm
  Volts: 220-240V/50-60Hz
  Power: 1.5KW
  Capacity: 3x(1/1x150)Pan
- Model: **HBM-21-2**
  Dimension: 1415x660x700mm
  Volts: 220-240V/50-60Hz
  Power: 1.5KW
  Capacity: 4x(1/1x150)Pan
- Model: **HBM-21-3**
  Dimension: 1750x660x700mm
  Volts: 220-240V/50-60Hz
  Power: 1.8KW
  Capacity: 5x(1/1x150)Pan
- Model: **HBM-21-4**
  Dimension: 2085x660x700mm
  Volts: 220-240V/50-60Hz
  Power: 1.8KW
  Capacity: 6x(1/1x150)Pan



# Bain Marie





### Electric Bain Marie

Model: **HBM-100**
Dimension: 1165x370x400mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Capacity: 1/2x4"x1 + 1/3x4"x4

Model: **HBM-150**
Dimension: 1530x370x400mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 1/2x4"x1 + 1/3x4"x6

### Electric Bain Marie

Model: **HBM-143**
Dimension: 855x370x410mm
Packing Size: 885x400x425mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Capacity: 1/3x100x4

Model: **HBM-163**
Dimension: 1210x370x410mm
Packing Size: 1230x400x425mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Capacity: 1/3x100x6

Model: **HBM-183**
Dimension: 1560x370x410mm
Packing Size: 1590x400x425mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 1/3x100x8

### Electric Bain Marie

Model: **HBM-169**
Dimension: 1660x370x400mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 1/2x4"x1 + 1/3x4"x7

Model: **HBM-204**
Dimension: 2020x370x400mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 1/2x4"x3 + 1/3x4"x6

### Electric Bain Marie

Model: **HBM-23**
Dimension: 935x375x355mm
Volts: 220-240V/50-60Hz
Power: 0.8KW
Capacity: 3x(1/2x100)Pan

Model: **HBM-24**
Dimension: 1205x355x375mm
Volts: 220-240V/50-60Hz
Power: 1.2KW
Capacity: 4x(1/2x100)Pan

Model: **HBM-25**
Dimension: 1465x375x355mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Capacity: 5x(1/2x100)Pan

Model: **HBM-26**
Dimension: 1730x375x355mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 6x(1/2x100)Pan



- Vertical broillong function,high effcient heating element.
- The process of rotating can be seen at a glance. the machine is made of good quality stainless steel,easy to clean and is in accordance with food hygiene regulations,transparent door and built-in tungsten lamp for the user is designed to ensure even heating the barbecue food.
- Electronic temperature controller is fixed for automatic control of temperature.
- Easy to operate,safe and energy-saving






Model: CG-982
Power: 2.7Kw/220V
Dimension:520*650*520mm
Weight:13KG



Model: CG-983
Power: 5.4Kw/220V
Dimension:520*650*770m
Weight:14KG



Model: CG-850
Power: 8.1Kw/220V
Dimension:540*650*950mm
Weight:21KG



Model: CG-860
Power: 10.8Kw/220V
Dimension:540*650*1185mm
Weight: 30KG



Model: CG-650Q
Power: 4.3Kw
Dimension:540*560*790mm
Weight:16KG



Model: CG-800Q
Power: 6.4Kw
Dimension:540*650*950mm
Weight:23KG



Model: CG-950Q
Power: 8.5Kw
Dimension:540*650*1050mm
Weight: 25KG



Model: CG-960Q
Power: 10.6Kw
Dimension:540*650*1220mm
Weight: 37KG



# Barbecue Oven



## Electric Smokeless Barbecue Oven

Model: **HBO-70**
Dimension: 655x350x200mm
Volts: 220-240V/50-60Hz
Power: 3KW



## Gas Smokeless Barbecue Oven

Model: **HBQ-4B**
Dimension: 575x600x200mm
Power: 6KW



## Electric Smokeless Barbecue Oven

Model: **HBO-110**
Dimension: 1100x380x200mm
Volts: 220-240V/50-60Hz
Power: 6KW



## Gas Smokeless Barbecue Oven

Model: **HBQ-6B**
Dimension: 800x425x200mm
Power: 9KW

# Rotisserie



- Vertical broillong function,high effcient heating element.
- The process of rotating can be seen at a glance. the machine is made of good quality stainless steel,easy to clean and is in accordance with food hygiene regulations,transparent door and built-in tungsten lamp for the user is designed to ensure even heating the barbecue food.
- Electronic temperature controller is fixed for automatic control of temperature.
- Easy to operate,safe and energy-saving

Super Star Product



## Electric/Gas Chicken Rotisserie

Model: **HEJ-266**
Dimension: 810x600x610mm
Volts: 220~240V/50~60Hz
Power: 4.6KW
N/W: 65Kg
4 basket for 8~12 chickens

Model: **HGJ-366**
Dimension: 810x660x610mm
Volts: 220~240V/50~60Hz
Gas: LPG or Natural Gas
Power: 8.2KW
N/W: 63Kg
4 basket for 8~12 chickens



## Electric/Gas Chicken Rotisserie

Model: **HEJ-268**
Dimension: 1030x600x800mm
Volts: 220~240V/50~60Hz
Power: 6.2KW
N/W: 81Kg
4 basket for 12~16 chickens

Model: **HGJ-368**
Dimension: 1030x660x825mm
Volts: 220~240V/50~60Hz
Gas: LPG or Natural Gas
Power: 8.2KW
N/W: 74Kg
4 basket for 12~16 chickens



## Electric/Gas Chicken Rotisserie

Model: **HEJ-206**
Dimension: 670x550x1610mm
Volts: 220~240V/50~60Hz
Power: 6.7KW
N/W: 106kg
12 Hangers for 12~24 chickens

Model: **HGJ-306**
Dimension: 670x550x1610mm
Volts: 220~240V/50~60Hz
Gas: LPG or Natural Gas
Power: 9.2KW
N/W: 91kg
12 Hangers for 12~24 chickens



## Electric Chicken Rotisserie

Model: **HEJ-201**
Dimension: 1000x900x1060mm
Volts:3N~380V
Power: 9.3KW
N/W: 134kg
Capacity: 30 chickens

Model: **HEJ-202**
Dimension: 1000x900x2020mm
Volts: 3N~380V
Power: 18.6KW
N/W: 270kg
Capacity: 60 chickens



# Rotisserie



Gas Shawarma Machine with Cabinet

Model: **G820**
Dimension: 650x600x1770mm
Gas: LPG or Natural Gas



Gas Shawarma Machine with Cabinet

Model: **MG820**
Dimension: 1400x600x1770mm
Gas: LPG or Natural Gas



Electric Shawarma Machine with Cabinet

Model: **T800**
Dimension: 650x660x1750mm
Volts: 220~240V/50~60Hz
Power: 8.0KW



Electric Shawarma Machine with Cabinet

Model: **MT800**
Dimension: 1400x660x1750mm
Volts: 220~240V/50~60Hz
Power: 16.0KW






Electric Pizza Oven

Model:661-1A
Dimensions:1020*930*430mm
Volt:220-240V
Power:4.2KW
Net Weight:60kg



Electric Pizza Oven

Model:661-1A
Dimensions:1020*930*430mm
Volt:220-240V
Power:4.2KW
Net Weight:60kg



Electric Pizza Oven

Model:1S
Dimensions:580*580*300mm
Volt:220-240V
Power:2KW
Net Weight:23kg



Electric Pizza Oven

Model:661
Dimensions:1020*930*430mm
Volt:220-240V
Power:4.2KW
Net Weight:60kg



Electric Pizza Oven

Model:662
Dimensions:1020*930*750mm
Volt:220-240V
Power:8.4KW
Net Weight:104kg



Electric Pizza Oven

Model:2S
Dimensions:580*580*440mm
Volt:220-240V
Power:3KW
Net Weight:33kg



Electric Pizza Oven

Model:1D
Dimensions:485*410*195mm
Volt:220-240V
Power:1.6KW
Net Weight:8.2kg



Electric Pizza Oven

Model:2D
Dimensions:485*410*345mm
Volt:220-240V
Power:3.2KW
Net Weight:15kg



Electric Pizza Oven

Model:P340A
Dimensions:425*500*410mm
Volt:220-240V
Power:2KW
Net Weight:8kg



# Rotisserie



## Rotisserie (3-Rod)

Model:CG-3P(Gas roasted chicken oven)
Dimensions:1210*520*820mm
Power:6KW

Model:CG-3D(Electric chicken oven)
Dimensions:1210*520*820mm
Volts:220V
Power:6KW

3 Rods for 12-15 Chickens.

## Rotisserie (6-Rod)

Model:CG-6P(Gas roasted chicken oven)
Dimensions:1210*520*1350mm
Power:28.6KW

Model:CG-6D(Electric chicken oven)
Dimensions:1210*520*1350mm
Volts:380V
Power:12KW

6 Rods for 24-30 Chickens.

## Rotisserie (9-Rod)

Model:CG-9P(Gas roasted chicken oven)
Dimensions:1210*520*1900mm
Power:43KW

Model:CG-9D(Electric chicken oven)
Dimensions:1210*520*1900mm
Volts:380V
Power:18KW

9 Rods for 36-45 Chickens.








## Gas Pizza Oven

Model:P560
Dimensions:560*650*760mm
Net Weight:24kg



## Gas Pizza Oven

Model:P330
Dimensions:425*545*290mm
Net Weight:8kg
Power:2.1KW



## Gas Pizza Oven

Model:P340
Dimensions:425*580*370mm
Net Weight:8kg
Power:2.1KW



## Hot Air Cycle Gas Conveyor Pizza Oven

Model:12D
Dimensions:1120*885*450mm
Net Weight:90kg
Power:6KW
Volts:220V/380V

Model:15D
Dimensions:1450*975*450mm
Net Weight:120kg
Power:9KW
Volts:220V/380V

Model:18D
Dimensions:1580*1050*450mm
Net Weight:130kg
Power:9KW
Volts:220V/380V



## Hot Air Cycle Electric Conveyor Pizza Oven

Model:12C
Dimensions:1150*600*370mm
Net Weight:50kg
Power:6.4KW
Volts:220V






## Electric Pizza Oven

Model:4A
Dimensions:595*630*580mm
Volts:220-240V
Power:2.52KW
Net Weight:33kg



## Electric Pizza Oven

Model:1A
Dimensions:590*630*580mm
Volts:220-240V
Power:2.52KW
Net Weight:33kg



## Electric Pizza Oven

Model:4C
Dimensions:675*665*510mm
Volts:220-240V
Power:4.52KW
Net Weight:33kg




# 分层控温式烤箱

## LAYERED TEMPERATURE CONTROL OVEN

广州得宝是国内最早生产分层式烤箱厂家之一！在国内市场占有一定的份额，经过多年的更新换代。现在得宝牌烤箱已经是非常成熟的产品，具有操作方便、升温速度快、保温性能好、节能省电等优点。分层式烤箱使用广泛，是宾馆、酒家、企业、机关、学校及个体户等单位的理想设备。

Guangzhou Debao is one of the first manufacturers producing layered ovens, and holds a certain domestic market share After years of product upgrading, now Debao ovens is already at its mature stage , and have several advantages, for example, it is easy for operation, fast to get heated, and it has good insulation properties and saves energy and power. Layered ovens are now widely used in hotels, restaurants, businesses, institutions, school and other self-employed units.








## 分层控温式电烤箱
LAYERED TEMPERATURE CONTROLLED ELECTRIC OVEN




一层一盘电烤箱(DFL-11)
One-layer one-tray electric oven




二层二盘电烤箱(DFL-22)
Double-layer two- trays electric oven




三层三盘电烤箱(DFL-33)
Three-layer three- trays electric oven

| 产品型号 PRODUCT TYPE | 产品名称 PRODUCT NAME | 功率(KW) RATED POWER | 电压(V) VOLTAGE | 重量(KG) WEIGHT | 外型尺寸(MM) EXTERNAL DIMENSIONS | 炉膛口尺寸(MM) INTERNAL DIMENSION |
|---|---|---|---|---|---|---|
| DFL-11 | 一层一盘电烤箱 One-layer one-tray electric oven | 4.8 | 220 | 35 | 920*700*410 | 650*525*175 |
| DFL-22 | 二层二盘电烤箱 Double-layer two- trays electric oven | 6.8 | 220 | 67 | 920*700*720 | 650*525*175 |
| DFL-33 | 三层三盘电烤箱 Three-layer three- trays electric oven | 10.2 | 380 | 100 | 920*700*1150 | 650*525*175 |




## 分层控温式电烤箱
LAYERED TEMPERATURE CONTROLLED ELECTRIC OVEN




二层六盘电烤箱(DFL-26 )
Double-layer Six- trays electric oven




三层九盘电烤箱(DFL-39)
Three-layer Nine- trays electric oven




三层六盘电烤箱(DFL-36 )
Three-layer Six- trays electric oven

| 产品型号 PRODUCT TYPE | 产品名称 PRODUCT NAME | 功率(KW) RATED POWER | 电压(V) VOLTAGE | 重量(KG) WEIGHT | 外型尺寸(MM) EXTERNAL DIMENSIONS | 炉膛口尺寸(MM) INTERNAL DIMENSION |
|---|---|---|---|---|---|---|
| DFL-26 | 二层六盘电烤箱 Double-layer six- trays electric oven | 16.8 | 380 | 230 | 1670*845*1220 | 1290*670*200 |
| DFL-36 | 三层六盘电烤箱 Three-layer six- trays electric oven | 19.8 | 380 | 200 | 1250*845*1615 | 870*670*200 |
| DFL-39 | 三层九盘电烤箱 Three-layer nine- trays electric oven | 25.2 | 380 | 280 | 1670*845*1640 | 1290*670*200 |






## 分层控温式电烤箱
LAYERED TEMPERATURE CONTROLLED ELECTRIC OVEN




一层二盘电烤箱(DFL-12)
One-layer Two- trays electric oven




一层三盘电烤箱(DFL-13)
One-layer Three- trays electric oven




二层四盘电烤箱(DFL-24)
Double-layer Four- trays electric oven

| 产品型号 PRODUCT TYPE | 产品名称 PRODUCT NAME | 功率(KW) RATED POWER | 电压(V) VOLTAGE | 重量(KG) WEIGHT | 外型尺寸(MM) EXTERNAL DIMENSIONS | 炉膛口尺寸(MM) INTERNAL DIMENSION |
|---|---|---|---|---|---|---|
| DFL-12 | 一层二盘电烤箱 One-layer tow- trays electric oven | 6.6 | 220/380 | 85 | 1250*845*615 | 870*670*200 |
| DFL-13 | 一层三盘电烤箱 One-layer three-trays electric oven | 8.4 | 380 | 120 | 1670*845*615 | 1290*670*200 |
| DFL-24 | 二层四盘电烤箱 Double-layer four- trays electric oven | 13.2 | 380 | 150 | 1250*845*1220 | 870*670*200 |




## 分层控温式电烤箱
LAYERED TEMPERATURE CONTROLLED ELECTRIC OVEN




一层二盘电烤箱连发酵箱
One-layer Two- trays electric oven with proffer




二层四盘电烤箱连发酵箱
Double-layer Four- trays electric oven with proffer




全羊电烤箱
Whole Lamb electric oven

| 产品型号 PRODUCT TYPE | 产品名称 PRODUCT NAME | 功率(KW) RATED POWER | 电压(V) VOLTAGE | 重量(KG) WEIGHT | 外型尺寸(MM) EXTERNAL DIMENSIONS | 炉膛口尺寸(MM) INTERNAL DIMENSION |
|---|---|---|---|---|---|---|
| DFLF-12C | 一层二盘电烤箱连发酵箱 One-layer Two- trays electric oven with proffer | 9.2 | 220/3N~380 | 125 | 1300*830*1420 | 870*670*200 |
| DFLF-24C | 二层四盘电烤箱连发酵箱 Double-layer Four- trays electric oven with proffer | 15.8 | 3N~380 | 210 | 1300*830*1815 | 870*670*200 |
| DL-24I | 全羊电烤箱 Whole Lamb electric oven | 12 | 3N~380V | 185 | 1350*1040*1260 | 950*580*800 |






## 分层控温式电烤箱
LAYERED TEMPERATURE CONTROLLED ELECTRIC OVEN




全不锈钢西餐电炉(DFL-01C)
Western food furnace with the full stainless steel



全不锈钢一层一盘电烤箱(DFL-10B)
One-layer one- tray electric oven with full stainless steel




全不锈钢一层一盘电烤箱(DFL-8B)
One-layer one- tray electric oven with full stainless steel

| 产品型号 PRODUCT TYPE | 产品名称 PRODUCT NAME | 功率(KW) RATED POWER | 电压(V) VOLTAGE | 重量(KG) WEIGHT | 外型尺寸(MM) EXTERNAL DIMENSIONS | 炉膛口尺寸(MM) INTERNAL DIMENSION |
|---|---|---|---|---|---|---|
| DFL-01C | 全不锈钢西餐电炉 Western food furnace with the full stainless steel | 3 | 220/380 | 34 | 720*700*450 | 445*515*200 |
| DFL-8B | 全不锈钢一层一盘电烤箱 One-layer one- tray electric oven with full stainless steel | 3.2 | 220 | 33 | 750*610*450 | 520*520*185 |
| DFL-10B | 全不锈钢一层一盘电烤箱 One-layer one- tray electric oven with full stainless steel | 3.2 | 220 | 36 | 850*630*450 | 620*520*180 |




## 分层控温式燃气烤箱
LAYERED TEMPERATURE CONTROLLED GAS OVEN




二层四盘燃气烤箱(RFL-24)
Two-layer four- trays gas oven




三层六盘燃气烤箱(RFL-36)
Three-layer six- trays gas oven




二层六盘燃气烤箱(RFL-26)
Two-layer six- trays gas oven

| 产品型号 PRODUCT TYPE | 产品名称 PRODUCT NAME | 额定热负荷 (KW/H) | 电压 VOLTAGE | 耗气量(KG/H) GAS CONSUMPTION | 重量(KG) WEIGHT | 外型尺寸(MM) EXTERNAL DIMENSIONS | 炉膛口尺寸(MM) INTERNAL DIMENSION | 额定电功率 RATE POWER(W) |
|---|---|---|---|---|---|---|---|---|
| RFL-24 | 二层四盘燃气烤箱 Two-layer four- trays gas oven | 16.6 | 220 | 0.6 | 250 | 1340*900*1380 | 890*690*200 | 120 |
| RFL-36 | 三层六盘燃气烤箱 Three-layer six- trays gas oven | 25 | 220 | 0.9 | 370 | 1340*900*1775 | 890*690*200 | 180 |
| RFL-13 | 一层三盘燃气烤箱 One-layer three- trays gas oven | 12.5 | 220 | 0.45 | 203 | 1760*900*660 | 1310*690*200 | 120 |
| RFL-26 | 二层六盘燃气烤箱 Two-layer six- trays gas oven | 25 | 220 | 0.9 | 378 | 1760*900*1370 | 1310*690*200 | 270 |






## 分层控温式燃气烤箱
LAYERED TEMPERATURE CONTROLLED GAS OVEN




一层二盘燃气烤箱(RFL-12)
One-layer two- trays gas oven




一层一盘燃气烤箱(RFL-11)
One-layer one- tray gas oven




二层二盘燃气烤箱(RFL-22)
Two-layer two- tray gas oven

| 产品型号 PRODUCT TYPE | 产品名称 PRODUCT NAME | 额定热负荷 (KW/H) | 电压 VOLTAGE | 耗气量(KG/H) GAS CONSUMPTION | 重量(KG) WEIGHT | 外型尺寸(MM) EXTERNAL DIMENSIONS | 炉膛口尺寸(MM) INTERNAL DIMENSION | 额定电功率 RATE POWER:(W) |
|---|---|---|---|---|---|---|---|---|
| RFL-11 | 一层一盘燃气烤箱 One-layer one- tray gas oven | 7 | 220 | 0.24 | 68 | 1000*750*550 | 650*570*180 | 48 |
| RFL-22 | 二层二盘燃气烤箱 Two-layer two- tray gas oven | 14 | 220 | 0.48 | 142 | 1000*750*1180 | 650*570*180 | 96 |
| RFL-33 | 三层三盘燃气烤箱 Three-layer three- tray gas oven | 21 | 220 | 0.72 | 172 | 1000*750*1615 | 650*570*180 | 144 |
| RFL-12 | 一层二盘燃气烤箱 One-layer two- trays gas oven | 8.3 | 220 | 0.3 | 135 | 1340*900*660 | 890*690*200 | 60 |

# 面包发酵箱
BREAD FERMENTATION BOX



十二层面包发酵箱(FJ-12C)
Twelve-layer bread fermentation box



十五层面包发酵箱(FJ-15C)
Fifteen-layer bread fermentation box

| 产品型号 PRODUCT TYPE | 产品名称 PRODUCT NAME | 功率(KW) RATED POWER | 电压(V) VOLTAGE | 重量(KG) WEIGHT | 外型尺寸(MM) EXTERNAL DIMENSIONS |
|---|---|---|---|---|---|
| FJ-12C | 十二层面包发酵箱 Twelve-layer bread fermentation box | 2.6 | 220 | 40 | 500*750*1600 |
| FJ-15C | 十五层面包发酵箱 Fifteen-layer bread fermentation box | 2.6 | 220 | 46 | 500*750*1875 |



二十四面包发酵箱(FJ-24C)
Twenty Four-layer bread fermentation box



三十层面包发酵箱(FJ-30C)
Thirty-layer bread fermentation box

| 产品型号 PRODUCT TYPE | 产品名称 PRODUCT NAME | 功率(KW) RATED POWER | 电压(V) VOLTAGE | 重量(KG) WEIGHT | 外型尺寸(MM) EXTERNAL DIMENSIONS |
|---|---|---|---|---|---|
| FJ-24C | 二十四层面包发酵箱 Twenty four-layer bread fermentation box | 2.8 | 220 | 70 | 1010*750*1600 |
| FJ-30C | 三十层面包发酵箱 Thirty-layer bread fermentation box | 2.8 | 220 | 75 | 1010*750*1875 |




## 分层控温式燃气烤箱
LAYERED TEMPERATURE CONTROLLED GAS OVEN




一层二盘燃气烤箱连发酵箱(RFLF-12C)
One layer Two Trays Gas Oven with proffer



二层四盘燃气烤箱连发酵箱(RFLF-24C)
Two layer Four Trays Gas Oven with proffer




三层九盘燃气烤箱(RFL-39)
Three-layer nine- trays gas oven

| 产品型号 PRODUCT TYPE | 产品名称 PRODUCT NAME | 额定热负荷 (KW/H) | 电功率(KW) POWER | 电压 VOLTAGE | 耗气量(KG/H) GAS CONSUMPTION | 重量(KG) WEIGHT | 外型尺寸(MM) EXTERNAL DIMENSIONS | 炉膛口尺寸(MM) INTERNAL DIMENSION | 额定电功率 RATE POWER(W) |
|---|---|---|---|---|---|---|---|---|---|
| RFLF-12C | 一层二盘燃气烤箱连发酵箱 | 8.3 | 2.6 | 220 | 0.3 | 250 | 1400*895*1520 | 890*690*200 | - |
| RFLF-24C | 二层四盘燃气烤箱连发酵箱 | 16.6 | 2.6 | 220 | 0.6 | 296 | 1400*895*1990 | 890*690*200 | - |
| RFL-39 | 三层九盘燃气烤箱 | 37.5 | - | 220 | 1.3 | 470 | 1760*900*1775 | 1310*690*200 | 210 |



# 节能式热风循环炉
ENERGY-SAVING CONVECTION OVEN




八盘热风循环炉(AHO-8)
Eight- trays Convection Oven




十盘热风循环炉(AHO-10)
Ten-tarys Convection Oven

| 产品型号 PRODUCT TYPE | 产品名称 PRODUCT NAME | 输入电源 RATED VOLTAGE | 额定功率(KW) RATED POWER | 外型尺寸(MM) EXTERNAL DIMENSIONS | 烤盘尺寸(MM) BAKING PAN SIZE | 烤盘数量 QTY OF BAKING PANS | 重量(KG) WEIGHT |
|---|---|---|---|---|---|---|---|
| AHO-8 | 八盘热风循环炉 Eight- trays Convection Oven | 3N~380 | 10.8+1.1 | 950*1245*1470 | 600*400 | 8 | 160 |
| AHO-10 | 十盘热风循环炉 Ten- trays Convection Oven | 3N~380 | 10.8+1.1 | 950*1245*1690 | 600*400 | 10 | 185 |

# 节能式热风循环炉
ENERGY-SAVING CONVECTION OVEN




三盘热风循环炉(AHO-3)
Three- trays Convection Oven




五盘热风循环炉(AHO-5)
Five- trays Convection Oven

| 产品型号 PRODUCT TYPE | 产品名称 PRODUCT NAME | 输入电源 RATED VOLTAGE | 额定功率(KW) RATED POWER | 外型尺寸(MM) EXTERNAL DIMENSIONS | 烤盘尺寸(MM) BAKING PAN SIZE | 烤盘数量 QTY OF BAKING PANS | 重量(KG) WEIGHT |
|---|---|---|---|---|---|---|---|
| AHO-3 | 三盘热风循环炉 Three- trays Convection Oven | 220 | 3.4+0.55 | 950*1245*610 | 600*400 | 3 | 87 |
| AHO-5 | 五盘热风循环炉 Five- trays Convection Oven | 3N~380 | 5.4+0.55 | 950*1245*800 | 600*400 | 5 | 110 |



旋转炉
ROTARY FURNACE

# 工业化大批量采用数控生产旋转炉
INDUSTRIAL MASS USING NC ROTARY FURNACE PRODUCTION

## 保证旋转炉质量始终稳定第一！
Industrial mass using nc rotary furnace production ensure the quality of rotary oven is always the first reliable




内外不锈钢，16盘(XZ-16)
Internal and externalstainless steel，16 tray




内外不锈钢，32盘(XZ-32)
Internal and externalstainless steel，32 tray

## 十大优化系统使这一古老的产品焕发出新的生机
Ten optimization system, make the old products to glow the new vitality

- 转盘机构优化 1 dial optimization
- 燃烧系统优化 Optimization of combustion systems
- 密封系统优化 Seal system optimization
- 对流风道优化 Convection duct optimization
- 升降抬板优化 Kai-off and landing lift plate optomization
- 开门装置优化 Open devie optimization
- 电控系统优化 Electric contro system opimization
- 保温系统优化 Theinsulation system optimization
- 照明系统优化 Lighting system optimization
- 日常维护优化 Routine maintenance optimization





目前，中国生产制造旋转炉厂家不下一百家真正最好的旋转烤箱是Made in germany，我们倡议germany 学习！提升 China 转炉制水平

At present, China's manufacturing rotary furnacemanufacturers more than hundred, really the best rotary oven is Made in Germany, we propose to learn fromGermany! Promoting themanufacture level of China converter.




内外喷漆板，64盘(XZ-64)
Internal and External painting board，64 tray



我们专注于旋转炉品质的提升，有电能、柴油、燃气三种方式供客户选择。
We focus on improving the quality of the rotary furnace, have electricity, diesel and gas three ways for customers to choose.

| 型号 Type | 规格 Standard | 烤炉尺寸 Pan size | 外型尺寸 Overall size | 电压/功率 V/KW | 其它 Others |
|---|---|---|---|---|---|
| XZ-16 | 16盘 | 400*600或460*720 | 2150*1280*2350 | 380V/2.2KW | 电力型功率为33KW Electric-type power 33KW |
| XZ-32 | 32盘 | 400*600或460*720 | 2700*1700*2350 | 380V/3.1KW | 电力型功率为57KW Electric-type power 57KW |
| XZ-64 | 64盘 | 400*600 | 2500*2500*2500 | 380V/4.8KW | 电力型功率为86KW Electric-type power 86KW |



# Char Grill



## Electric Lava Rock Grill

Model: **HEL-928**
Dimension: 460x620x410mm
Volts: 220V/50Hz
Power: 5KW





## Gas Char Grill

Model: **HGL-82**
Dimension: 360x770x370mm
Gas: LPG or Natural Gas
Heating: 8KW/Hour

Model: **HGL-84**
Dimension: 620x770x370mm
Gas: LPG or Natural Gas
Heating: 16KW/Hour



## Gas Char Grill

Model: **HGL-86**
Dimension: 880x770x370mm
Gas: LPG or Natural Gas
Heating: 24KW/Hour

Model: **HGL-88**
Dimension: 1140x770x370mm
Gas: LPG or Natural Gas
Heating: 32KW/Hour



## Gas Lava Rock Grill

Model: **HGL-978**
Dimension: 760x590x410mm
Gas: LPG or Natural Gas
Heating: 16KW/Hour



## Gas/Electric Lava Rock Grill

Model: **HGL-741**
Dimension: 760x650x500mm
Gas: LPG or Natural Gas
Heating: 16KW/Hour



## Gas/Electric Lava Rock Grill

Model: **HEL-841**
Dimension: 760x650x490mm
Volts: 220V/50Hz
Power: 7.2KW



# Salamander

- Perfect for restaurants,pubs,coffee shops,etc.
- These salamanders are ideal for:toasting defrostingof ready-made dishes,reheating food, like:fish,pizzas, croissants,sausage rolls,fried eggs, cheese sandwiches,and so on.
- All stainless steel body with adjustble layers.
- Attemperator inside,safety and improve thermal efficiency.
- Electric models and gas models are available.



## Electric Hanging Salamander

Model: **HES-936**
Dimension: 610x310x280mm
Volts: 220V-240V/50-60Hz
Power: 2KW
N/W: 10.8kg




## Electric Hanging Salamander

Model: **HES-937**
Dimension: 790x450x490mm
Volts: 220V-240V/50-60Hz
Power: 4KW
N/W: 23.6Kg

Model: **HES-938**
Dimension: 580x390x380MM
Volts: 220V-240V/50-60Hz
Power: 2.2KW
N/W: 15.8Kg



## Electric Lift Salamander

Model: **HES-450**
Dimension: 450x510x530mm
Volts: 220V-240V/50-60Hz
Power: 2.8KW
N/W: 36Kg

Model: **HES-600**
Dimension: 600x520x530mm
Volts: 220-240V
Power: 4KW
N/W: 45Kg



## Gas Salamander

Model: **HGS-14**
Dimension: 610x460x610mm
Power: 24Tu/nr
N/W: 31.6Kg



## Gas Salamander

Model: **HGS-16**
Dimension: 860x460x610mm
Power: 42TU/hr
N/W: 47.2Kg



## Electric Salamander

Model: **HES-360B**
Dimension: 470x270x420mm
Packing Size: 500x300x450mm
Volts: 220V-240V/50-60Hz
Power: 3.15KW

Model: **HES-370B**
Dimension: 460x250x280mm
Packing Size: 490x280x310mm
Volts: 220V-240V/50-60Hz
Power: 2KW






## Hot Dog Grill

Model: **HHD-05 (5-Roller)**
Dimension: 560x255x178mm
Volts: 220V/50Hz
Power: 1KW
N/W: 8kg



## Hot Dog Grill

Model: **HHD-07 (7-Roller)**
Dimension: 560x330x178mm
Volts: 220V/50Hz
Power: 1.05KW
N/W: 9kg



## Hot Dog Grill

Model: **HHD-09 (9-Roller)**
DDimension: 560x410x178mm
Volts: 220V/50Hz
Power: 1.35KW
N/W: 13kg

Model: **HHD-11 (11-Roller)**
Dimension: 560x485x178mm
Volts: 220V/50Hz
Power: 1.65KW
N/W: 16kg



## Food Warmer

Model: **HW-81 (1-Drawer)**
Dimension: 750x580x400MM
Volts: 220-240V/50-60Hz
Power: 1KW

Model: **HW-82 (2-Drawer)**
Dimension: 750x580x650mm
Volts: 220-240V/50-60Hz
Power: 2KW

Model: **HW-83 (3-Drawer)**
Dimension: 750x580x900mm
Volts: 220-240V/50-60Hz
Power:3KW



## Hot Dog Grill& Food Warmer

Model: **SHG-09A**
Dimension: 562x406x260mm
Volts: 220V/50Hz
Power: 1.65KW



## Hot Dog Grill& Food Warmer

Model: **SHG-11A**
Dimension: 562x482x260mm
Volts: 220V/50Hz
Power: 1.8KW








## Gas Stove

Model: **HGS-1**
Dimension: 445x570x500mm
Gas: LPG or Natural Gas
Heating: 24.7KW/84280BTU
N/W: 47Kg





## Gas Stove

Model: **HGS-2**
Dimension: 305x770x375mm
Gas: LPG or Natural Gas
Heating: 15.5KW/53000BTU
N/W: 34Kg





## Gas Stove

Model: **HGS-4**
Dimension: 610x770x375mm
Gas: LPG or Natural Gas
Heating: 25.2KW/86000BTU
N/W: 59Kg

## Gas Stove

Model: **HGS-6**
Dimension:915x770x375mm
Gas:LPG or Natural Gas
Heating:46.6KW/159000BTU
N/W:84Kg








## 4-Slice Toaster

Model: **HET-4**
Dimension: 330x260x220mm
Volts: 220-240V/50-60Hz
Power: 2.24KW
N/W: 4.4Kg



## 6-Slice Toaster

Model: **HET-6**
Dimension: 420x260x220mm
Volts: 220-240V/50-60Hz
Power: 3.24KW
N/W: 5.9Kg



## 9-Slice Toaster(San Blast Finish)

Model: **HT-01**
Dimension: 535x395x285mm
Volts: 220-240V/50-60Hz
Power: 2.2KW
N/W: 12Kg







## Electric Conveyor Toaster

Model: **HET-150**
Dimension: 418x288x387mm
Volts: 220-240V/50-60Hz
Power:1.34KW
N/W: 12Kg G.W:14Kg

Model: **HET-300**
Dimension: 418x368x387mm
Volts: 220-240V/50-60Hz
Power:2.2KW
N/W: 13.2Kg G.W:16Kg

Model: **HET-450**
Dimension: 418x428x387mm
Volts:220-240V/50-60Hz
Power:2.6KW
N/W: 30.5Kg G.W:33.5Kg



# Hot Dog Steamer



## Hot Dog Warmer

Model: **HDS-01**
Dimension: 250x310x415mm
Volts: 220-240V/50-60Hz
Power: 0.45KW



## Hot Dog Steamer

Model: **HHD-02**
Dimension: 430x310x450mm
Volts: 220V/50Hz
Power: 0.45KW+0.165KW
Carton Size:460x375x435mm



## Hot Dog Steamer

Model: **HHD-03**
Dimension: 480x310x415mm
Volts: 220V/50Hz
Power: 0.7KW
N/W: 9kg














## Hot Dog Steamer

Model: **HHD-04**
Dimension: 480x310x415mm
Volts: 220V/50Hz
Power: 0.8KW
N/W: 10kg



## Hot Dog Steamer

Model: **HHD-06**
Dimension: 635x310x415mm
Volts: 220V/50Hz
Power: 0.95KW
Carton Size: 660x375x435mm






### Electric Contact Grill

- Model: **HEG-811**
  imension: 305x400x210mm
  Volts: 220V/50Hz
  Power: 1.8KW
  N/W: 14Kg
- Model: **HEG-811E**
  Dimension: 425x400x210mm
  Volts: 220V/50Hz
  Power: 2.2KW
  N/W: 21Kg



### Electric Contact Grill

- Model: **HEG-813**
  Dimension: 580x400x210mm
  Volts: 220V/50Hz
  Power: 1.8+1.8KW
  N/W: 26Kg
- Model: **HEG-813E**
  Dimension: 845x400x210mm
  Volts: 220V/50Hz
  Power: 4.4KW
  N/W: 37Kg



### Electric Contact Grill

- Model: **HEG-811A (Down Flat)**
  Dimension: 305x400x210mm
  Volts: 220V/50Hz
  Power: 1.8KW
  N/W: 14Kg
- Model: **HEG-811EA (Down Flat)**
  Dimension: 425x400x210mm
  Volts: 220V/50Hz
  Power: 2.2KW
  N/W: 21Kg



### Electric Contact Grill

- Model: **HEG-813A (Down Flat)**
  Dimension: 580x400x210mm
  Volts: 220V/50Hz
  Power: 1.8+1.8KW
  N/W: 26Kg
- Model: **HEG-813EA (Down Flat)**
  Dimension: 845x400x210mm
  Volts: 220V/50Hz
  Power: 4.4KW
  N/W :37Kg



### Single Electric Contact Grill (Full Flat)

- Model:**HEG-811B (Full Flat)**
  Dimension:410x310x210mm
  Packing Size:420x395x245mm
  Volts:220-240V/50-60Hz
  Power: 1.8KW
  N.W.:13.54kg G.W.:14.56kg
  Upper Board Size:214x214mm
  Down Board Size:235x225mm
- Model:**HEG-811EB(Full Flat)**
  Dimension:435x410x210mm
  Packing Size:510x420x245mm
  Volts:220-240V/50-60Hz
  Power: 2.2KW
  N.W.:19.4kg G.W.:20kg
  Upper Board Size:338x235mm
  Down Board Size:345x235mm



### Double Electric Contact Grill (Full Flat)

- Model:**HEG-813B** (Full Flat)
  Dimension:570x410x210mm
  Packing Size:670x420x245mm
  Volts:220-240V/50-60Hz
  Power: 3.6KW
  N.W.:25.5kg G.W.:27kg
  Upper Board Size:214x214mm
  Down Board Size:485x235mm
- Model:**HEG-813EB**(Full Flat)
  Dimension:845x400x210mm
  Volts:220-240V/50-60Hz
  Power: 4.4KW
  N.W.:37kg G.W.:39kg
  Upper Board Size: 338x235mm x2pcs
  Down Board Size: 345x240mm x2pcs



# Crepe Maker



## 1-Plate Electric Crepe Maker

Model: **HCM-1**
Dimension: 450x470x230mm
Volts: 220V/50Hz
Power: 3KW
N/W: 23Kg



## 1-Plate Gas Crepe Maker

Model: **HCM-1G**
Dimension: 450x470x230mm
Gas: LPG
Power: 4KW/Hour
N/W: 23Kg



## 2-Plate Electric Crepe Maker

Model: **HCM-2**
Dimension: 860x470x230mm
Volts: 220V/50Hz
Power: 6KW
N/W: 44Kg



## 2-Plate Gas Crepe Maker

Model: **HCM-2G**
Dimension: 860x470x230mm
Gas: LPG
Power: 8KW/Hour
N/W: 44Kg



## 1-Plate Electric Crepe Maker

Model: **HCM-400**
Dimension: 400x400x190mm
Volts: 220V/50Hz
Power: 2.2KW
N/W: 20Kg



## 1-Plate Gas Crepe Maker

Model: **HCM-400G**
Dimension: 400x400x200mm
Gas: LPG
Power: 4KW/Hour
N/W: 20Kg



HX-2206E

Computer Cellular Waffle (Full Sheet)



HX-2207

Single Head 4 Heart Waffle Furnace



HX-12A

Single Head 5 Heart Waffle Furnace



HX-6

Hong Kong Egg Waffle Maker

| Model | Dimension | Volts | Power |
|---|---|---|---|
| HX-2206E | 320x430x260mm | 220-240V/50-60Hz | 2.2KW |
| HX-2207 | 250x360x270mm | 220-240V/50-60Hz | 1.2KW |
| HX-12A | 250x360x270mm | 220-240V/50-60Hz | 1.2KW |
| HX-6 | 225x420x290mm | 220-240V/50-60Hz | 1.415KW |



HX-2205

Single Head Rotary Waffle Furnace



HX-2205B

Droplet Shaped Rotary Waffle Furnace



HX-2205E

Computer Version Of The Ice Cream Burger Machine



HX-2205C

Ice Cream Burger Machine

| Model | Dimension | Volts | Power |
|---|---|---|---|
| HX-2205 | 250x400x300mm | 220-240V/50-60Hz | 1.3KW |
| HX-2205B | 250x450x300mm | 220-240V/50-60Hz | 1.3KW |
| HX-2205E | 250x450x300mm | 220-240V/50-60Hz | 1.3KW |
| HX-2205C | 250x400x300mm | 220-240V/50-60Hz | 1.3KW |



HX-2205G

Computer Version Of The Cross Waffle Stove



HX-2218

8 Hole Cruller Machine



HX-2206

Four-compartment Square Waffle Furnace (7*7 Teeth)



HX-2209

Square Ice Cream Wrappers

| Model | Dimension | Volts | Power |
|---|---|---|---|
| HX-2205G | 250x450x300mm | 220-240V/50-60Hz | 1.3KW |
| HX-2218 | 300x400x230mm | 220-240V/50-60Hz | 1.75KW |
| HX-2206 | 300x400x230mm | 220-240V/50-60Hz | 1.75KW |
| HX-2209 | 300x400x230mm | 220-240V/50-60Hz | 1.75KW |

## Waffle Baker



**HWB-1**
1-Plate Waffle Baker



**HWB-2**
2-Plate Waffle Baker



**HCB-1**
1-Plate Cone Baker



**HCB-2**
2-Plate Cone Baker

| Model | Dimension | Volts | Power |
|---|---|---|---|
| **HWB-1** | 250x350x260mm | 220-240V/50-60Hz | 1.2KW |
| **HWB-2** | 500x350x260mm | 220-240V/50-60Hz | 2.4KW |
| **HCB-1** | 250x350x260mm | 220-240V/50-60Hz | 1.2KW |
| **HCB-2** | 500x350x260mm | 220-240V/50-60Hz | 2.4KW |



**HWB-4041**
Waffle Maker



**HWB-1S**
1-Plate Waffle Baker



**HWB-3**
1-Plate Waffle Baker



**HWB-2S**
2-Plate Waffle Baker

| Model | Dimension | Volts | Power |
|---|---|---|---|
| **HWB-4041** | 420x310x200mm | 220-240V/50-60Hz | 2KW |
| **HWB-1S** | 290x355x245mm | 220-240V/50-60Hz | 1.6KW |
| **HWB-3** | 290x355x245mm | 220-240V/50-60Hz | 1.6KW |
| **HWB-2S** | 550x355x245mm | 220-240V/50-60Hz | 3.2KW |



**HWB-007**
Waffle Maker



**HWB-2214**
4 Pieces Waffle Furnace (3*4 Teeth)



**HWB-2216**
New 6-Piece Waffle Furnace (3*5 Teeth)



**HWB-10**
Ten Piece Waffle Oven

| Model | Dimension | Volts | Power |
|---|---|---|---|
| **HWB-007** | 250x460x230mm | 220-240V/50-60Hz | 1.2KW |
| **HWB-2214** | 300x400x230mm | 220-240V/50-60Hz | 1.75KW |
| **HWB-2216** | 300x400x230mm | 220-240V/50-60Hz | 1.75KW |
| **HWB-10** | 390x360x220mm | 220-240V/50-60Hz | 1.55KW |



**EES-10**
Electric Egg-Sausage Fryer



**HX-2290**
9 Hole round muffin maker



**HX-1103B**
3 Ice cream snapper yaki



**HX-1103A**
3 Snappers yaki without opening

| Model | Dimension | Volts | Power |
|---|---|---|---|
| EES-10 | 410x200x230mm | 220-240V/50-60Hz | 1.6KW |
| HX-2290 | 320x320x180mm | 220-240V/50-60Hz | 0.85KW |
| HX-1103B | 440x390x260mm | 220-240V/50-60Hz | 2.0KW |
| HX-1103A | 380x380x260mm | 220-240V/50-60Hz | 1.5KW |



**HX-1101A**
6 Snappers yaki without opening



**HX-1101C**
Five ice cream fishing strips



**HX-1101E**
6 Squares omelette



**HX-1101F**
6 Panels cat claw burn

| Model | Dimension | Volts | Power |
|---|---|---|---|
| HX-1101A | 380x550x260mm | 220-240V/50-60Hz | 3.0KW |
| HX-1101C | 380x550x260mm | 220-240V/50-60Hz | 3.0KW |
| HX-1101E | 380x550x260mm | 220-240V/50-60Hz | 3.0KW |
| HX-1101F | 380x550x260mm | 220-240V/50-60Hz | 3.0KW |



**HX-1103D**
Three on a string



**HX-1105A**
Five portions of tiger's head



**HX-300D**
Single Head Computer Souffle Machine



**HX-600D**
Dual-head Computer Souffle Machine

| Model | Dimension | Volts | Power |
|---|---|---|---|
| HX-1103D | 380x380x260mm | 220-240V/50-60Hz | 1.5KW |
| HX-1105A | 380x550x260mm | 220-240V/50-60Hz | 3.0KW |
| HX-300D | 320x460x180mm | 220-240V/50-60Hz | 1.5KW |
| HX-600D | 620x460x180mm | 220-240V/50-60Hz | 3.0KW |



HDM-5
Donut Maker



HDM-6
Donut Maker



HDM-12
Donut Maker

| Model | Dimension | Volts | Power |
|---|---|---|---|
| HDM-5 | 335x300x245mm | 220-240V/50-60Hz | 1.6KW |
| HDM-6 | 335x300x245mm | 220-240V/50-60Hz | 1.6KW |
| HDM-12 | 335x300x245mm | 220-240V/50-60Hz | 1.6KW |



HX-005-2
5 Lattice mirror milk bar machine



HX-113
Large triangle sandwich machine



HX-113A
A square sandwich machine

| Model | Dimension | Volts | Power |
|---|---|---|---|
| HX-005-2 | 500x470x160mm | 220-240V/50-60Hz | 1.25KW |
| HX-113 | 390x360x220mm | 220-240V/50-60Hz | 1.55KW |
| HX-113A | 390x360x220mm | 220-240V/50-60Hz | 1.55KW |



HX-1102B
Electric One Board Yaki Machine



HX-1104B
Electric Two Board Yaki Machine



HX-1103F
3 Rhomboid Ice Cream Waffle Ovens

| Model | Dimension | Volts | Power |
|---|---|---|---|
| HX-1102B | 360x350x205mm | 220-240V/50-60Hz | 1.6KW |
| HX-1104B | 820x427x295mm | 220-240V/50-60Hz | 4.0KW |
| HX-1103F | 380x380x260mm | 220-240V/50-60Hz | 1.5KW |



**Model: HVC-002**
Lettuce cutter



**Model: HVC-105**
Easy vegetable Slicer



**Model: HVC-104**
Easy Vegetable Chopper/Vetical Chips cutter

| Model: HVC-002 | Model: HVC-105 | Model: HVC-104 |
|---|---|---|
| balde: 1"x1", 1"x1/2" | Cutting size:1/4"or 3/16" | Equipped with stainless steel blades that |
| Dimensions:Length:18" Width:13" Height:20" | Product Dimensions | Stay super- sharp 3/8" ,1/2",1/4" |
| Generally only come with one blade, | Width:10" Depth:19" Height:30" | Generally only come with one blade, |
| Same style with NEMCO'S | Generally only come with one blade, | extra blade is USD9.0/PC |
| | Same style with NEMCO'S | Same style with NEMCO'S |

## WAVE FRIES CUTTER

* Quick clipping is more convenient
* Safety, environmental protection stainless steel easy slicing,cutting,creative modeling



**Model: HVC-106**
Easy fruit Wedger



**Model: HVC-25**
Wave Cutter Slitting Machine



**Model: MX-400**
Tomato Slicer Cutter Machine

| Model: HVC-106 | Model: HVC-25 | Model: MX-400 |
|---|---|---|
| Cutting: 6 or 8 Sections | Dimension: 500x130x190mm | Dimension: 185X185X480mm |
| Overall Dimensions: Length:8" ,Width:8" ,Height:18" | Net Weight: 2.5Kg | Matarial: Food grade aluminium alloy |
| Generally only come with one blade, | Gross Weight: 3Kg | N/W:3KG G/W:3.5KG |
| Same style with NEMCO'S | | |



**Model: QTJ-J002XE**



**Model: QTJ-J002XF**



**Model: SYQPJ-J006**

| Model: | QTJ-J002XE | QTJ-J002XF | SYQPJ-J006 |
|---|---|---|---|
| Dimensions: | 350x210x480mm | 350x210x360mm | 370x280x430mm |
| Packing Size: | 490x220x240mm | 300x200mm | 460x320x420mm |
| N.W.: | 3.9Kg | 3.6Kg | 6.5Kg |
| G.W.: | 5Kg | 4.5Kg | 7.5Kg |
| Specifications: | 1/2,3/8,1/4 inches,4/6/8 open | 1/2,3/8,1/4 inches,4/6/8 open | 1-8mm |

## Pancake Maker



**Model: NP-H25**

25 Holes heart shape poffertjes grill pancake maker



**Model: NP-H50**

50 Holes Heart Shape Poffertjes Grill Pancake

| Model: | Volts: | Dimensions: | Power: | Material: | N/W: | G/W: |
|---|---|---|---|---|---|---|
| **NP-H25** | 220-240V/50-60Hz | 340x310x200mm | 0.8KW | Stainless Steel 201 | 7Kg | 9Kg |
| **NP-H50** | 220-240V/50-60Hz | 620x310x200mm | 1.6KW | Stainless Steel 201 | 11Kg | 15Kg |



**Model: NP-H50-2**

50 holes heart shape Poffertjes grill pancake



**Model: NP-H100**

100 Holes Heart Shape Poffertjes Grill Pancake

| Model: | Volts: | Waffle Size: | Dimensions: | Power: | Material: | N/W: | G/W: |
|---|---|---|---|---|---|---|---|
| **NP-H50-2** | 220-240V/50-60Hz | - | 620x310x200mm | 1.6KW | SS 201 | 11Kg | 15Kg |
| **NP-H100** | 220-240V/50-60Hz | 45x45x10mm | 620x310x200mm | 1.6KW | SS 201 | 13Kg | - |



**Model: NP-Q25**

Poffertjes Grill



**Model: NP-Q50**

Poffertjes Grill



**Model: NP-Q25-2**

Poffertjes Grill

| Model: | Dimensions(mm): | Volts: | Power: | Material: | Net Weight: | Gross Weight: |
|---|---|---|---|---|---|---|
| **NP-Q25** | 350x300x200 | 220-240V/50-60Hz | 1.0KW | Stainless Steel 201 | 7Kg | 12Kg |
| **NP-Q50** | 620x310x200 | 220-240V/50-60Hz | 1.6KW | Stainless Steel 201 | 13Kg | 20Kg |
| **NP-Q25-2** | 620x310x200 | 220-240V/50-60Hz | 1.5KW | Stainless Steel 201 | 13Kg | 20Kg |



# Fast Food Equipment



## Counter Top French Fries Display Warmer

Model: **HCW-8**
Dimension: 800x710x685mm
Volts: 220-240V/50-60Hz
Power: 0.75KW
N/W: 30Kg




## Chip Dump

Model: **HCW-620**
Dimension: 342x605x550mm
Volts: 220-240V/50-60Hz
Power: 1KW
N/W: 7Kg



## Portable Food Warmer

Model: **HW-819**
Dimension: 335x575x465mm
Volts: 220-240V/50-60Hz
Power: 0.75KW
N/W: 8Kg



## Cup Dispenser

Model: **HCW-2**
Dimension: 200x700x350mm

Model: **HCW-3**
Dimension: 200x700x500mm

Model: **HCW-4**
Dimension: 200x700x650mm



## Cup Dispenser with Ice Storge

Model: **HCS-02-A**
Dimension: 1500x760x810mm
Volts: 220-240V/50-60Hz
Power: 0.65KW
N/W: 50Kg

Model: **HCS-02-B**
Dimension: 1200x760x810mm
Volts: 220-240V/50-60Hz
Power: 0.65KW
N/W: 57.3Kg



## Pedestal Fries Display Warmer

Model: **HCW-833**
Dimension: 1000x700x1580mm
Volts: 220-240V/50-60Hz
Power: 1KW
N/W: 90Kg



# Fast Food Equipment




## Chipper

Model: **HC-01**
Dimension: 330x140x641mm
Remark: 6x6 or 7x7 Holes
N/W: 4.5Kg



## Chipper

Model: **HC-02**
Dimension: 430x220x330mm
N/W: 5Kg




## Vegetable & Fruit Cutter

Model: **HC-03**
Dimension: 380x195x240mm



## Tornado Potato Cutter

Model: **HSP-01**
Dimension: 450x150x180mm
N/W: 2.5Kg

Low cost and high profile,can be used forever,handshaking only by 1 people,easy to operate&clean
Raw:Stainless Steel(offer one blade extra)



## Wrapping Machine

Model: **HW-450**
Dimension: 450x600x130mm
Volts: 220V/50Hz
Power: 0.27KW
N/W: 5Kg



## Wrapping Machine

Model: **HW-450E**
Dimension: 470x440x150mm
Volts: 220V/50Hz
Power: 0.23KW
N/W: 6Kg



## Hamburger Machine

Model: **HHM-212**
Dimension: 405x680x250mm
Volts: 220-240V/50-60Hz
Power: 2.4KW
N/W: 28Kg



## Wrapping Machine

Model: **HWM-430**
Dimension: 430x660x155mm
Volts: 220V/50HZ
Power: 0.75KW
N/W: 5Kg



## Wrapping Machine

Model: **HWM-550**
Dimension: 550x660x155mm
Volts: 220V/50HZ
Power: 0.21KW
N/W: 7Kg



# Fishball Grill



## Electric 1-Head Fish Grill

Model: **HX-34**
Dimension: 265x500x190mm
Volts: 220V/50Hz
Power: 2KW
N/W: 14Kg





## Gas 1-Head Fish Grill

Model: **HX-34R**
Dimension: 265x500x190mm
Gas: LPG
Heating: 12053BTU/Hour
N/W: 14Kg



## Electric 2-Head Fish Grill

Model: **HX-56**
Dimension: 465x500x190mm
Volts: 220V/50Hz
Power: 4KW
N/W: 28Kg



## Gas 2-Head Fish Grill

Model: **HX-56R**
Dimension: 465x500x210mm
Gas: LPG
Heating: 26700BTU/Hour
N/W: 28Kg



## Electric 3-Head Fish Grill

Model: **HX-65**
Dimension: 665x500x190mm
Volts: 220V/50Hz
Power: 6KW
N/W: 42Kg



## Gas 3-Head Fish Grill

Model: **HX-65R**
Dimension: 665x500x210mm
Gas: LPG
Heating: 36160BTU/Hour
N/W: 42Kg



# Fast Food Equipment



## Hamburger Patty Press

Model :**WF-A100/130/150**(Aluminum)
Dimension:275x230x300mm
Patty Dia: 100/130/150mm
Packing Size : 280x230x310mm
N/W :5Kg / 6Kg / 6.5Kg



## Shortening Filter Cart

Model: **HSC-20**
Dimension: 450x330x350mm
Volts: 220-240V/50-60Hz
Power: 0.55KW
N/W: 42Kg
Oil filtering capacity: 5 Liters / min
Pump flow: 20 Liters / min
Disharge pressure: 0.33 Mpa



## Meat Salting Machine

Model: **HML-900**
Dimension: 875x430x945mm
Volts: 220-240V/50-60Hz
Power: 0.38KW
N/W: 59Kg



## Vacuum Meat Salting Machine

Model: **HML-809**
Dimension: 905x405x945mm
Volts: 220-240V/50-60Hz
Power: 0.3KW
N/W: 75Kg



## Food cutter

Model: **R-32**
Dimension: 600x600x950mm
Volts: 220V/50Hz
Power: 1800W
Capacity: 32L



## Commercial blender

Model: **S-30**
Dimension: 600x600x950mm
Volts: 220V/50Hz
Power: 1500W
Capacity: 30L



## Breading Table

Model: **HBT-1000**
Dimension: 1000x700x800(950)mm



## Electric Breading Table

Model: **HBT-1200**
Dimensions: 1150x450x890mm
Volts: 220-240V/50Hz
Power: 0.18KW
N/W: 60Kg






GF20Y-10L-A



GF20Y-30L-A



## Gas Rice Cooker

| Model | Packing Size | Gas Type | Service People | Rice Volume | N.W | G.W |
|---|---|---|---|---|---|---|
| GF20Y-7L-A | 475x475x415mm | LPG/Natural | 35 | 3~6Kg | 12Kg | 14Kg |
| GF20Y-10L-A | 510x505x422mm | Gas | 50 | 4.5~8.5Kg | 14Kg | 16Kg |
| GF20Y-15L-A | 525x520x430mm | Pipelined | 80 | 6~11Kg | 15Kg | 17Kg |
| GF20Y-23L-A | 605x600x452mm | Gas | 120 | 8~16Kg | 20Kg | 23Kg |
| GF20Y-30L-A | 645x645x465mm | Methane | 200 | 13~21Kg | 23Kg | 26Kg |



ERC-8L/ERC-10L



ERC-13L/ERC-15L/ERC-19L



ERC-23L/ERC-33L/ERC-38L

## Electric Rice Cooke

| Model | Volts | Power | Capacity | N.W | G.W |
|---|---|---|---|---|---|
| ERC-8L | 220V/50Hz | 1.3KW | 8L | - | - |
| ERC-10L | 220V/50Hz | 1.6KW | 10L | - | - |
| ERC-13L | 220V/50Hz | 2.0KW | 13L | - | - |
| ERC-15L | 220V/50Hz | 2.5KW | 15L | - | - |
| ERC-19L | 220V/50Hz | 2.8KW | 19L | - | - |
| ERC-23L | 220V/50Hz | 3.0KW | 23L | - | - |
| ERC-33L | 220V/50Hz | 3.65KW | 33L | - | - |
| ERC-38L | 220V/50Hz | 4.35KW | 38L | - | - |






### Single Electric Cooker

Model: **HSC-2203**
Dimension: 520x360x250mm
Volts: 220-240V/50-60Hz
Power: 2.6KW
N/W: 6.5Kg



### Double Electric Cooker

Model: **HSC-2205**
Dimension: 610x520x250mm
Volts: 220-240V/50-60Hz
Power: 2+2.6KW
N/W: 10Kg





### 1-Head Induction Oven

Model: **HP-2000**
Dimension: 350x420x100mm
Volts: 220V/50Hz
Power: 2KW
N/W: 5Kg



### 2-Head Induction Oven

Model: **HP-4500**
Dimension: 600x420x100mm
Volts: 220V/50Hz
Power: 2+2KW
N/W: 8Kg






## DISH WASHER

### HX-700S

Dimension: 625x725x1490mm
Volts: 3N~380V/50Hz
Power: 12.8KW
Wash Cycle: 60/90/120s per basket(adjustable)
Wash Tank Capacity: 42L
Rince tank Capacity: 10L
Main Wash Temperature: 65℃
Rincing Temperature: 80-95℃
Water Consumption for Rincing: 2-2.5L/Basket
Motor Brand: Americlean
N.W.: 126kg



Safe and reliable:

* Unique design of the door, can stay at different heights, suitable for different types of tableware;
* Sensitive door control switch, wash immediately after closing the door, safe and convenient.





# Rice Cooker

Digital Control Rice Cooker

- ☆ 4 Digital display
- ☆ Stainless steel outer shell
- ☆ Single painting non-stick aluminum innerpot
- ☆ Can be cooked rice, porridge, soup

## COMMERCIAL ELECTRIC RICE WARMER



HF-D16 / HF-D19



HF-B19



HF-B26

| Model: | Volts: | Power: | Capacity: | Liner: | Liner Diameter: | Temperature: |
|---|---|---|---|---|---|---|
| **HF-D16** | 220V/50Hz | 2200W | 16L | 1.9kg Non-Stick | 355mm | |
| **HF-D19** | 220V/50Hz | 2200W | 19L | 2.25kg Non-Stick | 355mm | |
| **HF-B19** | 220V/50Hz | 100W | 19L | Non-Stick | 355mm | 45-65℃ |
| **HF-B26** | 220V/50Hz | 100W | 26L | Non-Stick | 355mm | 45-65℃ |

### Sous Vide Precision Cooker



Model: **HX-806**
Rated Voltage: AC100-120V/220-240V50/60Hz
Rated Power:850W
Temperature Control accuracy: ± 0.5°C
Maximum application capacity:12L
Maximum immersion depth: About 135mm
Minmum immersion depth: About 75mm
Product Size: (H)380mm (D)87mm (W)85mm
Temperature Control range:25.0~92.5°C(77.0~198.5°F)
Per unit size/weight:Net weight1.1 KG
Gross weight:1.4KG
Outter Box size: 160x115x420mm
Per carton size/weight:Net Weight:18kg
Gross weight:19 KG
Outter Box size: 480x470x440mm 12 pcs Per Big Box



### Sous Vide Precision Cooker

Model: **HX-QQ01**
Rated Voltage: AC100-120V/220-240V50/60Hz
Rated Power:850W
Temperature Control accuracy: ± 0.5°C
Maximum application capacity:12L
Maximum immersion depth: About 145mm
Minmum immersion depth: About 65mm
Product Size: (H)338mm (D)80mm (W)170mm
Temperature Control range:25.0~92.5°C(77.0~198.5°F)
Per unit size/weight:Net weight1.18 KG
Gross weight:1.57KG
Box packing size: 212x111x391mm
Per carton size/weight:Net Weight:12.5kg
Gross weight:13.5 KG
Outter Box size: 440x407x470mm 8 pcs Per Big Box



### Sous Vide

Model: **FZ-18A**
Dimension: 410x330x300mm
Volts: 220-240V/50-60Hz
Power: 800W
N/W: 7.5Kg
GW:8.3KG



### Sous Vide

Model: **FZ-03A**
Dimension: 140x110x332mm
Volts: 220-240V/50-60Hz
Power: 800W
N/W: 2.5Kg
GW:3KG

# DETAILS OF THE FIGURE




We are proud to introduce the epitome of culinary innovation, the 3-in-1 Burger Machine. With meticulous craftsmanship and extraordinary design, this remarkable machine redefines the art of making uniformly delicious burger patties.



# Commercial Dish Washer



## Bell Type Washing Machine

Model: **HX-C88**
Dimensions(mm): 687x750x1470mm
Power Supply(KW): 14KW
High Temperature Tank Power(KW): 15KW
Average Hourly Capacity(L): 60 Basket / Hour
Voltage(V): 380V/50Hz



## Channel Type Dish Washer

Model: **HX-180**
Dimensions: 1500x810x1630mm
Power Supply: 36KW
High Temperature Tank Power: 27KW
Wash Tank Power: 9KW
Average Hourly Capacity:185 Basket / Hour
High Temperature Tank Capacity: 30L
Wash Tank Capacity: 98L
Voltage(: 380V/50Hz

Model: **HX-250**
Dimensions: 2200x810x1630mm
Power Supply: 40KW
High Temperature Tank Power: 27KW
Wash Tank Power: 9KW
Average Hourly Capacity:250 Basket / Hour
High Temperature Tank Capacity: 30L
Wash Tank Capacity: 140L
Voltage(: 380V/50Hz

## 豪华型汉堡机（L款）
## Luxury hamburger machine （Type L）

- 机身铝镁合金抛光氧化处理
- 碗铝合金材质
- 铝制手柄、脚垫

- Polishing and oxidation treatment of aluminum magnesium alloy on the body
- Bowl aluminum alloy material
- Aluminum handle and bottom pad



| Model No.<br>型号 | Packing Size(WxDxH),mm<br>包装尺寸 | Plate Diameter<br>圆盘直径 | N.W(kg)<br>净重 | G.W(kg)<br>毛重 |
|---|---|---|---|---|
| YFH-100L | 285*315*255mm | 100mm | 4.2kg | 5.1kg |
| YFH-130L | 285*315*255mm | 130mm | 4.8kg | 5.6kg |
| YFH-150L | 285*315*255mm | 150mm | 5.2kg | 6.0kg |

## 豪华三合一汉堡机（L款）
## Luxury 3 in 1 hamburger machine （Type L）

- 铝镁合金机身抛光氧化处理而成
- 碗铝合金材质
- 铝制手柄，脚垫

- The body is made of aluminum and magnesium alloy polished and oxidized
- Bowl aluminum alloy material
- Aluminum handle and bottom support



| Model No.<br>型号 | Packing Size(WxDxH),mm<br>包装尺寸 | Plate Diameter<br>圆盘直径 | N.W(kg)<br>净重 | G.W(kg)<br>毛重 |
|---|---|---|---|---|
| YFH-100L/130L/150L | 285*315*255mm | 100mm/130mm/150mm | 6.8kg | 7.6kg |





# 基础款3合1汉堡机（S款）
# Standard 3in1 hamburger machine(Type S)

- 机身铝镁合金抛光氧化处理
- 上碗铝合金材质
- 下碗不锈钢材质
- 塑料手柄、脚垫
- 手工便捷更换不同尺寸碗



- Polishing and oxidation treatment of aluminum magnesium alloy on the body
- Aluminum alloy material for the upper bowl
- The lower bowl is made of stainless steel material
- Plastic handle and bottom pad
- Handmade and convenient replacement of bowls of different sizes

| Model No.<br>型号 | Packing Size(WxDxH),mm<br>包装尺寸 | Plate Diameter<br>圆盘直径 | N.W(kg)<br>净重 | G.W(kg)<br>毛重 |
|---|---|---|---|---|
| YFH-100/130/150 | 285*315*255mm | 100mm/130mm/150mm | 6.2kg | 7.2kg |

# 基础款汉堡机（S款）
# Standard hamburger machine(Type S)

- 机身铝镁合金抛光氧化处理
- 碗 304 不锈钢材质
- 塑料手柄、脚垫



- Polishing and oxidation treatment of aluminum magnesium alloy on the body
- Bowl made of 304 stainless steel material
- Plastic handle and bottom pad

| Model No.<br>型号 | Packing Size(WxDxH),mm<br>包装尺寸 | Plate Diameter<br>圆盘直径 | N.W(kg)<br>净重 | G.W(kg)<br>毛重 |
|---|---|---|---|---|
| YFH-100 | 285*315*255mm | 100mm | 4.2kg | 5.1kg |
| YFH-130 | 285*315*255mm | 130mm | 4.8kg | 5.6kg |
| YFH-150 | 285*315*255mm | 150mm | 5.0kg | 5.8kg |

Regular Colors







# CAKE MIXER

## CAKE MIXER

Color is optional



B7-B



white



yellow



green



B7-C



black



red



blue



Stainless steel

| Model | Dimensions | Power | Volts | Capacity | Dough Mixing Quantity | Egg Mixing Quantity | Speed | Weight |
|---|---|---|---|---|---|---|---|---|
| **B5S** | 380x240x375mm | 0.5KW | 110V/220-240V/50-60Hz | 5L | 500g | 500g | 0-1000r/min | 13 |
| **B7S** | 380x240x405mm | 0.5KW | 110V/220-240V/50-60Hz | 7L | 500g | 500g | 0-1000r/min | 13.3 |
| **B10S** | 390x260x445mm | 0.5KW | 110V/220-240V/50-60Hz | 10L | 500g | 500g | 0-1000r/min | 15 |
| **B7-B** | 410x210x440mm | 0.4KW | 110V/220-240V/50-60Hz | 7L | 500g | 500g | 0-1000r/min | 13.3 |
| **B7-C** | 410x210x440mm | 0.4KW | 110V/220-240V/50-60Hz | 7L | 500g | 500g | 0-1000r/min | 13.3 |

# IMMERSION BLENDER (HAND MIXER) SERIES

## GENERAL FEATURE:

- Professional equipment Particularly suited for ice cream shops, confectioner's,restaurants, hotels etc.
- Elegant body design made from plastic, heavy duty hand mixer available in 4 motor sizes to meet the demands of any kitchens
- 550W、750W and 1000W ventilated motor, thermal voerload protection and variable speed control switch
- Ergonomic handle for comfortable use
- Fully stainless steel, high performance blade, all food contact parts in stainless steel



WALL HANGER FOR IMMERSION BLENDER





| HM-550B/HM-550WB | HM-750/HM-750W |
|---|---|

TECHNIC PARAMETERS:

| | | |
|---|---|---|
| POWER: | 550W | 750W |
| VOLTAGE: | 220-240V/110V | 220-240V/110V |
| SPEED: | 12000RPM/3000-12000RPM | 12000RPM/3000-12000RPM |
| DRIVE SIZE: | 306*Φ87 mm | 331*Φ113 mm |
| WEIGHT: | 1.4KG | 3KG |









Emulsifying Blade
optional



# Food Mixer

**PROFESSIONAL**
FOODSTUFF MECHANICAL

## Double-action Two-speed And Surface Series
## 双动双速和面机系列



### 灵性技术 恒久品质
### Innovative creation eternal high quality

我们不断保持创新精神,努力开发更具创意和实用性的食品机械产品,不断满足广泛的应用和更专业的要求,客户的满足就是我们的骄傲。

We continue to maintain the spirit of innovation, and strive to develop more innovative and practical food machinery products, and continuously meet a wide range of applications and professional requirements.

# Food Mixer

- 中国专利产品.专利号:ZL201220511207.1
- 创新设计无齿轮式传动结构，运转平稳、低噪音
- 触摸式微电脑操作控制
- 快慢速自动转换，时间任意调整
- 自动、手动随时任意转换
- 全系列国内独家采用一次拉伸成型金属顶盖，美观耐用

- China patent products. Patent No:ZL201220511207.1
- Innovative design of gearless tranamission structure, can operate sommthly and with low noise
- Control by touch microcomputer
- It can transformed automaticly between fast and slow, time can be adjusted
- Automatic and manual mode can transformed adjustably
- The top cover of the whole serles is made of one-off drawing form metal , the technique is domestic exclusive,which made the product attractive and durable.



**型号Model: SS20A HS20A**

和面机 Spiral Mixer
外形尺寸 Dimensions: 730x390x900mm
包装尺寸 Packing Size: 750x450x1000mm
电压Voltage: 110/220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 1.5kW
和面量 Capacity: 6Kg
容量 Bowl: 20L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 90Kg 毛重 G/W: 100Kg



**型号Model: SS30A HS30A**

和面机 Spiral Mixer
外形尺寸 Dimensions: 750x435x900mm
包装尺寸 Packing Size: 800x500x1000mm
电压Voltage: 110/220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 1.6kW
和面量 Capacity: 12Kg
容量 Bowl: 34L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 100Kg 毛重 G/W: 110Kg



**型号Model: SS40A HS40A**

和面机 Spiral Mixer
外形尺寸 Dimensions: 800x480x970mm
包装尺寸 Packing Size: 850x550x1050mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3kW
和面量 Capacity: 18Kg
容量 Bowl: 45L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 115Kg 毛重 G/W: 130Kg



**型号Model: SS50A HS50A**

和面机 Spiral Mixer
外形尺寸 Dimensions: 850x510x970mm
包装尺寸 Packing Size: 950x550x1100mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3kW
和面量 Capacity: 20Kg
容量 Bowl: 54L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 125Kg 毛重 G/W: 140Kg



**型号Model: SS60A HS60A**

和面机 Spiral Mixer
外形尺寸 Dimensions: 850x510x970mm
包装尺寸 Packing Size: 950x550x1100mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3kW
和面量 Capacity: 25Kg
容量 Bowl: 64L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 130Kg 毛重 G/W: 145Kg

# PROFESSIONAL FOODSTUFF MECHANICAL

主要特点:

- 电控变速,操控便捷耐用。
- 单相电控双速，专利产品。
- 专利号：ZL201220511207.1

Main features:

- Electronically controlled variable-speed, durable and convenient manipulation.
- Single-phase two-speed electronically controlled, patented product.
- Patent No.: ZL201220511207.1



**型号Model: SS20 HS20**

和面机 Spiral Mixer
外形尺寸 Dimensions: 730x390x900mm
包装尺寸 Packing Size: 750x450x1000mm
电压Voltage: 110/220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 1.5kW
和面量 Capacity: 8Kg
容量 Bowl: 20L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 90Kg 毛重 G/W: 100Kg



**型号Model: SS30 HS30**

和面机 Spiral Mixer
外形尺寸 Dimensions: 750x435x900mm
包装尺寸 Packing Size: 800x500x1000mm
电压Voltage: 110/220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 1.5kW
和面量 Capacity: 12Kg
容量 Bowl: 34L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 100Kg 毛重 G/W: 110Kg



**型号Model: SS40 HS40**

和面机 Spiral Mixer
外形尺寸 Dimensions: 800x480x970mm
包装尺寸 Packing Size: 850x550x1050mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3kW
和面量 Capacity: 16Kg
容量 Bowl: 45L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 115Kg 毛重 G/W: 130Kg



**型号Model: SS50 HS50**

和面机 Spiral Mixer
外形尺寸 Dimensions: 850x510x970mm
包装尺寸 Packing Size: 950x550x1100mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3kW
和面量 Capacity: 20Kg
容量 Bowl: 54L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 125Kg 毛重 G/W: 140Kg



**型号Model: SS60 HS60**

和面机 Spiral Mixer
外形尺寸 Dimensions: 850x510x970mm
包装尺寸 Packing Size: 950x550x1100mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3kW
和面量 Capacity: 25Kg
容量 Bowl: 64L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 130Kg 毛重 G/W: 145Kg



# PROFESSIONAL FOODSTUFF MECHANICAL

主要特点:

- 电控变速,操控便捷耐用。
- 单相电控双速，专利产品。
- 面团实时测温，双时区时间设定。
- 专利号：ZL201220511207.1

Main features:

- Electronically controlled variable-speed, durable and convenient manipulation.
- Single-phase two-speed electronically controlled, patented product.
- Real-time thermometry of the paste, double time-area setting.
- Patent No.: ZL201220511207.1



**型号Model: SS20 HS20**

和面机 Spiral Mixer
外形尺寸 Dimensions: 730x390x900mm
包装尺寸 Packing Size: 750x450x1000mm
电压Voltage: 110/220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 1.5kW
和面量 Capacity: 8Kg
容量 Bowl: 20L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 90Kg 毛重 G/W: 100Kg



**型号Model: SS30 HS30**

和面机 Spiral Mixer
外形尺寸 Dimensions: 750x435x900mm
包装尺寸 Packing Size: 800x500x1000mm
电压Voltage: 110/220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 1.5kW
和面量 Capacity: 12Kg
容量 Bowl: 34L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 100Kg 毛重 G/W: 110Kg



**型号Model: SS40 HS40**

和面机 Spiral Mixer
外形尺寸 Dimensions: 800x480x970mm
包装尺寸 Packing Size: 850x550x1050mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3kW
和面量 Capacity: 16Kg
容量 Bowl: 45L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 115Kg 毛重 G/W: 130Kg



**型号Model: SS50 HS50**

和面机 Spiral Mixer
外形尺寸 Dimensions: 850x510x970mm
包装尺寸 Packing Size: 950x550x1100mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3kW
和面量 Capacity: 20Kg
容量 Bowl: 54L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 125Kg 毛重 G/W: 140Kg



**型号Model: SS60 HS60**

和面机 Spiral Mixer
外形尺寸 Dimensions: 850x510x970mm
包装尺寸 Packing Size: 950x550x1100mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3kW
和面量 Capacity: 25Kg
容量 Bowl: 64L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 130Kg 毛重 G/W: 145Kg

**PROFESSIONAL** FOODSTUFF MECHANICAL

Large Double-action Two-speed And Surface Series
大型双动双速和面机系列

- 经特别设计的和面杆。以及与料桶协调的转速，能获得最好的揉面效果。
- 特别装有时间控制的操作程序，自动控制低速、高速和面时间，到时后自动停机。
- 设有定时和手动、高速和低速切换按钮，可任意控制高低速和面时间。
- 可用点动按钮点动和面机，方便取面及清洁料桶。





电脑触摸面板

**型号Model:SS80 HS80**

和面机 Spiral Mixer
外形尺寸 Dimensions: 880x560x1100mm
包装尺寸 Packing Size: 980x650x1250mm
电压Voltage: 3~220V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3.2kW
和面量 Capacity: 33Kg
容量 Bowl: 80L
和面器转速 Mixing Speed: 135/200r/min
料桶转速 Bowl Speed: 10/20r/min
净重 N/W: 250Kg 毛重 G/W: 270Kg



电脑触摸面板



**型号Model:SS100 HS100**

和面机 Spiral Mixer
外形尺寸 Dimensions: 1060x650x1380mm
包装尺寸 Packing Size: 1150x850x1600mm
电压Voltage: 3~220V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 4.1kW
和面量 Capacity: 40Kg
容量 Bowl: 100L
和面器转速 Mixing Speed: 100/200r/min
料桶转速 Bowl Speed: 10/20r/min
净重 N/W: 340Kg 毛重 G/W: 410Kg

# PROFESSIONAL FOODSTUFF MECHANICAL

主要特点:

- 电控变速,操控便捷耐用。
- 单相电控双速，专利产品。
- 专利号：ZL201220511207.1

Main features:

- Electronically controlled variable-speed, durable and convenient manipulation.
- Single-phase two-speed electronically controlled, patented product.
- Patent No.: ZL201220511207.1



**型号Model: SS20 HS20**

和面机 Spiral Mixer
外形尺寸 Dimensions: 730x390x900mm
包装尺寸 Packing Size: 760x450x1000mm
电压Voltage: 110/220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 1.5kW
和面量 Capacity: 8Kg
容量 Bowl: 20L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 90Kg 毛重 G/W: 100Kg



**型号Model: SS30 HS30**

和面机 Spiral Mixer
外形尺寸 Dimensions: 750x435x900mm
包装尺寸 Packing Size: 800x500x1000mm
电压Voltage: 110/220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 1.5kW
和面量 Capacity: 12Kg
容量 Bowl: 34L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 100Kg 毛重 G/W: 110Kg



**型号Model: SS40 HS40**

和面机 Spiral Mixer
外形尺寸 Dimensions: 800x480x970mm
包装尺寸 Packing Size: 850x550x1050mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3kW
和面量 Capacity: 16Kg
容量 Bowl: 45L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 115Kg 毛重 G/W: 130Kg



**型号Model: SS50 HS50**

和面机 Spiral Mixer
外形尺寸 Dimensions: 850x510x970mm
包装尺寸 Packing Size: 950x550x1100mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3kW
和面量 Capacity: 20Kg
容量 Bowl: 54L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 125Kg 毛重 G/W: 140Kg



**型号Model: SS60 HS60**

和面机 Spiral Mixer
外形尺寸 Dimensions: 850x510x970mm
包装尺寸 Packing Size: 950x550x1100mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 3kW
和面量 Capacity: 25Kg
容量 Bowl: 64L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 15/20r/min
净重 N/W: 130Kg 毛重 G/W: 145Kg

**PROFESSIONAL** FOODSTUFF MECHANICAL

Large Double-action Two-speed And Surface Series
大型双动双速和面机系列



**型号Model:SS100 HS100**

和面机 Spiral Mixer
外形尺寸 Dimensions: 1080x650x1360mm
包装尺寸 Packing Size: 1150x850x1600mm
电压Voltage: 3~220V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 4.1kW
和面量 Capacity: 40Kg
容量 Bowl: 100L
和面器转速 Mixing Speed: 100/200r/min
料桶转速 Bowl Speed: 10/20r/min
净重 N/W: 340Kg 毛重 G/W: 410Kg



**型号Model:SS130 HS130**

和面机 Spiral Mixer
外形尺寸 Dimensions: 1160x730x1380mm
包装尺寸 Packing Size: 1250x900x1600mm
电压Voltage: 3~220V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 6.4kW
和面量 Capacity: 50Kg
容量 Bowl: 130L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 10/20r/min
净重 N/W: 415Kg 毛重 G/W: 475Kg



**型号Model:SS200 HS200**

和面机 Spiral Mixer
外形尺寸 Dimensions: 1330x840x1560mm
包装尺寸 Packing Size: 1250x900x1600mm
电压Voltage: 3~220V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 6.6kW
和面量 Capacity: 75Kg
容量 Bowl: 200L
和面器转速 Mixing Speed: 100/200r/min
料桶转速 Bowl Speed: 10/20r/min
净重 N/W: 470Kg 毛重 G/W: 520Kg



**型号Model:SS260 HS260**

和面机 Spiral Mixer
外形尺寸 Dimensions: 1330x840x1560mm
包装尺寸 Packing Size: 1400x950x1650mm
电压Voltage: 3~220V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 9kW
和面量 Capacity: 100Kg
容量 Bowl: 260L
和面器转速 Mixing Speed: 100/200r/min
料桶转速 Bowl Speed: 10/20r/min
净重 N/W: 520Kg 毛重 G/W: 580Kg

**PROFESSIONAL** FOODSTUFF MECHANICAL

Large Double-action Two-speed And Surface Series
大型双动双速和面机系列





电脑触摸面板

**型号Model:SS130 HS130**

和面机 Spiral Mixer
外形尺寸 Dimensions: 1160x730x1380mm
包装尺寸 Packing Size: 1250x900x1600mm
电压Voltage: 3~220V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 6.4kW
和面量 Capacity: 50Kg
容量 Bowl: 130L
和面器转速 Mixing Speed: 150/200r/min
料桶转速 Bowl Speed: 10/20r/min
净重 N/W: 415Kg 毛重 G/W: 475Kg



电脑触摸面板



**型号Model:SS200 HS200**

和面机 Spiral Mixer
外形尺寸 Dimensions: 1330x840x1560mm
包装尺寸 Packing Size: 1250x900x1600mm
电压Voltage: 3~220V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 8.6kW
和面量 Capacity: 75Kg
容量 Bowl: 200L
和面器转速 Mixing Speed: 100/200r/min
料桶转速 Bowl Speed: 10/20r/min
净重 N/W: 470Kg 毛重 G/W: 520Kg





电脑触摸面板

**型号Model:SS260 HS260**

和面机 Spiral Mixer
外形尺寸 Dimensions: 1330x840x1560mm
包装尺寸 Packing Size: 1400x950x1650mm
电压Voltage: 3~220V/3~380V
额定频率Rated Frequency: 50/60Hz
功率 Power: 9kW
和面量 Capacity: 100Kg
容量 Bowl: 260L
和面器转速 Mixing Speed: 100/200r/min
料桶转速 Bowl Speed: 10/20r/min
净重 N/W: 520Kg 毛重 G/W: 580Kg

**PROFESSIONAL**
FOODSTUFF MECHANICAL

- 经特别设计的和面杆，以及与料桶协调的转速，能获得最好的揉面效果。
- 特别装有时间控制的操作程序，数字调整低速、高速和面，到时后自动停机。
- 面团实时测温，和面时间自由设定。



机顶触摸面板款

## 型号Model: HS10

和面机 Spiral Mixer
外形尺寸Dimensions: 550x340x530mm
包装尺寸Packing Size: 650x400x650mm
电压Voltage: 110/220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率Power: 0.75kW
和面量Capacity: 4Kg
容量Bowl: 10L
转速Speed: 0~240r/min
净重N/W: 48Kg 毛重G/W: 55Kg

另有侧触摸面板款及侧旋钮款可供选择



侧触摸面板款



侧旋钮款



## 型号Model: HS20D

和面机 Spiral Mixer
外形尺寸Dimensions: 660x310x680mm
包装尺寸Packing Size: 750x450x1000mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率Power: 0.75kW
和面量Capacity: 8Kg
容量Bowl: 20L
转速Speed: 150/250r/min
净重N/W: 55Kg 毛重G/W: 65Kg



## 型号Model: 拌馅机

拌馅机 Stuffing Mixer
外形尺寸Dimensions: 460x310x580mm
包装尺寸Packing Size: 750x450x1000mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率Power: 2.1kW
拌馅量Capacity: 6Kg
容量Bowl: 10L
转速Speed: 15r/min
净重N/W: 22Kg 毛重G/W: 30Kg

**PROFESSIONAL**
FOODSTUFF MECHANICAL

Lift-up off-cylinder type stepless speed-adjusting mixer series
抬头离缸式双动无级调速和面机系列



**型号Model: HS10T**

和面机 Spiral Mixer
外形尺寸Dimensions: 660x310x650mm
包装尺寸Packing Size: 680x340x700mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率Power: 0.65kW
和面量Capacity: 4Kg
容量Bowl: 10L
转速 Speed: 150/250r/min
净重N/W: 60Kg 毛重G/W: 70Kg



**型号Model: HS20T**

和面机 Spiral Mixer
外形尺寸Dimensions: 720x400x720mm
包装尺寸Packing Size: 800x450x800mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率Power: 0.75kW
和面量Capacity: 8Kg
容量Bowl: 20L
转速Speed: 150/250r/min
净重N/W: 88Kg 毛重G/W: 100Kg



**型号Model: HS30T**

和面机 Spiral Mixer
外形尺寸Dimensions: 880x440x820mm
包装尺寸Packing Size: 900x500x900mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率Power: 1.5kW
和面量Capacity: 12Kg
容量Bowl: 35L
转速Speed: 160/200r/min
净重N/W: 125Kg 毛重G/W: 145Kg



**型号Model: HS40T**

和面机 Spiral Mixer
外形尺寸Dimensions: 920x490x820mm
包装尺寸Packing Size: 950x580x900mm
电压Voltage: 220/230/240V/3~380V
额定频率Rated Frequency: 50/60Hz
功率Power: 1.8kW
和面量Capacity: 16Kg
转速Bowl: 45L
转速Speed: 160/200r/min
净重N/W: 140Kg 毛重G/W: 160Kg



# Noodle Machine



HNM-160S
Noodle Machine



HNM-180S
Noodle Machine



HNM-200S
Noodle Machine



HNM-220S/HNM-240S
Noodle Machine

| Model | Dimensions | Power | Voltage | G/W |
|---|---|---|---|---|
| **HNM-160S** | 370x325x405mm | 550W | 220V | 18.5Kg |
| **HNM-180S** | 390x325x405mm | 550W | 220V | 19.3Kg |
| **HNM-200S** | 410x325x405mm | 550W | 220V | 19.8Kg |
| **HNM-220S** | 430x325x405mm | 750W | 220V | 21.2Kg |
| **HNM-240S** | 450x325x405mm | 750W | 220V | 22.5Kg |



HNM-160
Noodle Machine



HNM-180
Noodle Machine



HNM-200
Noodle Machine



HNM-220/HNM-240
Noodle Machine

| Model | Dimensions | Power | Voltage | G/W |
|---|---|---|---|---|
| **HNM-160** | 328x341x400mm | 550W | 220V | 21Kg |
| **HNM-180** | 348x341x400mm | 550W | 220V | 22.4Kg |
| **HNM-200** | 368x341x400mm | 550W | 220V | 23Kg |
| **HNM-220** | 388x341x400mm | 750W | 220V | 23.5Kg |
| **HNM-240** | 408x341x400mm | 750W | 220V | 24Kg |



# Spiral Mixer

Users may select mixing tools and speed according to operating styles and the following requirements.

A.Snake-shaped beater:suitable for flour mixing and food with high glutinosity.Capacity and water added is 45%~50% of the flour weighe.Select low speed mode.(See Figure a)

B.Chequer-shaped beater:suitable for mixing crushed,powdered and pasty food,such as styffing.Select medium speed mode.(See Figure b)

C.Bud-shaped beater:suitable for mixing liquid food,such as cream,egg etc.Select high speed mode.(See Figure c)

## Horizontal mixer



HR-J7.5 | Horizontal mixer



HR-J15 | Horizontal mixer



HR-J25 | Horizontal mixer



HR-J50 | Horizontal mixer

| Model | Dimensions | Power | Voltage | Capacity | N/W | G/W | Packing Size |
|---|---|---|---|---|---|---|---|
| HR-J7.5 | 570x455x600mm | 750W | 220V/50Hz | 7.5L | 45Kg | 55Kg | 650x590x750mm |
| HR-J15 | 650x540x690mm | 1500W | 220V/50Hz | 15L | 63Kg | 75Kg | 770x630x820mm |
| HR-J25 | 770x600x730mm | 2200W | 220V/50Hz | 25L | 75Kg | 94Kg | 870x710x830mm |
| HR-J50 | 900x700x900mm | 2200W | 380V/50Hz | 50L | 110Kg | 125Kg | 1000x820x1000mm |



HR-JZ7.5 | Horizontal mixer



HR-JZ15 | Horizontal mixer



HR-JZ25 | Horizontal mixer



HR-JZ50 | Horizontal mixer

| Model | Dimensions | Power | Voltage | Capacity | N/W | G/W | Packing Size |
|---|---|---|---|---|---|---|---|
| HR-JZ7.5 | 550x410x570mm | 750W | 220V/50Hz | 7.5L | 43Kg | 50Kg | 650x580x670mm |
| HR-JZ15 | 650x540x690mm | 1500W | 220V/50Hz | 15L | 63Kg | 68Kg | 770x630x820mm |
| HR-JZ25 | 780x610x740mm | 2200W | 220V/50Hz | 25L | 78Kg | 83Kg | 870x700x850mm |
| HR-JZ50 | 930x760x920mm | 2200W | 380V/50Hz | 50L | 110Kg | 125Kg | 1000x820x1000mm |




## Pizza Sheeter Series
## 披萨压型机系列


QJH-T30


QJH-T40


QJH-T30J/T40J

| Model<br>型号 | Power<br>功率 (KW) | Volt<br>电压(V) | Frequency<br>频率 (Hz) | Size of Roller<br>压面辊长度(mm) | Size of Pizza<br>披萨尺寸 (cm) | N.W.<br>净重 (kg) | Dimension<br>机器尺寸(mm) |
|---|---|---|---|---|---|---|---|
| QJH-T30J | 0.37 | 110/220 | 50/60 | 345 | 10-30 | 22 | 560 x 340 x 360 |
| QJH-T40J | 0.39 | 110/220 | 50/60 | 420 | 10-40 | 24 | 620 x 340 x 360 |
| QJH-T30 | 0.37 | 110/220/240 | 50/60 | 345 | 10-30 | 33 | 505 x 340 x 700 |
| QJH-T40 | 0.39 | 110/220/240 | 50/60 | 420 | 10-40 | 38 | 565 x 370 x 715 |


TR31

### BREAD SLICER

Model: TR31
Machine Size:650×770×770mm
Volts:220-240V/50-60Hz
Power:0.37KW
Thickness: 31pcs,1.2cm
44pcs,0.8cm/50pcs,0.7cm
can be made too



### BREAD SLICER

Model: TR31A
Machine Size:650×770x770mm
Volts:220-240V/50-60Hz
Power:0.37KW
Thickness:31pcs,1.2cm
44pcs,0.8cm/50pcs,0.7cm
can be made too






Dough Sheeter

Model:HM-520B
Dimensions：1750*960*750mm
Valtage：220/380V
Power：0.75Kw
Weight：230Kg



Dough Sheeter

Model:HM-520B
Dimensions：1750*960*620mm
Valtage：220/380V
Power：0.75Kw
Weight：220Kg

## Dough sheeter



Model:HM-520E
Dimensions：2140*955*1285mm
Valtage：220/380V
Power：0.75Kw
Weight：220Kg



# Meat Mincer



**Meat Shredder**

Model: **HR-60**
Power: 300W
Voltage: 220V-240V-50/60Hz



**Meat Shredder**

Model: **HR-80**
Power: 850W
Voltage: 220V-240V-50/60Hz



**Meat Shredder**

Model: **HR-90**
Power: 850W
Voltage: 220V-240V-50/60Hz



**Meat Shredder**

Model: **HR-70**
Power: 300W
Voltage: 220V-240V-50/60Hz




**ELECTRIC MEAT TENDERIZER**

Model: **TR8SH**
Technicparameters
Power: 350W
Voltage: 220V-240V-50/60Hz / 110V-60Hz
N.W/GW: 14.3/15.7kg
Packagesize:560x305x560mm



**Meat Mincer**

| Model: **TC-22T** | Model: **TC-32T** |
|---|---|
| Voltage:220V/50Hz 110V/50Hz | Voltage:220V/50Hz 110V/50Hz |
| Power: 1100W | Power: 1100W |
| Capacity:250kg/h | Capacity:350kg/h |
| Blade speed:170S/M | Blade speed:170S/M |
| Packing size:490x370x460mm | Packing size:460x410x505mm |

# Dough Series



## Semi-auto Rounder & Divider

Model: **FK-30**
Dimensions: 650x540x2100mm
Voltage: 380V
Mtor Power: 1KW
Weight: 345Kg



## Fullly-auto Rounder & Divider

Model: **FK-30A**
Dimensions: 650x730x1440mm
Voltage: 380V
Mtor Power: 2KW
Weight: 440Kg



## Dough Divider

Model: **DD36**
Dimensions: 520x420x1230mm
Voltage: 220-240V/50-60Hz
Mtor Power: 0.75KW
Weight: 220Kg



## Manual dough divider

Model: **BDK-36A**
Dough weight range:30-140g/pcs
Dimension:530x455x1605mm
Weight:70kg



## Dough Divider

Model: **YB-36**
Voltage: 220/380V
Power: 750W
Pieces: 36
Dividing Weight: 30~180g
Weigh: 180Kg
Dimensions: 500x400x1300mm



## Dough Moulder

Model: **CG-38**
Dimensions: 1300x500x1050mm
Voltage: 220V/380V
Mtor Power: 0.75KW
Weight: 208Kg



## Hydraulic Divider

Model: **BDK-20**
Dough weight range:135-800g/pcs
Dimensions: 620x810x1110mm
Voltage: 220-380V/50-60Hz
Mtor Power: 1.50KW
Weight: 350Kg



## Baguette moulder

Model: **BDZ-750**
Dough weight range:50-1200g/pcs
Dimensions: 620x810x1110mm
Voltage: 220-380V/50-60Hz
Mtor Power: 0.75KW
Weight: 350Kg






Meat Mincer

| Model | Dimensions | HP | Voltage | Mincer Speed | Slicer Speed | Slicer Output | Mincer Output | Shred Output | Slicer Thickness | N/W | G/W |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **HX128B** | 345x340x455mm | 1.1KW | 220V | 190r/min | 228r/min | 120Kg/h | 240-280Kg/h | 80Kg/h | 3.5-4.0Kg/h | 42Kg | 45Kg |
| **HX128S** | 345x340x455mm | 1.1KW | 220V | 190r/min | 228r/min | 120Kg/h | 240-280Kg/h | 80Kg/h | 3.5-4.0Kg/h | 42Kg | 45Kg |
| **HX228B** | 345x340x455mm | 1.1KW | 220V | 190r/min | 228r/min | 120Kg/h | 280-320Kg/h | 80Kg/h | 3.5-4.0Kg/h | 42Kg | 45Kg |
| **HX228S** | 345x340x455mm | 1.1KW | 220V | 190r/min | 228r/min | 120Kg/h | 280-320Kg/h | 80Kg/h | 3.5-4.0Kg/h | 42Kg | 45Kg |





**MG12MD/MG22MD/MG32MD**
**Compact Commercial Meat Grinder**

**CG55SH/CG22DM**
**Cheese Grater& Chopper**

| Model | Dimensions | Power | Voltage | Capacity | N/W | G/W |
|---|---|---|---|---|---|---|
| **MG12MD** | 500x315x550mm | 0.75HP/0.55KW | 220V/50Hz | 100Kg/hr | 21Kg | 24Kg |
| **MG22MD** | 500x315x550mm | 1HP/0.735KW | 220V/50Hz | 180Kg/hr | 23.5Kg | 26.5Kg |
| **MG32MD** | 550x330x580mm | 1.2HP/0.9KW | 220V/50Hz | 200Kg/hr | 29Kg | 31.6Kg |
| **CG55SH** | 490x320x485mm | 0.75HP/0.55KW | 220V/50Hz | 40Kg/hr | 16Kg | 18Kg |
| **CG22DM** | 680x335x580mm | 1.2HP/0.90KW | 220V/50Hz | 60Kg/hr | 28Kg | 32Kg |

# Meat Mincer



TC-42





## Meat Mincer (All SS Body)

| Model | Dimensions | Power | Voltage | Productivity | Weight |
|---|---|---|---|---|---|
| **TC-42** | 530x1020x950mm | 4KW | 3~380V,50Hz | 650Kg/h | 107Kg |
| **TC-52** | 800x1350x1220mm | 5.5KW | 3~380V,50Hz | 1300Kg/h | 438Kg |



TC-12



TC-22



TC-32

## Meat Mincer (All SS Body)

| Model | Dimensions | Power | Voltage | Productivity | Weight |
|---|---|---|---|---|---|
| **TC-12** | 400x190x410mm | 0.55KW | 220V,50Hz | 120Kg/h | 27Kg |
| **TC-22** | 410x240x450mm | 0.75KW | 220V,50Hz | 220Kg/h | 35Kg |
| **TC-32** | 530x270x500mm | 1.5KW | 220V,50Hz | 320Kg/h | 76Kg |



TT-12




TT-22

## Meat Mincer ( SS Body, Chroming T-branch Pipe)

| Model | Dimensions | Power | Voltage | Productivity | Weight |
|---|---|---|---|---|---|
| **TT-12** | 400x190x410mm | 0.55KW | 220V,50Hz | 120Kg/h | 27Kg |
| **TT-22** | 410x240x450mm | 0.75KW | 220V,50Hz | 220Kg/h | 35Kg |



# Bone Saw



■ QJH-W210D(Aluminum material)



■ QJH-W210CA/W280CA
(Steel plate painting)

**TECHNICAL PARAMETERS 技术参数**

| Model 型号 | Power 功率 (KW) | Volt 电压(V) | Frequency 频率 (Hz) | Wheel Diameter 带轮直径 (mm) | Length of saw blade 锯带长度 (mm) | Commodity Height×width 加工食品高度/宽度 (mm) | Table Size 工作台尺寸 (mm) | N.W. 净重 (Kg) | Dimension 机器尺寸 (mm) | Workable Height 工作台高度 (mm) |
|---|---|---|---|---|---|---|---|---|---|---|
| QJH-W210D | 1.1 | 110/220/380 | 50/60 | 210 | 1650 | 210 * 170 | 495 x 385 | 37 | 540 x 475 x 890 | 322 |
| QJH-W210CA | 1.1/1.5 | 110/220/380 | 50/60 | 210 | 1650 | 233 * 168 | 495 x 445 | 52 | 555 x 495 x 910 | 322 |
| QJH-W280CA | 1.1/1.5 | 110/220/380 | 50/60 | 210 | 1830 | 233 * 168 | 495 x 445 | 53 | 555 x 495 x 1000 | 322 |



■ QJH-W210A/W280A
(Stainless steel)



■ QJH-W310A
(Stainless steel)

**TECHNICAL PARAMETERS 技术参数**

| Model 型号 | Power 功率 (KW) | Volt 电压(V) | Frequency 频率 (Hz) | Wheel Diameter 带轮直径 (mm) | Length of saw blade 锯带长度 (mm) | Commodity Height×width 加工食品高度/宽度 (mm) | Table Size 工作台尺寸 (mm) | N.W. 净重 (Kg) | Dimension 机器尺寸 (mm) | Workable Height 工作台高度 (mm) |
|---|---|---|---|---|---|---|---|---|---|---|
| QJH-W210A | 1.5 | 110/220/380 | 50/60 | 210 | 1650 | 226 * 151 | 555 x 455 | 54 | 630 x 515 x 950 | 353 |
| QJH-W280A | 1.5 | 110/220/380 | 50/60 | 210 | 1830 | 226 * 151 | 555 x 455 | 55 | 630 x 515 x 1040 | 353 |
| QJH-W310A | 1.2 | 110/220/380 | 50/60 | 260 | 2218 | 380 * 213 | 675 x 550 | 86 | 865 x 735 x 1030 | 900 |



■ QJH-W310CA
(Steel plate painting)




■ QJH-W360CA
(Steel plate painting)

**TECHNICAL PARAMETERS 技术参数**

| Model 型号 | Power 功率 (KW) | Volt 电压(V) | Frequency 频率 (Hz) | Wheel Diameter 带轮直径 (mm) | Length of saw blade 锯带长度 (mm) | Commodity Height×width 加工食品高度/宽度 (mm) | Table Size 工作台尺寸 (mm) | N.W. 净重 (Kg) | Dimension 机器尺寸 (mm) | Workable Height 工作台高度 (mm) |
|---|---|---|---|---|---|---|---|---|---|---|
| QJH-W310CA | 1.5 | 110/220/380 | 50/60 | 260 | 2218 | 380 * 215 | 675 x 380 | 89 | 750 x 700 x 1080 | 900 |
| QJH-W360CA | 1.5 | 110/220/380 | 50/60 | 300 | 2580 | 440 * 245 | 790 x 600 | 148 | 905 x 780 x 1850 | 920/960 |



■ QJH-W360E/W500E
(Stainless steel)



Movable caster and height-adjustable fixed caster
移动脚轮及高度可调节固定脚轮



8 holes add-on sliding table
工具柜：滑动台板



Saw blade adjustment part
锯条松紧调力装置



■ QJH-W360A/W500A
(Stainless steel)

**TECHNICAL PARAMETERS 技术参数**

| Model 型号 | Power 功率 (KW) | Volt 电压(V) | Frequency 频率 (Hz) | Wheel Diameter 带轮直径 (mm) | Length of saw blade 锯带长度 (mm) | Commodity Height×width 加工食品高度/宽度 (mm) | Table Size 工作台尺寸 (mm) | N.W. 净重 (Kg) | Dimension 机器尺寸 (mm) | Workable Height 工作台高度 (mm) |
|---|---|---|---|---|---|---|---|---|---|---|
| QJH-W360E | 1.5 | 110/220/380 | 50/60 | 300 | 2580 | 440 * 245 | 770 x 740 | 155 | 880 x 770 x 1840 | 960 |
| QJH-W360E | 2.2 | 110/220/380 | 50/60 | 400 | 3370 | 566 * 345 | 930 x 860 | 197 | 1070 x 950 x 2100 | 960 |
| QJH-W360A | 1.5 | 110/220/380 | 50/60 | 300 | 2580 | 440 * 245 | 790 x 600 | 136 | 880 x 770 x 1840 | 960 |
| QJH-W500A | 2.2 | 110/220/380 | 50/60 | 400 | 3370 | 566 * 345 | 875 x 760 | 178 | 960 x 950 x 2100 | 960 |






220A 机身压铸铝、喷漆
250A 塑料手柄、脚垫
275A 碳钢刀片
300A



220S 机身铝镁合金抛光
250S 氧化处理而成
275S 塑料手柄、脚垫
300S 碳钢刀片



220L 机身铝镁合金抛光
250L 氧化处理而成
275L 铝制手柄、脚垫
300L 碳钢刀片



300AUTO全自动
铝镁合金基片抛光
氧化处理而成
塑料手柄、脚垫
碳钢刀片

| 型号 | 电压 | 功率W | 切片厚度mm | 刀片直径mm | 刀片宽度mm | 净重KG | 毛重KG | 包装尺寸mm |
|---|---|---|---|---|---|---|---|---|
| 220A | 230V/50Hz<br>110V/60Hz | 120 | 0.2-15 | 220 | 160 | 15 | 17 | 560*465*420 |
| 250A | | 150 | 0.2-15 | 250 | 180 | 15.5 | 17.5 | 560*465*420 |
| 275A | | 250 | 0.2-16 | 275 | 210 | 20 | 22.5 | 635*525*490 |
| 300A | | 250 | 0.2-16 | 300 | 220 | 21 | 23.5 | 635*525*490 |
| 220S | 230V/50Hz<br>110V/60Hz | 120 | 0.2-15 | 220 | 160 | 16 | 18 | 560*465*420 |
| 250S | | 150 | 0.2-15 | 250 | 180 | 16.5 | 18.5 | 560*465*420 |
| 275S | | 250 | 0.2-16 | 275 | 210 | 21.5 | 24 | 635*525*490 |
| 300S | | 250 | 0.2-16 | 300 | 220 | 22.5 | 25 | 635*525*490 |
| 220L | 230V/50Hz<br>110V/60Hz | 120 | 0.2-16 | 220 | 160 | 17 | 19 | 560*465*420 |
| 250L | | 150 | 0.2-18 | 250 | 180 | 17.5 | 19.5 | 560*465*420 |
| 275L | | 250 | 0.2-16 | 275 | 210 | 2200 | 24.5 | 635*525*490 |
| 300L | | 250 | 0.2-20 | 300 | 220 | 23 | 25.5 | 635*525*490 |
| 300AUTO | | 750 | 0-7 | 300 | | 44 | 49 | 670*520*540 |







注：切片机可以选择高端红色、橙色



# Manual Sausage Filler



TV-3L　TV-5L　TV-7L　TV-10L　TV-12L/TV-15L

| Model | Dimensions | Power | Voltage | Bowl Volume | Productivity | N/W | G/W |
|---|---|---|---|---|---|---|---|
| TV-3L | 500x290x230mm | / | / | 3L | / | 11Kg | / |
| TV-5L | 620x290x230mm | / | / | 5L | / | 12Kg | / |
| TV-7L | 770x290x230mm | / | / | 7L | / | 13Kg | / |
| TV-10L | 650x360x250mm | / | / | 10L | / | 20Kg | / |
| TV-12L | 710x360x250mm | / | / | 12L | / | 21Kg | / |
| TV-15L | 780x360x250mm | / | / | 15L | / | 22Kg | / |





TG3L / TG5L



TG7L

| Model | Dimensions | Packing Size | N/W | G/W |
|---|---|---|---|---|
| TG3L | 450x210x160mm | 450x320x300mm | 9.5Kg | 10.5Kg |
| TG5L | 580x210x160mm | 570x320x300mm | 11Kg | 12Kg |
| TG7L | 710x210x160mm | 700x320x300mm | 12Kg | 13Kg |



# Bone Saw









| Model: | J-500A | J-400A |
|---|---|---|
| Cutting Thickness: | 5-310mm | 5-310mm |
| Cutting Height: | 0~420mm | 0~420mm |
| Thickness of the Saw Blade: | 0.5mm | 0.5mm |
| Length of the Saw Blade: | 2810mm | 2100mm |
| Size of the Bench: | 855x675mm | 855x675mm |
| Dimension: | 935x825x1745mm | 935x825x1745mm |
| Voltage: | 220V/50Hz | 220V/50Hz |
| Power: 0.75KW | 2.2KW | 2.2KW |
| N/W: | 97Kg | 97Kg |

| Model: | J-170A | J-120A |
|---|---|---|
| Cutting Thickness: | 5-110mm | 5-85mm |
| Cutting Height: | 210mm | 0-195mm |
| Thickness of the Saw Blade: | 0.5mm | 0.5mm |
| Length of the Saw Blade: | 1400mm | 1200mm |
| Size of the Bench: | 400x480x816mm | 450x370mm |
| Voltage: | 220V/50Hz | 220V/50Hz |
| Power: 0.75KW | 0.75KW | 0.75KW |
| N/W: | 29Kg | 29Kg |









## Commercial Chicken Plucker

**HX-G50**
Size:550x550x850mm
Power:1.5kw
Capacity(catties/time):
10(1-3 chickens and ducks)
Weight:60kg

**HX-G60**
Size:650x650x850mm
Power:1.5kw
Capacity(catties/time):
20(3-5 chickens and ducks)
Weight:70kg

**HX-G65**
Size:770x770x900mm
Power:2.2kw
Capacity(catties/time):
25(1-2geese,
5-6 chickens and ducks)
Weight:100kg

**HX-G80**
Size:850x850x950mm
Power:3kw
Capacity(catties/time):
Below 50 (can depilate dogs)
Weight:150kg






HR-6/9/12



VC-180



VC-60MS



VC-65MS

## Food cutter

| Model | Voltage(V) | Capacity(L) | Power(W) | Rotate Speed(R/Min) |
|---|---|---|---|---|
| **HR-6** | 220V/50Hz | 6 | 1800 | 1000~2000 |
| **HR-9** | 220V/50Hz | 9 | 1800 | 1000~2500 |
| **HR-12** | 220V/50Hz | 12 | 2000 | 1000~2500 |

## Multi-Purpose Electric Vegetable Cutter

| Model | Dimensions | Power | Voltage | N/W | G/W |
|---|---|---|---|---|---|
| **VC-180** | 620x300x580mm | 450W | 220V/50Hz | 28Kg | 31Kg |
| **VC-60MS** | 490x210x490mm | 550W | 220-240V/50-60Hz, 110V/60Hz | 25Kg | 27Kg |
| **VC-65MS** | 650x325x535mm | 1HP/0.75KW | 220V/50Hz | 25Kg | 30Kg |

# FOOD CUTTER




QS805 Food Cutter




QS807 Food Cutter




QS810 Food Cutter




QS815 Food Cutter

| Model | Dimensions | Power | Capacity | Net Weight | Gross Weight |
|---|---|---|---|---|---|
| **QS805** | 360x400x530mm | 550W | 5L | 28Kg | 29.2Kg |
| **QS807** | 380x420x540mm | 750W | 7L | 28Kg | 29.2Kg |
| **QS810** | 400x440x570mm | 1100W | 10L | 31.2Kg | 33Kg |
| **QS815** | 420x460x620mm | 1400W | 15L | 35.2Kg | 39.4Kg |



# Electric Sausage Filler



TV-10LE
Electric enema machine



TV-15LE
Electric enema machine



TV-20LE
Electric enema machine

| Model | Barrel Diameter | Funnel Size | Capacity | Packing Size | Power | Voltage | N/W | G/W |
|---|---|---|---|---|---|---|---|---|
| **TV-10LE** | 285x219mm | 16/19/25/38mm | 10L | 770x430x330mm | 120W | 220V/50Z | 33Kg | 36Kg |
| **TV-15LE** | 410x219mm | 16/19/25/38mm | 15L | 890x430x330mm | 120W | 220V/50Z | 36Kg | 39Kg |
| **TV-20LE** | 380x260mm | 16/19/25/38mm | 20L | 880x460x360mm | 250W | 220V/50Z | 46Kg | 49Kg |



TV-25LE
Electric enema machine




TV-30LE
Electric enema machine



SF-150/260/350
Rapid Sausage Filler

| Model | Barrel Diameter | Funnel Size | Capacity | Packing Size | Power | Voltage | N/W | G/W |
|---|---|---|---|---|---|---|---|---|
| **TV-25LE** | 470x260mm | 16/19/25/38mm | 25L | 990x460x360mm | 250W | 220V/50Hz | 49Kg | 52Kg |
| **TV-30LE** | 570x260mm | 16/19/25/38mm | 30L | 1100x460x360mm | 250W | 220V/50Hz | 51Kg | 54Kg |
| **SF-150** | 600x400x1240mm | Productivity: 300Kg/h | 15L | - | 750W | 220V/380V | 120Kg | 140Kg |
| **SF-260** | 640x485x1240mm | Productivity: 400Kg/h | 26L | - | 1100W | 220V/380V | 160Kg | 180Kg |
| **SF-350** | 735x460x1240mm | Productivity: 600Kg/h | 35L | - | 1100W | 220V/380V | 180Kg | 210Kg |






■ QJH-X10C/X15C/X30C







■ QJH-X6D1/X10D1/X15D1



■ QJH-X6D/X10D/X15D/X30D

## *TECHNICAL PARAMETERS* 技术参数

| Model 型号 | Power 功率 (KW) | Volt 电压 (V) | Frequency 频率 (Hz) | Efficiency 生产效率 (Kg/h) | Capacity 容量 (Kg) | N.W. 净重 (Kg) | Dimension 机器尺寸 (mm) |
|---|---|---|---|---|---|---|---|
| QJH-X10C | 0.55 | 110/220/230 | 50/60 | 240-480 | 10 | 42 | 460×450×785 |
| QJH-X15C | 0.75 | 110/220/230 | 50/60 | 480-900 | 15 | 44 | 520×500×850 |
| QJH-X30C | 1.5 | 110/220/230/380 | 50/60 | 1080-2160 | 30 | 74 | 590×580×1020 |
| QJH-X6D | 0.37 | 110/220/230 | 50/60 | 100-240 | 6 | 30 | 570×335×845 |
| QJH-X10D | 0.55 | 110/220/230 | 50/60 | 240-480 | 10 | 40 | 675×410×880 |
| QJH-X15D | 0.75 | 110/220/230 | 50/60 | 480-900 | 15 | 45 | 710×435×935 |
| QJH-X30D | 1.5 | 110/220/380 | 50/60 | 1080-2160 | 30 | 76 | 780×580×1080 |
| QJH-X6D1 | 0.37 | 110/220/230 | 50/60 | 100-240 | 6 | 25 | 570×335×690 |
| QJH-X10D1 | 0.55 | 110/220/230 | 50/60 | 240-480 | 10 | 34 | 675×410×725 |
| QJH-X15D1 | 0.75 | 110/220/230 | 50/60 | 480-900 | 15 | 38 | 710×435×780 |



# Food Cut Up Machine



### Food Cut Up Machine

Model: **TQ-5/TQ-5A (Painting/ SS body)**
Size: 530x420x540mm
Volts: 220V/50Hz
Power: 0.37KW
Productivity: 80Kg/Hour
Weight: 62Kg



### Food Cut Up Machine

Model: **TQ-8/TQ-8A (Painting/ SS body)**
Size: 800x550x550mm
Volts: 220V/50Hz
Power: 0.75KW
Productivity: 120Kg/Hour
Weight: 90Kg



### Food Cut Up Machine

Model: **QS-620/QS-620A (Painting/ SS body)**
Size:775x710x940mm
Volts: 220V/50Hz
Power:1.1KW
Capacity: 20L
Productivity:120Kg/Hour
Weight:126Kg



### Food Cut Up Machine

Model: **QS650 (SS body)**
Size: 1200x1000x1138mm
Volts :220V/50Hz
Knife Motor Power: 2.2/2.8KW
Bowl Motor Power: 1.1KW
Capacity: 50L
Productivity: 1000Kg/Hour
Weight: 360Kg



### Food Cut Up Machine

Model:**QS630 (SS body)**
Size:990x810x980mm
Volts:220V/50Hz
Knife motor power:2.2/2.8kw
Bowl motor power:1.1kw
Capacity:25L
Productivity:300kg/Hour
Weight:318kg

# Multifunctional Cutter Series
## 多功能切碎机系列



■ QJH-QS9E/QS12E

High Blade Speed: 1000-2200r/min
高转速：1000-2200 转 / 分





Chili 辣椒



Garlic 蒜



Ginger 生姜



Meat 肉类







■ QJH-QS3A/QS5A/QS8A/QS13A

■ QJH-QS5B/QS8B/QS13B

Increase Power 加大功率





## TECHNICAL PARAMETERS 技术参数

| Model 型号 | Power 功率 (KW) | Volt 电压 (V) | Frequency 频率 (Hz) | Blade Speed 刀片转速 ( r/min) | Capacity 容量 (L) | N.W. 净重 (Kg) | Dimension 机器尺寸 (mm) |
|---|---|---|---|---|---|---|---|
| QJH-QS9E | 1.1 | 110/220/230 | 50/60 | 1000-2200 | 9 | 18 | 485×350×375 |
| QJH-QS12E | 1.5 | 110/220/230 | 50/60 | 1000-2200 | 12 | 20 | 520×380×400 |
| QJH-QS3A | 0.75 | 110/220/230 | 50/60 | 1400/2900 | 6 | 23 | 320×310×555 |
| QJH-QS5A | 1.1 | 110/220/230 | 50/60 | 1400/2900 | 12 | 31 | 370×355×630 |
| QJH-QS8A | 1.5 | 110/220/230 | 50/60 | 1400/2900 | 17 | 38 | 380×400×735 |
| QJH-QS13A | 2.2 | 220/230/380 | 50/60 | 1400/2900 | 21 | 56 | 420×415×820 |
| QJH-QS5B | 1.5 | 110/220/230 | 50/60 | 1400/2900 | 12 | 35 | 370×355×630 |
| QJH-QS8B | 2.2 | 110/220/230 | 50/60 | 1400/2900 | 17 | 44 | 380×400×735 |
| QJH-QS13B | 3.0 | 220/230/380 | 50/60 | 1400/2900 | 21 | 64 | 420×415×820 |

×630
?×735




## Potato Chips Cutter and Slicer Series
## 切薯条薯片机系列



■ QJH-J310



■ QJH-J600



4x4mm 6x6mm 8x8mm

### TECHNICAL PARAMETERS 技术参数

| Model 型号 | Power 功率 (KW) | Volt 电压 (V) | Frequency 频率 (Hz) | Thickness Of Strip 切条规格 (mm) | Efficiency 生产效率 (Kg/h) | N.W. 净重 (Kg) | Dimension 机器尺寸 (mm) |
|---|---|---|---|---|---|---|---|
| QJH-J310 | 0.55 | 110/220/230 | 50/60 | Adjustable slice/ 切片可调：2.0-8.0<br>Strip/ 切条：2x2,4x4,6x6 | 500 | 39 | 435x375x690 |
| QJH-J600 | 1.5 | 110/220/230 | 50/60 | Strip/ 切条<br>6×6 / 8×8 / 10×10 / 12×12 | 800-1000 | 101 | 1050×720×910 |

# Cake Showcase



WTY110L
WTY130L



WTF120L
WTF160L

| Model | WTY110L | WTY130L | WTF120L | WTF160L |
|---|---|---|---|---|
| Temperature(℃) | 2~8 | | | |
| Voltage(V/Hz) | 220V/50Hz | | | |
| Power(W) | 226 | 242 | 226 | 242 |
| Refrigerant | R290 | | | |
| Capacity(L) | 110 | 130 | 120 | 160 |
| Shelf(pcs) | 2 | 2 | 2 | 2 |
| Dimension(mm) | 700×560×670 | 900×560×670 | 700×560×670 | 900×560×670 |



WSY100L
WSY125L



WSF120L
WSF160L

| Model | WSY100L | WSY125L | WSF120L | WSF160L |
|---|---|---|---|---|
| Temperature(℃) | 2~8 | | | |
| Voltage(V/Hz) | 220V/50Hz | | | |
| Power(W) | 210 | 210 | 210 | 210 |
| Refrigerant | R600a | | | |
| Capacity(L) | 100 | 125 | 120 | 160 |
| Shelf(pcs) | 2 | 2 | 2 | 2 |
| Dimension(mm) | 700×560×670 | 900×560×670 | 700×560×670 | 900×560×670 |






## Popsicle Machine

| Model | Dimensions | Volts | Power | Output |
|---|---|---|---|---|
| **PBZ-01** | 680x620x1050mm | 220V/50Hz | 2300W | 3000pcs/day |
| **PBZ-02** | 860x780x1150mm | 220V/50Hz | 2800W | 6000pcs/day |
| **PBZ-04** | 1260x780x1150mm | 220V/50Hz | 3300W | 12000pcs/day |
| **PBZ-06** | 1680x700x1150mm | 220V/50Hz | 3800W | 18000pcs/day |
| **PBZ-10** | 2510x700x1150mm | 220V/50Hz | 4800W | 30000pcs/day |

## ICE CREAM MACHINE (Hard)




| 型号 Model | BQL-128Y | BQL-116Y | BQL-112Y | BQL-208Y | BQL-128YH |
|---|---|---|---|---|---|
| 额定产量 Capacity | 12L/H | 8L/H | 8L/H | 4-20L/H | 18L/H |
| 额定功率 Power | 1300W | 1100W | 1100W | 2200W | 1600W |
| 电源 Power Supply | 220V/50HZ | 220V/50HZ | 220V/50HZ | 220V/50HZ | 220V/50HZ |
| 净重 Net Weight | 70kg | 58kg | 52kg | 120kg | 98kg |
| 外形尺寸 Dimension | 590x535x840mm | 525x490x640mm | 435x490x550mm | 730x580x990mm | 530x760x1400mm |

新品
NEW ARRIVAL

局部特写
PARTIAL CLOSE-UP









o MQ-L16E
颜色/Color



产品信息 PRODUCT INFORMATION

| 型号 Model | 名称 Name | 规格 Size | 电压 Volts | 功率 Power | 制冷剂 Refrigerant | 制冷量 Production Capacity | 净重 N.W. |
|---|---|---|---|---|---|---|---|
| MQ-L16E | 台式单头椭球冰淇淋机 Ice Cream Machine | 220*660*720mm | 220V 50-60Hz | 1KW | R22/R410a | 16L/H | 50KG |

局部特写
PARTIAL CLOSE-UP









o MQ-L20BN
o MQ-L20ABN

产品信息 PRODUCT INFORMATION

| 型号 Model | 名称 Name | 规格 Size | 电压 Volts | 功率 Power | 制冷剂 Refrigerant | 制冷量 Production Capacity | 净重 N.W. |
|---|---|---|---|---|---|---|---|
| MQ-L20BN | 立式外锥筒三头冰淇淋机 Ice Cream Machine | 504*705*1177mm | 220V 50-60Hz | 1.9KW | R22/R410a | 20L/H | 90K G |
| MQ-L20ABN | 台式外锥筒三头冰淇淋机 Ice Cream Machine | 544*710*850mm | 220V 50-60Hz | 1.9KW | R22/R410a | 20L/H | 88K G |

新款彩屏显示冰淇淋机系列
New Colourful Screen Ice Cream Machine

局部特写
PARTIAL CLOSE-UP









o MQ-L20BNP
o MQ-L20AN

产品信息 PRODUCT INFORMATION

| 型号 Model | 名称 Name | 规格 Size | 电压 Volts | 功率 Power | 制冷剂 Refrigerant | 制冷量 Production Capacity | 净重 N.W. |
|---|---|---|---|---|---|---|---|
| MQ-L20BNP | 立式椭圆三头冰淇淋机 Ice Cream Machine | 504*705*1177mm | 220V 50-60Hz | 1.9KW | R22/R410a | 20L/H | 90K G |
| MQ-L20AN | 台式椭圆三头冰淇淋机 Ice Cream Machine | 544*710*850mm | 220V 50-60Hz | 1.9KW | R22/R410a | 20L/H | 88K G |



o MQ-L20N
颜色/Color



o MQ-L20AN
颜色/Color

彩屏显示带内置分杯器冰淇淋机系列
Colourful Screen Controler Ice Cream Machine with Cup Dispenser



o MQ-L20NEP



o MQ-L20ANE



o MQ-L20BNEP



o MQ-L20ABNE

产品信息 PRODUCT INFORMATION

| 型号 Model | 名称 Name | 规格 Size | 电压 Volts | 功率 Power | 制冷剂 Refrigerant | 制冷量 Production Capacity | 净重 N.W. |
|---|---|---|---|---|---|---|---|
| MQ-L20N | 立式椭圆三头冰淇淋机 Ice Cream Machine | 504*705*1177mm | 220V 50-60Hz | 1.9KW | R22/R410a | 20L/H | 90K G |
| MQ-L20AN | 台式椭圆三头冰淇淋机 Ice Cream Machine | 544*710*850mm | 220V 50-60Hz | 1.9KW | R22/R410a | 20L/H | 88K G |
| MQ-L20NEP | 立式外锥筒带分杯单头冰淇淋机 Ice Cream Machine | 504*705*1177mm | 220V 50-60Hz | 1.9KW | R22/R410a | 20L/H | 90K G |
| MQ-35ANE | 台式椭圆带分杯三头冰淇淋机 Ice Cream Machine | 544*710*850mm | 220V 50-60Hz | 1.9KW | R22/R410a | 20L/H | 88K G |
| MQ-L20BNEP | 立式外锥筒带分杯单头冰淇淋机 Ice Cream Machine | 504*705*1177mm | 220V 50-60Hz | 1.9KW | R22/R410a | 20L/H | 90K G |
| MQ-L20ABNE | 台式外锥筒带分杯单头冰淇淋机 Ice Cream Machine | 544*710*850mm | 220V 50-60Hz | 1.9KW | R22/R410a | 20L/H | 88K G |

# Ice Cream Machine



BQL-830T



BQL-7225T





| 型号 Model | BQL-830T | BQL-7255T | BQL-9200T | BQL-836 |
|---|---|---|---|---|
| 类型 Type | 台式 Desktop | 台式 Desktop | 台式 Desktop | |
| 额定产量 Capacity | 25L/H | 18L/H | 10-15L/H | 35L/H |
| 额定功率 Power | 2000W | 1800W | 1000W | 2800W |
| 电源 Power Supply | 220/50HZ | 220V/50HZ | 220V/50Hz | 220V/50HZ |
| 净重 Net Weight | 95kg | 90kg | 45KG | 153kg |
| 外形尺寸 Dimension | 540x710x780mm | 520x695x750mm | 550x210x680mm | 540x700x1460mm |




BQL-830B



BQL-7225




BQL-818



BQL-688X

| 型号 Model | BQL-830B | BQL-7225 | BQL-818 | BQL-688X |
|---|---|---|---|---|
| 额定产量 Capacity | 25L/H | 18-25L/H | 18L/H | 25L/H |
| 额定功率 Power | 2200W | 1800W | 1800W | 2000W |
| 电源 Power Supply | 220V/50HZ | 220V/50HZ | 220V/50HZ | 220V/50HZ |
| 净重 Net Weight | 135kg | 119kg | 119kg | 120kg |
| 外形尺寸 Dimension | 540x615x1410mm | 520x570x1370mm | 540x575x1370mm | 520 x 600 x 1350mm |




## 大产量冰淇淋机系列

Big output Ice Cream Machine





o MQ-L42/MQ-L52

颜色/Color



o MQ-L42B/MQ-L52B



o MQ-L48F

产品信息 PRODUCT INFORMATION

| 型号 Model | 名称 Name | 规格 Size | 电压 Volts | 功率 Power | 制冷剂 Refrigerant | 制冷量 Production Capacity | 净重 N.W |
|---|---|---|---|---|---|---|---|
| MQ-L42 | 立式喷漆三头冰淇淋机 Ice Cream Machine | 610*780*1480mm | 220V 50-60Hz | 3.2KW | R22/R404a | 42-45L/H | 150KG |
| MQ-L52 | 立式喷漆三头冰淇淋机 Ice Cream Machine | 610*780*1480mm | 220V 50-60Hz | 3.8KW | R22/R404a | 52-55L/H | 150KG |
| MQ-L42B | 立式不锈钢三头冰淇淋机 Ice Cream Machine | 610*780*1480mm | 220V 50-60Hz | 3.2KW | R22/R404a | 42-45L/H | 150KG |
| MQ-L52B | 立式不锈钢三头冰淇淋机 Ice Cream Machine | 610*780*1480mm | 220V 50-60Hz | 3.8KW | R22/R404a | 52-55L/H | 150KG |
| MQ-L48F | 立式喷漆四头冰淇淋机 Ice Cream Machine | 720*860*1580mm | 220V 50-60Hz | 4.2KW | R22/R404a | 48-52L/H | 180KG |



MQ-L22/MQ-L32
颜色/Color









MQ-L22A
颜色/Color



MQ-L22NEP

MQ-L22ANE



彩屏显示
Colourful Screen



内置分杯器
With Cup Dispenser



数码版显示屏
Digital Version Screen



金属手柄
Metal Handle



MQ-L22B/MQ-L32B

MQ-L22A-B



MQ-L18
颜色/Color



MQ-L18B

MQ-L18A-B



MQ-L18A
颜色/Color



MQ-L18BY



MQ-L16A-B



MQ-L16A



MQ-L16



MQ-L16B



MQ-L16-4F

产品信息
PRODUCT INFORMATION

| 型号 Model | 名称 Name | 规格 Size | 电压 Volts | 功率 Power | 制冷剂 Refrigerant | 制冷量 Production Capacity | 净重 N.W |
|---|---|---|---|---|---|---|---|
| MQ-L22 | 台式软质三头冰淇淋机 Ice Cream Machine | 540*730*1360mm | 220V 50-60Hz | 1.95KW | R22/R404a | 22-25L/H | 105KG |
| MQ-L32 | 台式软质三头冰淇淋机 Ice Cream Machine | 540*730*1360mm | 220V 50-60Hz | 2.4KW | R22/R404a | 32-35L/H | 105KG |
| MQ-L22A | 台式软质三头冰淇淋机 Ice Cream Machine | 540*730*890mm | 220V 50-60Hz | 1.95KW | R22/R404a | 22-25L/H | 90KG |

产品信息
PRODUCT INFORMATION

| 型号 Model | 名称 Name | 规格 Size | 电压 Volts | 功率 Power | 制冷剂 Refrigerant | 制冷量 Production Capacity | 净重 N.W |
|---|---|---|---|---|---|---|---|
| MQ-L22NEP | 台式软质三头带分杯冰淇淋机 Ice Cream Machine | 540*730*1360mm | 220V 50-60Hz | 1.95KW | R22/R404a | 22-25L/H | 105KG |
| MQ-L22ANE | 台式软质三头冰淇淋机 Ice Cream Machine | 540*730*890mm | 220V 50-60Hz | 1.95KW | R22/R404a | 22-25L/H | 90KG |
| MQ-L22B | 立式半软质三头冰淇淋机 Ice Cream Machine | 540*730*1360mm | 220V 50-60Hz | 1.95KW | R22/R404a | 22-25L/H | 105KG |
| MQ-L32B | 立式半软质三头冰淇淋机 Ice Cream Machine | 540*730*1360mm | 220V 50-60Hz | 2.4KW | R22/R404a | 32-35L/H | 105KG |
| MQ-L22A-B | 台式半软质三头冰淇淋机 Ice Cream Machine | 540*730*890mm | 220V 50-60Hz | 1.95KW | R22/R404a | 22-25L/H | 90KG |

产品信息
PRODUCT INFORMATION

| 型号 Model | 名称 Name | 规格 Size | 电压 Volts | 功率 Power | 制冷剂 Refrigerant | 制冷量 Production Capacity | 净重 N.W |
|---|---|---|---|---|---|---|---|
| MQ-L18 | 台式软质三头冰淇淋机 Ice Cream Machine | 904*705*1177mm | 220V 50-60Hz | 1.9KW | R22/R410a | 18L/H | 86KG |
| MQ-L18A | 台式软质三头冰淇淋机 Ice Cream Machine | 544*710*830mm | 220V 50-60Hz | 1.9KW | R22/R410a | 18L/H | 80KG |
| MQ-L18B | 台式半软质三头冰淇淋机 Ice Cream Machine | 904*705*1177mm | 220V 50-60Hz | 1.9KW | R22/R410a | 18L/H | 95KG |
| MQ-L18A-B | 台式半软质三头冰淇淋机 Ice Cream Machine | 544*710*830mm | 220V 50-60Hz | 1.9KW | R22/R410a | 18L/H | 68KG |
| MQ-L18BY | 台式半软质椭球冰淇淋机 Ice Cream Machine | 480*630*720mm | 220V 50-60Hz | 1.32KW | R22/R410a | 18L/H | 60KG |

产品信息
PRODUCT INFORMATION

| 型号 Model | 名称 Name | 规格 Size | 电压 Volts | 功率 Power | 制冷剂 Refrigerant | 制冷量 Production Capacity | 净重 N.W |
|---|---|---|---|---|---|---|---|
| MQ-L16A-B | 台式半软质椭球冰淇淋机 Ice Cream Machine | 500*790*800mm | 220V 50-60Hz | 1.5KW | R22/R404a | 16-18L/H | 85KG |
| MQ-L16A | 台式软质半冰淇淋机 Ice Cream Machine | 500*790*800mm | 220V 50-60Hz | 1.5KW | R22/R404a | 16-18L/H | 85KG |
| MQ-L16 | 立式软质半冰淇淋机 Ice Cream Machine | 500*670*1280mm | 220V 50-60Hz | 1.5KW | R22/R404a | 16-18L/H | 95KG |
| MQ-L16B | 立式半软质椭球冰淇淋机 Ice Cream Machine | 500*670*1280mm | 220V 50-60Hz | 1.5KW | R22/R404a | 16-18L/H | 95KG |
| MQ-L16-4F | 立式四头半冰淇淋机 Ice Cream Machine | 500*670*1280mm | 220V 50-60Hz | 1.5KW | R22/R404a | 16-18L/H | 95KG |



# Fried Ice Cream Machine



Roller Ice Cream Machine

Model:**FIR-PF2R(Round Type)**
Dimension:130x65x88cm
Packing Size:135x70x93cm
Volts:220V/50HZ
Power:4KW
N.W.:88KGS
G.W.:98KGS



Roller Ice Cream Machine

Model:**FIR-PF2R-6C**
Dimension:156x65x88cm
Packing Size:161x70x93cm
Volts:220V/50HZ
Power:4.2KW
N.W.:106KGS
G.W.:122KGS



Roller Ice Cream Machine

Model:**FIR-PF1R-6C(Round Type)**
Dimension:100x65x88cm
Packing Size:105x70x93cm
Volts:220V/50HZ
Power:2.4KW
N.W.:68KGS
G.W.:76KGS



Roller Ice Cream Machine

Model:**FIR-PF1R-6C(Square Type)**
Dimension:100x65x88cm
Packing Size:105x70x93cm
Volts:220V/50HZ
Power:2.4KW
N.W.:68KGS
G.W.:76KGS



Roller Ice Cream Machine

Model:**FIR-PF1R-6C(With Cover)**
Dimension:100x65x88cm
Packing Size:105x70x93cm
Volts:220V/50HZ
Power:2.4KW
N.W.:73KGS
G.W.:84KGS



# Fried Ice Cream Machine









**Fried Ice Cream Machine**

Model: **FIM-A15**
Dimension: 535x535x700mm
Volts: 220V/50Hz
Power: 1.5KW
Output: 13Kg/hour
N/W: 38Kg

**Fried Ice Cream Machine**

Model: **FIM-A30**
Dimension: 830x440x700mm
Volts: 220V/50Hz
Power: 1.8KW
Output: 25Kg/hour
N/W: 60Kg





**Roller Ice Cream Machine**

Model:**FIR-PF1R(Round Type)**
Dimension:65x65x88cm
Packing Size:70x70x93cm
Volts:220V/50HZ
Power:2.2KW
N.W.:48KGS
G.W.:53KGS

**Roller Ice Cream Machine**

Model:**FIR-PF1R(Square Type)**
Dimension:65x65x88cm
Packing Size:70x70x93cm
Volts:220V/50HZ
Power:2.2KW
N.W.:48KGS
G.W.:53KGS






GDC0450A
标准款450磅(200Kg)风冷分体式制冰机(不含储冰桶)



GDC0660A
标准款660磅(300Kg)风冷分体式制冰机(不含储冰桶)



GDC1100A
标准款1100磅(500Kg)风冷分体式制冰机(不含储冰桶)



GDC1400A
标准款1400磅(650Kg)风冷分体式制冰机(不含储冰桶)

## 产品规格 / PRODUCT SPECIFICATIONS

### 制冰机产品参数 / TYPE FLAT WORKBENCH SERIES PARAMETERS

| 产品型号 | GDC0450A | GDC0660A | GDC1100A | GDC1400A |
|---|---|---|---|---|
| 产品尺寸 | 774×640×560 | 774×640×806 | 774×640×806 | 1226×600×692 |
| 净重 (Kg) | 78 | 90 | 100 | 120 |
| 电源 | 220/50/1 | 220/50/1 | 220/50/1 | 220/50/1 |
| 冰盘 | 13×18 | 17×18 | 22×20 | 17×36 |
| 冰块尺寸 | 22×22×20 | 22×22×20 | 22×22×20 | 22×22×20 |
| 冰型 | 方冰 | 方冰 | 方冰 | 方冰 |
| 产冰量 Kg/24h (21°C/10°C) | 200 | 300 | 500 | 650 |
| 产冰量 Kg/24h (32°C/21°C) | 150 | 225 | 375 | 488 |
| 额定功率（W） | 1130 | 1600 | 2100 | 3350 |
| 冷却方式 | 风冷 / 水冷 | 风冷 / 水冷 | 风冷 / 水冷 | 风冷 / 水冷 |
| 制冷剂 | R404a | R404a | R404a | R404a |

# Ice Maker



GDC0090A
标准款90磅(40Kg)风冷一体式制冰机



GDC0180A
标准款180磅(80Kg)风冷一体式制冰机



GDC0280A
标准款280磅(130Kg)风冷一体式制冰机

## 产品规格 / PRODUCT SPECIFICATIONS

**制冰机产品参数 / TYPE FLAT WORKBENCH SERIES PARAMETERS**

| 产品型号 | GDC0090A | GDC0180A | GDC0280A |
|---|---|---|---|
| 产品尺寸 | 467×540×840 | 607×540×860 | 607×540×940 |
| 净重 (Kg) | 46 | 49 | 51 |
| 理论储冰量 Kg | 9 | 14 | 20 |
| 电源 | 220/50/1 | 220/50/1 | 220/50/1 |
| 冰盘 | 5×10 | 5×18 | 7×18 |
| 冰块尺寸 | 22×22×20 | 22×22×20 | 22×22×20 |
| 冰型 | 方冰 | 方冰 | 方冰 |
| 产冰量 Kg/24h (21℃/10℃) | 40 | 80 | 130 |
| 产冰量 Kg/24h (32℃/21℃) | 30 | 60 | 98 |
| 额定功率 (W) | 270 | 400 | 710 |
| 冷却方式 | 风冷 | 风冷 | 风冷 |
| 制冷剂 | R290 | R290 | R290 |



# Ice Maker

## Snowflake ice maker









| Model | Production/24h | Storage | Power | Dimension | PackageSize | Weight |
|---|---|---|---|---|---|---|
| IMS-20 | 20kg | 10kg | 210W | 378*420*615mm | 410*430*680 mm | 28kg |
| IMS-30 | 30kg | 10kg | 220W | 378*420*615mm | 410*430*680 mm | 28kg |
| IMS-40 | 40kg | 10kg | 260W | 378*420*615mm | 410*430*680 mm | 28kg |
| IMS-60 | 60kg | 15kg | 300W | 398*546*720mm | 440*580*800 mm | 32kg |
| IMS-70 | 70kg | 15kg | 350W | 398*546*720mm | 440*580*800 mm | 32kg |
| IMS-80 | 80kg | 25kg | 450W | 500*620*880mm | 525*640*915 mm | 41kg |
| IMS-100A | 100kg | 25kg | 580W | 500*620*880mm | 525*640*915 mm | 41kg |
| IMS-100B | 100kg | 50kg | 580W | 680*610*970mm | 695*640*970 mm | 49kg |
| IMS-150B | 150kg | 50kg | 680W | 680*610*970mm | 695*640*970 mm | 49kg |
| IMS-200B | 200kg | 50kg | 850W | 680*610*970mm | 695*640*970 mm | 51kg |







| Model | Production/24h | Storage | Power | Dimension | Weight | |
|---|---|---|---|---|---|---|
| IMS-150 | 150kg | 128kg | 1150W | 560*820*1545mm | 73kg | |
| IMS-200 | 200kg | 128kg | 1250W | 560*820*1545mm | 73kg | |
| IMS-300A | 300kg | 128kg | 1650W | 560*820*1665mm | 75kg | |
| IMS-300B | 300kg | 280kg | 1650W | 760*820*1655mm | 102kg | |
| IMS-400 | 400kg | 280kg | 1920W | 760*820*1655mm | 102kg | |
| IMS-500 | 500kg | 280kg | 2300W | 760*820*1815mm | 105kg | |
| IMS-1000 | 1000kg | 450kg | 4600W | 1226*820*1787mm | 210kg | |

# Ice Maker



GYR0280P
标准款280磅制冰机储冰箱(130kg)



GYR0400P
标准款400磅制冰机储冰箱(180kg)



GYR0700P
标准款700磅制冰机储冰箱(320kg)

| 产品型号 | GYR0280P | GYR0400P | GYR0700P |
|---|---|---|---|
| 产品尺寸 | 562×838×1040 | 762×838×1040 | 1225×828×1044 |
| 净重 (Kg) | 35 | 44 | 55 |
| 理论储冰量 K | 130 | 180 | 320 |



## Bullet ice maker









| Model | Production/24h | Storage | Power | Dimension | PackageSize | Weight |
|---|---|---|---|---|---|---|
| ZB-20 | 20kg | 5kg | 220W | 330*503*607mm | 400*570*640 mm | 28kg |
| ZB-26 | 26kg | 7kg | 240W | 398*542*682mm | 460*610*710 mm | 32kg |
| ZB-50 | 50kg | 7kg | 380W | 398*542*682mm | 460*610*710 mm | 32kg |
| ZB-25B | 25kg | 12kg | 240W | 398*512*810mm | 460*590*830 mm | 32kg |
| ZB-50A | 50kg | 12kg | 380W | 548*612*872mm | 610*670*932 mm | 50kg |
| ZB-50B | 50kg | 25kg | 380W | 500*610*893mm | 560*670*920 mm | 49kg |
| ZB-100 | 100kg | 55kg | 700W | 682*610*1050mm | 750*685*1100 mm | 76kg |
| ZB-120 | 120kg | 55kg | 720W | 682*610*1050mm | 750*685*1100 mm | 76kg |

# Salad bar





| Model | Dimensions | Cooling Type | Temperature | Volts | Refrigerant | Capacity |
|---|---|---|---|---|---|---|
| **HSL-1000** | 1000x335x430mm | Static cooling | +2~+8°C | 220V/50Hz | R290 | 4x1/4GN |
| **HSL-1200** | 1200X335X430mm | Static cooling | +2~+8°C | 220V/50Hz | R290 | 5x1/4GN |





| Model | Dimensions | Cooling Type | Temperature | Volts | Refrigerant | Capacity |
|---|---|---|---|---|---|---|
| **HSL-1350** | 1350x335x430mm | Static cooling | +2~+8°C | 220V/50Hz | R290 | 6x1/4GN |
| **HSL-1500** | 1500X335X430mm | Static cooling | +2~+8°C | 220V/50Hz | R290 | 7x1/4GN |





| Model | Dimensions | Cooling Type | Temperature | Volts | Refrigerant | Capacity |
|---|---|---|---|---|---|---|
| **HSL-1800** | 1800x335x430mm | Static cooling | +2~+8°C | 220V/50Hz | R290 | 9x1/4GN |
| **HSL-2000** | 2000X335X430mm | Static cooling | +2~+8°C | 220V/50Hz | R290 | 10x1/4GN |






D2019-1 D2019-2 D2019-3 D2019-4

| Model | Volts | Power | Temperature | Dimensions | Bottle Size | Bottle Capacity | Certification |
|---|---|---|---|---|---|---|---|
| D2019-1 | 220V/50Hz 110V/60Hz | 160W | 30-85℃ | 140*195*230mm | 65*65*255mm | 650ml*1 | CE/ROHS |
| D2019-2 | 220V/50Hz 110V/60Hz | 320W | 30-85℃ | 285*195*230mm | 65*65*255mm | 650ml*2 | CE/ROHS |
| D2019-3 | 220V/50Hz 110V/60Hz | 480W | 30-85℃ | 430*195*230mm | 65*65*255mm | 650ml*3 | CE/ROHS |
| D2019-4 | 220V/50Hz 110V/60Hz | 640W | 30-85℃ | 576*195*230mm | 65*65*255mm | 650ml*4 | CE/ROHS |



HSP-4L Sauce Pump HSP-8L Sauce Pump HSP-12L Sauce Pump

| Model | Dimensions | Capacity |
|---|---|---|
| HSP-4L | 184x186x255mm | 4L |
| HSP-8L | 364x186x255mm | 4Lx2 |
| HSP-12L | 544x186x255mm | 4Lx3 |



# Cereal Dispenser



● **CR-71R**
Cereal Dispenser



● **CR-42R**
Cereal Dispenser



● **CR-36R**
Cereal Dispenser

| Model | Dimensions | Capacity |
|---|---|---|
| **CR-71R** | 240x330x640mm | 7L |
| **CR-42R** | 305x284x605mm | 4Lx3 |
| **CR-36R** | 540x540x600mm | 3Lx6 |



● **U20-1000**
Cereal Dispenser



● **U13-1100**
Cereal Dispenser



● **U13-1200**
Cereal Dispenser



● **U13-1300**
Cereal Dispenser

| Model | Dimensions | Capacity |
|---|---|---|
| **U20-1000** | 325x260x570mm | 3L |
| **U13-1100** | 185x240x605mm | 4L |
| **U13-1200** | 360x240x605mm | 4Lx2 |
| **U13-1300** | 540x240x605mm | 4Lx3 |

# Juice Dispenser



LSP50L
Juice Dispenser



CH5L
CH10LHot Chocolate Machine



CH10L
CH10LHot Chocolate Machine

| Model | Dimensions | Packing Size | Volts | Power | Capacity | N/W | G/W |
|---|---|---|---|---|---|---|---|
| LSP50L | 500x500x720mm | 540x540x750mm | 220V/50Hz | 0.38KW | 50L | 25Kg | 28Kg |
| CH5L | 400x320x470mm | 420x360x500mm | 220V/50Hz | 0.44KW | 5L | 8Kg | 10Kg |
| CH10L | 400x320x570mm | 420x360x600mm | 220V/50Hz | 0.44KW | 10L | 10Kg | 12Kg |



JD-81



JD-82



JD-83

| Model | Dimensions | Capacity |
|---|---|---|
| JD-81 | 260x345x575mm | 8L |
| JD-82 | 560x345x575mm | 8Lx2 |
| JD-83 | 860x345x575mm | 8Lx3 |



● JD-81A



● JD-82A



● JD-83A

| Model | Dimensions | Capacity |
|---|---|---|
| JD-81A | 260x345x575mm | 8L |
| JD-82A | 560x345x575mm | 8Lx2 |
| JD-83A | 860x345x575mm | 8Lx3 |




- INDEPENDENT TEMPERATURE CONTROL
- AMPER&VOLTAGE OVERLOAD PROTECTION
- EXTRA THICK FOOD GRADE BOWLS



SM-112
Slush Machine



SM-212
Slush Machine



SM-312
Slush Machine

| Model | Dimensions | Carton size | Volts | Power | Temperature | Volume | Coolant | Compressor |
|---|---|---|---|---|---|---|---|---|
| **SM112** | 230x550x800mm | 295x600x860mm | 220V/110V/50/60Hz | 570W | 0~-8℃ | 12L | R404 | Embraco |
| **SM212** | 430x550x800mm | 490x600x860mm | 220V/110V/50/60Hz | 850W | 0~-8℃ | 12Lx2 | R404 | Embraco |
| **SM312** | 630x550x800mm | 650x600x860mm | 220V/110V/50/60Hz | 900W | 0~-8℃ | 12Lx3 | R404 | Embraco |



SM-101
Slush Machine



SM-102
Slush Machine



SM-103
Slush Machine



- 15L is avaible

SM-151
Slush Machine

| Model | Dimensions | Volts | Power | Capacity | Weight |
|---|---|---|---|---|---|
| **SM-101** | 350x620x840mm | 220V-240V/50Hz | 0.3KW | 10Lx1 | 40Kg |
| **SM-121** | 350x550x870mm | 220V-240V/50Hz | 0.3KW | 12Lx1 | 43Kg |
| **SM-102** | 470x620x840mm | 220V-240V/50Hz | 0.4KW | 10Lx2 | 55kg |
| **SM-122** | 470x550x870mm | 220V-240V/50Hz | 0.5KW | 12Lx2 | 68Kg |
| **SM-103** | 620x670x840mm | 220V-240V/50Hz | 0.5KW | 10Lx3 | 74Kg |
| **SM-123** | 660x550x870mm | 220V-240V/50Hz | 0.6KW | 12Lx3 | 78Kg |



# Juice Dispenser



LSJ12x1
LSJ18x1



LSJ12x2
LSJ18x2



LSJ12x3
LSJ18x3

| Model | Capacity | Power | Voltage | Temperature | Dimension | Weight |
|---|---|---|---|---|---|---|
| LSJ12x1 | 12L*1 | 240-390W | 220-240V /110-115V 50Hz/60Hz | 7-12℃ | 470*360*690mm | 24kg |
| LSJ12x2 | 12L*2 | 240-390W | | 7-12℃ | 460*450*690mm | 30kg |
| LSJ12x3 | 12L*3 | 240-390W | | 7-12℃ | 640*450*690mm | 40kg |
| LSJ18x1 | 18L*1 | 240-390W | | 7-12℃ | 470*360*740mm | 27kg |
| LSJ18x2 | 18L*2 | 240-390W | | 7-12℃ | 510*470*740mm | 40kg |
| LSJ18x3 | 18L*3 | 240-390W | | 7-12℃ | 740*470*740mm | 54kg |



LSP9x2
LRSP9x2



LSP9x3
LRSP9x3



LSP9x4
LRSP9x4

| Model | Capacity | Power | Voltage | Temperature | Dimension | Weight |
|---|---|---|---|---|---|---|
| LSP9x2 | 9L*2 | 160-210W | 220-240V /110-115V 50Hz/60Hz | 7-12℃ | 420*320*700mm | 27kg |
| LRSP9x2 | 9L*2 | 160-210W | | 52-58℃ | 420*320*700mm | 27kg |
| LSP9x3 | 9L*3 | 230-300W | | 7-12℃ | 420*320*700mm | 32kg |
| LRSP9x3 | 9L*3 | 230-300W | | 52-58℃ | 420*320*700mm | 32kg |
| LSP9x4 | 9L*4 | 230-300W | | 7-12℃ | 420*490*700mm | 38kg |
| LRSP9x4 | 9L*4 | 230-300W | | 52-58℃ | 420*490*700mm | 38kg |



10Lx2



10Lx3



10Lx4



LSP50L
LRSJ50L

| Model | Capacity | Power | Voltage | Temperature | Dimension | Weight |
|---|---|---|---|---|---|---|
| 10Lx2 | 10L*2 | | 220-240V /110-115V 50Hz/60Hz | 7-12℃/52-58℃ | 430*350*600mm | 27kg |
| 10Lx3 | 10L*3 | | | 7-12℃/52-58℃ | 430*410*600mm | 32kg |
| 10Lx4 | 10L*4 | | | 7-12℃/52-58℃ | 550*440*600mm | 38kg |
| LSP50L | 50L*1 | 280-330W | | 7-12℃ | 520*520*730mm | 32kg |
| LRSJ50L | 50L*1 | 280-330W /610-660W | | 7-12℃/52-58℃ | 520*520*730mm | 32kg |






HCC-B08
Slush Machine



HCC-B108P
Slush Machine



HCC-B108
Slush Machine



HCC-6S
Ice Crusher(Aluminum)



HCC-6P
Ice Crusher(Plastic)

| Model | Capacity | Power | Speed | Gross Weight | Packing Size |
|---|---|---|---|---|---|
| HCC-B08 | 120Kg/H | 180W | 1400R/M | 7Kg | 430x230x290mm |
| HCC-B108P | 120Kg/H | 180W | 1400R/M | 8Kg | 400x300x380mm |
| HCC-B108 | 120Kg/H | 180W | 1400R/M | 8Kg | 400x300x380mm |
| HCC-6S | 65Kg/H | 150W | 1450R/M | 5.5Kg | 425x200x305mm |
| HCC-6P | 65Kg/H | 300W | 1450R/M | 5.5Kg | 425x200x305mm |



HCC-B118
Slush Machine



HCC-B118L
Slush Machine



HCC-B128
Slush Machine



HCC-B128L
Slush Machine

| Model | Capacity | Power | Speed | Gross Weight | Packing Size |
|---|---|---|---|---|---|
| HCC-B118 | 200Kg/H | 180W | 1400R/M | 9Kg | 440x300x440mm |
| HCC-B118L | 200Kg/H | 180W | 1400R/M | 8.5Kg | 440x300x440mm |
| HCC-B128 | 200Kg/H | 200W | 1400R/M | 17Kg | 480x420x580mm |
| HCC-B128L | 200Kg/H | 200W | 1400R/M | 16Kg | 400x490x620mm |

# Ice Shaver



## SNOW CONE MACHINE

| Model No.: | HCC-A299 |
|---|---|
| Product Name: | Ice Shaver, Snow Cone Machine |
| Surface Treatment: | plastic+aluminum+ice protect mask |
| Main Material: | plastic body+aluminum blade plate |
| Product capacity: | 80kg/hr |
| Frequency: | 50/60Hz |
| Motor Power: | 250W |
| Voltage: | 110/220v |
| Speed: | 1440r/min |
| N.W./G.W.: | 19.5/21.5KGS |
| Product Size: | 42x34x72cm |
| Single Package: | 49x36x74cm |

## SNOW CONE MACHINE

| Model No.: | HCC-A288 |
|---|---|
| Product Name: | Ice Shaver, Snow Cone Machine |
| Surface Treatment: | plastic+aluminum |
| Main Material: | plastic body+aluminum blade plate |
| Product capacity: | 80kg/hr |
| Frequency: | 50/60Hz |
| Motor Power: | 250W |
| Voltage: | 110/220v |
| Speed: | 1440r/min |
| N.W./G.W.: | 17/20KGS |
| Product Size: | 42x34x72cm |
| Single Package: | 51x44x75cm |



# Milk Shaker & Coffee Machine




HBL-015
Milk Shaker (1-Head)

### Milk Shaker (1-Head)

Model: **HBL-015**
Dimension: 185x185x530mm
Volts: 220-240V/50-60HZ
Power: 180W



HBL-018
Milk Shaker (2-Head)

### Milk Shaker (2-Head)

Model: **HBL-018**
Dimension: 230x185x530mm
Volts: 220-240V/50-60HZ
Power: 180W+180W



HBL-11
Milk Shaker (1-Head)

### Milk Shaker (1-Head)

Model: **HBL-11**
Dimension: 190x160x530mm
Volts: 220V/50HZ
Hp: 1.5KW



HBL-22
Milk Shaker (2-Head)

### Milk Shaker (2-Head)

Model: **HBL-22**
Dimension: 230x230x530mm
Volts: 220V/50HZ
Hp: 1.5+1.5KW




### Chocolate Melting Pot

Model: **D20049**
Dimension: 230x170x110mm
Size for Pot: Ø140x65mm
Volts: 230V/50Hz / 110V/60Hz
Power: 40W
Capacity: 1kg
Temperature: 30-85°C
N.W.: 1.5KG
G.W.: 2kg

Model: **D20048**
Dimension: 350x170x110mm
Size for Pot: Ø140x65mm
Volts: 230V/50Hz / 110V/60Hz
Power: 80W
Capacity: 2kg
Temperature: 30-85°C
N.W.: 2.5KG
G.W.: 3kg



### Coffee Warmer

Model: **MF-1680**
Dimension:355x175x60mm
Power: 1100W

Model: **MF-1681**
Dimension:355x175x60mm
Power: 1100W

Model: **MF-1682**
Dimension:355x175x60mm
Power: 1100W



# Ice Crusher



yellow Ice Crusher



blue Ice Crusher



orange Ice Crusher



pink Ice Crusher

| Model | Capacity | Power | Voltage | Frequency | Speed | N/W | Product Size |
|---|---|---|---|---|---|---|---|
| HCC-A168 | 100Kg/H | 300W | 110/220V | 50/60Hz | 1440R/M | 5.5Kg | 360x220x280mm |



HCC-A188 Ice Shaver, Snow Cone Machine



HCC-B188 Ice Shaver, Snow Cone Machine



HCC-A268 Ice Shaver, Snow Cone Machine



HCC-A266 Ice Shaver, Snow Cone Machine

| Model | Capacity | Power | Voltage | Frequency | Speed | N/W | Product Size |
|---|---|---|---|---|---|---|---|
| HCC-A188 | 60Kg/H | 250W | 110/220V | 50/60Hz | 1440R/M | 15Kg | 350x290x430mm |
| HCC-B188 | 80Kg/H | 250W | 110/220V | 50/60Hz | 1440R/M | 16Kg | 370x290x560mm |
| HCC-A268 | 120Kg/H | 300W | 110/220V | 50/60Hz | 1440R/M | 18Kg | 435x300x720mm |
| HCC-A266 | 20Kg/H | 80W | 110/220V | 50/60Hz | 1440R/M | 7Kg | 285x210x545mm |



HJC-205 Commercial Juicers



HJC-206 Commercial Juicers



YTZ-001 Juicer



1000KP/2000KP Centrifugal Juicer

| Model | Power | Voltage | Speed | Output | N/W | Product Size |
|---|---|---|---|---|---|---|
| HJC-205 | 180W | 220V/50Hz | - | - | - | 340x230x365mm |
| HJC-206 | 180W | 220V/50Hz | - | - | - | 300x190x340mm |
| YTZ-001 | 700W | 220V/50Hz | 17000~20000r/min | - | 4Kg | 295x195x405mm |
| 1000KP | 370W | 220V/50Hz | 2800r/min | 5Kg/min | 15Kg | 345x32x380mm |
| 2000KP | 550W | 220V/50Hz | 2800r/min | 10Kg/Min | 28Kg | 420x360x510mm |

# Coffee Machine



HCM-61
Coffee Brewer

## Coffee Brewer

Model: **HCM-61**
Machine Size: 430x545x520mm
Packing Size: 530x645x680mm
Capacity: 6L
Volts: 220-240V
Power: 2KW
N/W: 57Kg



HCM-112
Coffee Machine

## Coffee Machine

Model: **HCM-112**
Machine Size: 670x545x520mm
Packing Size: 770x645x680mm
Capacity: 11L
Volts: 220-240V
Power: 3.75KW
N/W: 79Kg



HCB-A
Coffee Brewer

## Coffee Brewer

Model: **HCB-A**
Dimension: 210x345x430mm
Volts: 220-240V/50-60Hz
Power: 2.6KW
N/W: 4.5Kg



## Coffee Grinder

Model: **HCG-8005/HCG-8008**
Rated Frequency:50/60Hz
Rated Power:200W
Color: black & white & red & yellow
Non-load speed: 2500rpm

Model: **HCG-8003/HCG-8007**
Rated Frequency:50/60Hz
Rated Power:200W
Non-load speed: 2500rpm
Color: black & white & red & yellow



## Coffee Grinder

Model: **HCG-8001/HCG-8002**
Rated Frequency:50/60Hz
Rated Power:280W
Non-load speed: 2500rpm
Color: black & white






| Single Layer Coffee Urn | | | |
|---|---|---|---|
| Model: **ML- 6C - C** | Model: **ML- 8C - C** | Model: **ML- 10C - C** | Model: **ML- 12C - C** |
| 5L/30cups | 6L/40cups | 7L/50cups | 9L/60cups |
| 220~240V/50~60Hz | 220~240V/50~60Hz | 220~240V/50~60Hz | 220~240V/50~60Hz |
| 950W | 950W | 950W | 1600W |
| 30-110°C | 30-110°C | 30-110°C | 30-110°C |
| 304 S/S, 0.4mm | 304 S/S, 0.4mm | 304 S/S, 0.4mm | 304 S/S, 0.4mm |



| Single Layer Coffee Urn | | | | |
|---|---|---|---|---|
| Model: **ML- 16C - C** | Model: **ML- 20C - C** | Model: **ML- 25C - C** | Model: **ML- 30C - C** | Model: **ML- 35C - C** |
| 12L/100cups | 14L/120cups | 16L/140cups | 19L/160cups | 24L/180cups |
| 220~240V/50~60Hz | 220~240V/50~60Hz | 220~240V/50~60Hz | 220~240V/50~60Hz | 220~240V/50~60Hz |
| 1600W | 1600W | 2000W | 2000W | 2000W |
| 30-110°C | 30-110°C | 30-110°C | 30-110°C | 30-110°C |
| 304 S/S, 0.4mm | 304 S/S, 0.4mm | 304 S/S, 0.4mm | 304 S/S, 0.4mm | 304 S/S, 0.4mm |



| Double Layer Coffee Urn | | | |
|---|---|---|---|
| Model: **ML- 6C - C** | Model: **ML- 8C - C** | Model: **ML- 10C - C** | Model: **ML- 12C - C** |
| 5L/30cups | 5L/40cups | 6L/50cups | 8L/60cups |
| 220~240V/50~60Hz | 220~240V/50~60Hz | 220~240V/50~60Hz | 220~240V/50~60Hz |
| 950W | 950W | 950W | 1600W |
| 30-110°C | 30-110°C | 30-110°C | 30-110°C |
| 304 S/S, 0.4mm | 304 S/S, 0.4mm | 304 S/S, 0.4mm | 304 S/S, 0.4mm |



| Double Layer Coffee Urn | | | | |
|---|---|---|---|---|
| Model: **ML- 16C - C** | Model: **ML- 20C - C** | Model: **ML- 25C - C** | Model: **ML- 30C - C** | Model: **ML- 35C - C** |
| 11L/100cups | 13L/120cups | 15L/140cups | 18L/160cups | 23L/180cups |
| 220~240V/50~60Hz | 220~240V/50~60Hz | 220~240V/50~60Hz | 220~240V/50~60Hz | 220~240V/50~60Hz |
| 1600W | 1600W | 2000W | 2000W | 2000W |
| 30-110°C | 30-110°C | 30-110°C | 30-110°C | 30-110°C |
| 304 S/S, 0.4mm | 304 S/S, 0.4mm | 304 S/S, 0.4mm | 304 S/S, 0.4mm | 304 S/S, 0.4mm |



# Commercial Blender



CB-767
Commercial Blender



CB-986
Commercial Blender



CB-999
Commercial Blender



CB-333
Commercial Blender



CB-888
Commercial Blender

| Model | Dimensions | Volts | Power | Rotation Speed | Weight | Capacity | Juicing Capacity |
|---|---|---|---|---|---|---|---|
| CB-767 | 170x235x530mm | 220-240V | 1.6KW | 23000-26000R/M | 4Kg | 2L | 80cup/h |
| CB-986 | 270x220x560mm | 220V/50Hz | 2.2KW | 23000-26000R/M | - | 2.5L | - |
| CB-999 | 195x215x490mm | 220-240V | 1.8KW | 26000-28000R/M | 5.4Kg | 2.7L | 90cup/h |
| CB-333 | 270x235x530mm | 220-240V | 1.8KW | 26000-28000R/M | 4.6Kg | 2L | 96cup/h |
| CB-888 | 220x265x610mm | 220V/50Hz | 2.8KW | 23000-26000R/M | - | 3.9L | - |



CB-888S
Commercial Blender



CB-878
Commercial Blender



CB-1000
Commercial Blender



CB-999z
Commercial Blender

| Model | Dimensions | Volts | Power | Rotation Speed | Weight | Capacity | Juicing Capacity |
|---|---|---|---|---|---|---|---|
| CB-888S | 220x265x610mm | 220V/50Hz | 1.6KW | 23000-26000R/M | - | 3.9L | - |
| CB-878 | 220x260x680mm | 220V/50Hz | 2.8KW | 23000-26000R/M | - | 6L | - |
| CB-1000 | 220x220x490mm | 220V/50Hz | 1.8KW | 28000R/M | - | 1L | - |
| CB-999z | 200x220x500mm | 220-240V | 1.8KW | 12000-28000R/M | 7.3Kg | 2.7L | 90cup/h |

# Auto Orange Juicer



2000E-1
Auto Orange Juicer



2000E-2
Auto Orange Juicer



2000E-3
Auto Orange Juicer

| Model | Dimensions | Power | Voltage | Output | Size of Orange | Yield | N/W |
|---|---|---|---|---|---|---|---|
| **2000E-1** | 400x330x780mm | 120W | 220V/50Hz | 20/Min | 40-80mm (Diameter) | 40%~50% | 45Kg |
| **2000E-2** | 400x300x770mm | 120W | 220V/50Hz | 20/Min | 40-80mm (Diameter) | 40%~50% | 40Kg |
| **2000E-3** | 400x330x780mm | 120W | 220V/50Hz | 20/Min | 40-80mm (Diameter) | 40%~50% | 44Kg |



2000E-4
Auto Orange Juicer



2000E-5
Auto Orange Juicer






| Model | Dimensions | Power | Voltage | Output | Size of Orange | Yield | N/W |
|---|---|---|---|---|---|---|---|
| **2000E-4** | 640x450x900mm | 120W | 220V/50Hz | 20/Min | 40-80mm (Diameter) | 40%~50% | 50Kg |
| **2000E-5** | 665x500x1760mm | 370W | 220V/50Hz | 20/Min | 40-80mm (Diameter) | 40%~50% | 90Kg |



# HAND JUICER





HWF-HJ001
Cast Iron



HWF-HJ002
Zinc Alloy



HWF-A655
Stainless Steel Body

| Model | Dimensions | Single Pack | 2pcs/ctn Package | HS CODE | N/W | G/W |
|---|---|---|---|---|---|---|
| **HWF-HJ001** | 405x200x180mm | 295x190x440mm | 460x400x290mm | 8210000000 | 12Kg | 13Kg |
| **HWF-HJ002** | 405x200x180mm | 295x190x440mm | 460x400x290mm | 8210000000 | 12Kg | 13Kg |
| **HWF-A655** | - | 520x200x250mm | 530x400x500mm | 8210000000 | 6.9Kg | 7.2Kg |



HWF-02A



HWF-20B/HWF-40B



SXZ-L80/SXZ-L80A
Electirc Sugarcane
Juice Extactor



SXZ-T80/T80A/T80B/T80C
Electirc Sugarcane
Juice Extactor



HWF-1500/2200/3000/3600
Grain flour mill Machine
Idle Speed:1420R/MIN

| Model | Product capacity | Power | Voltage | Frequency | Speed | N.W./G.W. | Ctn Package |
|---|---|---|---|---|---|---|---|
| **HWF-02A** | 100g | 650W | 110/220V | 50/60Hz | 28000r/min | 21KGS / 22KGS(8pcs) | 58x30x35cm |
| **HWF-04A** | 200g | 1200W | 110/220V | 50/60Hz | 28000r/min | 26KGS / 27KGS(6pcs) | 62x53x51cm |
| **HWF-06B** | 300g | 1500W | 110/220V | 50/60Hz | 28000r/min | 25KGS / 26KGS(4pcs) | 47x47x41cm |
| **HWF-10B** | 500g | 2000W | 110/220V | 50/60Hz | 25000r/min | 34KGS / 35KGS(4pcs) | 47x47x42cm |
| **HWF-20B** | 1000g | 3000W | 110/220V | 50/60Hz | 25000r/min | 18KGS / 19KGS(2pcs) | 51.5x26x43cm |
| **HWF-40B** | 2000g | 4000W | 110/220V | 50/60Hz | 25000r/min | 24KGS / 25KGS(2pcs) | 55.5x30x46cm |

| Model | Dimension | Power | Voltage | N/W | G/W |
|---|---|---|---|---|---|
| **HWF-1500** | - | 1500W | 220V/50Hz | - | - |
| **HWF-2200** | - | 2200W | 220V/50Hz | - | - |
| **HWF-3000** | - | 3000W | 220V/50Hz | - | - |
| **HWF-3600** | - | 3600W | 220V/50Hz | - | - |
| **SXZ-L800** | 400x320x800mm | 750W | 220V/50Hz | - | - |
| **SXZ-L800A** | 400x320x800mm | 350W | DC24V/50Hz | - | - |
| **SXZ-T80** | 400x320x600mm | 350W | 220V/50Hz | - | - |
| **SXZ-T80A** | 400x320x600mm | 350W | DC24V/50Hz | - | - |
| **SXZ-T80B** | 400x320x600mm | 350W | DC24V/50Hz | - | - |
| **SXZ-T80C** | 400x320x600mm | 350W | 220V/50Hz | - | - |









| Model | Capacity | Real capacity | Inner height | Outer height | Inner diameter | Outer diameter | Power | Voltage |
|---|---|---|---|---|---|---|---|---|
| **WB-08A** | 8L | 6.5L | 23.0cm | 34.5cm | 19.0cm | 20.5cm | 1.8KW | 220-240V/50Hz/60Hz |
| **WB-10A** | 10L | 7.1L | 25.0cm | 39.0cm | 19.0cm | 20.5cm | 1.8KW | 220-240V/50Hz/60Hz |
| **WB-12A** | 12L | 12L | 25.0cm | 39.0cm | 25.5cm | 26.5cm | 1.8KW | 220-240V/50Hz/60Hz |
| **WB-15A** | 15L | 15L | 34.5cm | 46.5cm | 25.5cm | 26.5cm | 1.8KW | 220-240V/50Hz/60Hz |
| **WB-25A** | 25L | 20L | 39.0cm | 52.0cm | 25.5cm | 26.5cm | 1.8KW | 220-240V/50Hz/60Hz |
| **WB-35A** | 35L | 25L | 34.5cm | 46.5cm | 30.5cm | 31.5cm | 2.8KW | 220-240V/50Hz/60Hz |
| **WB-45A** | 45L | 29L | 39.0cm | 52.0cm | 30.5cm | 31.5cm | 2.8KW | 220-240V/50Hz/60Hz |

Temperature Range: 30-110℃

## SINGLE-LAYER WATER BOILER


**WB-10/15**
**Double-Layer Water Boiler**
**(Heat&Warm)**


**WB-25/30/35/40**
**Double-Layer Water Boiler**
**(Heat&Warm)**


**WA-20A/30A/40A/55A**
**Single-Layer Water Boiler**
**(Heat)**


**WB-30B/40B/50B**
**Single-Layer Water Boiler**
**(Heat)**

| Model | Dimensions | Power | Voltage | Weight |
|---|---|---|---|---|
| **WB-10** | Ø24.5x42.5cm | 2.0KW | 220V~240V | 3.20Kg |
| **WB-15** | Ø24.5x49.5cm | 2.0KW | 220V~240V | 3.50Kg |
| **WB-25** | Ø31.5x49cm | 2.0KW | 220V~240V | 4.23Kg |
| **WB-30** | Ø31.5x54cm | 2.0KW | 220V~240V | 4.70Kg |
| **WB-35** | Ø31.5x62cm | 2.0KW | 220V~240V | 5.10Kg |
| **WB-40** | Ø31.5x67cm | 2.5KW | 220V~240V | 5.60Kg |
| **WB-20A** | Ø27x55cm | 2.0KW | 220V~240V | 2.13Kg |
| **WB-30A** | Ø32x55cm | 2.0KW | 220V~240V | 2.75Kg |
| **WB-40A** | Ø32x60cm | 2.5KW | 220V~240V | 3.33Kg |
| **WB-30B** | Ø30.5x44cm | 2.0KW | 220V~240V | 3.75Kg |
| **WB-40B** | Ø36.5x46.5cm | 2.0KW | 220V~240V | 4.30Kg |
| **WB-55B** | Ø41.5x54cm | 2.5KW | 220V~240V | 4.43Kg |



# Chocolate Fountain & Soup Kettle

SALE





## Chocolate Fountains

Model: **CF-8060**
Packing Size: 380x380x690mm
Layers: 4
Material: SS304
Max. Dia: 33cm
Max. Height: 60cm
Weight: 6/8KgS
Motor Power: 0.065KW (screw)
Heating Power: 0.2KW
Machine Consumption Power: 0.265KW
Volts: 220V,50Hz/110V,60Hz
Temperature: 0-110℃(Manual)
Working Capacity: 2KgS
Max.Capacity: 5KgS

## Chocolate Fountains

Model: **CF-8086**
Packing Size: 280x520x680mm
Layers: 5
Material: SS304
Max. Dia: 37cm
Max. Height: 80cm
Weight: 8/10KGS
Motor Power: 0.095KW (screw)
Heating Power: 0.215KW
Machine Consumption Power : 0.31KW
Volts: 220V,50Hz/110V,60Hz
Temperature: 0-150℃(Manual)
Working Capacity: 2.5KgS
Max.Capacity: 8KgS

SALE



## Stainless Steel Electric Soup Kettle

Model: **81010SP**
Dimension: 10L
Volts: 220V AC 50Hz
Power: 400W



## Electric Soup Kettle

Model: **83013SP**
Dimension: 13L
Volts: 220V AC/50Hz
Power: 600W



## Electric Soup Kettle

Model: **83010SP**
Dimension: 10L
Volts: 220V AC/50Hz
Power: 400W

# Water Boiler





LXS-015/02/03
Microcomputer Water Boiler



LXC-015/02/03
Microcomputer Water Boiler



LXB-015/02/03
Microcomputer Water Boiler



LXBZ-02/03
Microcomputer Water Boiler

| Model | Dimensions | Output | Power | Water Pressure | Voltage | Capacity |
|---|---|---|---|---|---|---|
| LXS015 | 190X240X500mm | 25L/Hour | 2.5KW | 0.2-0.6MPa | 220V-240V | 8L |
| LXS02 | 190x240x580mm | 35L/Hour | 2.5KW | 0.2-0.6MPa | 220V-240V | 12L |
| LXS03 | 190x280x640mm | 50L/Hour | 3KW | 0.2-0.6MPa | 220V-240V | 20L |
| LXC015 | 190X240X500mm | 25L/Hour | 2.5KW | 0.2-0.6MPa | 220V-240V | 8L |
| LXC02 | 190x240x580mm | 35L/Hour | 2.5KW | 0.2-0.6MPa | 220V-240V | 12L |
| LXC03 | 190x280x640mm | 50L/Hour | 3KW | 0.2-0.6MPa | 220V-240V | 20L |
| LXB015 | 190X240X500mm | 25L/Hour | 2.5KW | 0.2-0.6MPa | 220V-240V | 8L |
| LXB02 | 190x240x580mm | 35L/Hour | 2.5KW | 0.2-0.6MPa | 220V-240V | 12L |
| LXB03 | 190x280x640mm | 50L/Hour | 3KW | 0.2-0.6MPa | 220V-240V | 20L |
| LXBZ02 | 190x240x580mm | 25L/Hour | 2KW | 0.2-0.6MPa | 220V-240V | 12L |
| LXBZ03 | 190x280x640mm | 50L/Hour | 3KW | 0.2-0.6MPa | 220V-240V | 20L |



HB-10L
Microcomputer Water Boiler



HB-5L/20L/30L
Microcomputer Water Boiler



HB-30LA/40LA/60LA
Microcomputer Water Boiler

| Model | Dimensions | Output | Power | Water Pressure | Voltage | Weight |
|---|---|---|---|---|---|---|
| HB-5L | 190X240X520mm | 22L/Hour | 2.5KW | 0.2-0.6MPa | 220V-240V | 8L |
| HB-10L | 190x240x630mm | 35L/Hour | 2.5KW | 0.2-0.6MPa | 220V-240V | 10L |
| HB-20L | 190x280x690mm | 60L/Hour | 3KW | 0.2-0.6MPa | 220V-240V | 20L |
| HB-30L | 190x340x740mm | 90L/Hour | 3KW | 0.2-0.6MPa | 220V-240V | 30L |
| HB-30LA | 450x280x570mm | 90L/Hour | 3KW | 0.2-0.6MPa | 220V-240V | 30L |
| HB-40LA | 450x300x680mm | 120L/Hour | 3KW | 0.2-0.6MPa | 220V-240V | 40L |
| HB-60LA | 450x340x780mm | 180L/Hour | 6KW | 0.2-0.6MPa | 380V | 60L |






Chafing Dish

Model: **HCD-01**
Straight leg full flip cover-square
Chafing Dish with: 1 X1/1x6.5 or
2X 1/2x6.5 pots



Chafing Dish

Model: **HCD-01V**
Straight leg visible full clamshell-square
Chafing Dish with: 1 1/1x6.5 or
2 1/2x6.5 pots



Chafing Dish

Model: **HCD-03**
Tiger leg Full Flip Cover-Square Chafing
Dish Match: 1 1/1x6.5 or
2 1/2x6.5 pots



Chafing Dish

Model: **HCD-03V**
Tiger leg Visible Full Flip Cover-Square
Chafing Dish Match: 1 1/1x6.5 or
2 1/2x6.5 pots



Chafing Dish

Model: **HCD-04V**
Tiger leg Visible Full Flip Cover-Round
Dining Pot With: 36cm 6.8L Basin



Chafing Dish

Model: **HCD-05**
New lamb's leg full clamshell-square
Chafing Dish with: 1 1/1x6.5 or
2 1/2x6.5 pots



Chafing Dish

Model: **HCD-05V**
New lamb leg visible full clamshell-square
Chafing dish with: 1 1/1x6.5 or
2 1/2x6.5 pots



Chafing Dish

Model: **HCD-06**
New lamb's leg full clamshell-round dining
pot with: 36cm 6.8L pot



Chafing Dish

Model: **HCD-06A**
New lamb leg full clamshell-round soup
pot With: 1 soup pot






Electric Soup Kettle

Model: **81010SA**
Capacity: 10L
Real Capacity: 8.1L
Power: 400W
Voltage: 220~240V/50Hz,110~120V/60Hz
H 35cm / Ø: 27cm



Electric Soup Kettle

Model: **81010SB**
Capacity: 10L
Real Capacity: 8.1L
Power: 400W
Voltage: 220~240V/50Hz,110~120V/60Hz
H 35cm / Ø: 27cm



Electric Soup Kettle

Model: **81010SC**
Capacity: 10L
Real Capacity: 8.1L
Power: 400W
Voltage: 220~240V/50Hz,110~120V/60Hz
H 35cm / Ø: 27cm



Electric Soup Kettle

Model: **83013SA**
Capacity: 13L
Real Capacity: 12.6L
Power: 400W
Voltage: 220~240V/50Hz,110~120V/60Hz
H 44.5cm / Ø: 36cm



Electric Soup Kettle

Model: **83013SB**
Capacity: 13L
Real Capacity: 12.6L
Power: 400W
Voltage: 220~240V/50Hz,110~120V/60Hz
H 44.5cm / Ø: 36cm



Electric Soup Kettle

Model: **81010SF**
Capacity:10L
Real Capacity :8.1L
Power: 400W
Voltage: 220~240V/50Hz,110~120V/60Hz
H 40cm / Ø: 30.2cm



MOQ:20pcs

Electric Soup Kettle

Model: **81010SD**
Capacity:10L
Real Capacity :8.1L
Power: 400W
Voltage: 220~240V/50Hz,110~120V/60Hz
H 40cm / Ø: 30.2cm



Electric Soup Kettle

Model: **81010SE**
Capacity:10L
Real Capacity :8.1L
Power: 400W
Voltage: 220~240V/50Hz,110~120V/60Hz
H 40cm / Ø: 30.2cm








HCS-203
Manual Cup Sealing Machine



HCS-303
Manual Cup Sealing Machine

## MANUAL CUP SEALING MACHINE





| Model | Dimensions | Power | Voltage | Gross Weight | Output | Cup Diameter |
|---|---|---|---|---|---|---|
| HCS-203 | 285x250x445mm | 300W | 220V/50Hz | 9Kg | 300-500cups/Hour | 65/70/90/95(MM) |
| HCS-303 | 288x238x470mm | 300W | 220V/50Hz | 9Kg | 300-500cups/Hour | 65/70/90/95(MM) |



HCS-D8
Manual Cup Sealing Machine



HCS-868
Manual Cup Sealing Machine



HCS-208
Manual Cup Sealing Machine

| Model | Dimensions | Power | Voltage | Gross Weight | Output | Cup Diameter |
|---|---|---|---|---|---|---|
| HCS-D8 | 280x225x505mm | 400W | 220V/50Hz | 12Kg | 300-500cups/Hour | 65/70/90/95(MM) |
| HCS-868 | 270x270x600mm | 300W | 220V/50Hz | 10Kg | 300-500cups/Hour | 65/70/90/95(MM) |
| HCS-208 | 285x250x445mm | 300W | 220V/50Hz | 9Kg | 300-500cups/Hour | 65/70/90/95(MM) |



# Chafing Dish



Chafing Dish

Model: **HCD-06V**
New lamb's leg visible full clamshell-round meal pot with: 36cm 6.8L pot



Chafing Dish

Model: **HCD-07**
Straight leg full flip cover-oval dining pot with: 1 food pot



Chafing Dish

Model: **HCD-08**
Straight Leg-Rectangular Dining Pot
Match: 1 1/1x6.5 or 2 1/2x6.5 pots
Capacity:9L



Chafing Dish

Model: **HCD-09**
Straight Leg-Square Dining Pot
Match: 1 2/3x6.5
Capacity:6L



Chafing Dish

Model: **HCD-10**
6L Straight Leg-Circular Visual Dining Pot With: 1 36cm Basin
Capacity:6L



Chafing Dish

Model: **HCD-11**
Straight leg B-type generous dining Pot (foldable) Match: 1 1/1x6.5cm or 2 1/2x6.5cm



Chafing Dish

Model: **HCD-12**
Bar type straight leg dining Pot (not foldable) Match: 1 1/1x6.5cm or 2 1/2x6.5cm



Chafing Dish

Model: **HCD-13**
Economical straight leg double soup stove with: 2 soup stoves



Chafing Dish

Model: **HCD-14**
Straight-leg older furnace with a generous meal: 1 1/1 x 6.5cm or 2 1/2 x 6.5cm



# Impulse Sealer

## Pedal impulse sealer





| Model | Dimension | Voltage | Sealing Length | Sealing Width | Power | Weight |
|---|---|---|---|---|---|---|
| **KS-F350** | 450x510x880mm | 220V/50Hz | 350mm | 2~5mm | 1200W | 21KG |
| **KS-F450** | 550x520x880mm | 220V/50Hz | 450mm | 2~5mm | 1250W | 22KG |

## Vacuum packer



KS-F600



KS-F800



DZ280A

| Model | Dimension | Voltage | Sealing Length | Sealing Width | Power | Weight |
|---|---|---|---|---|---|---|
| **KS-F600** | 700x570x880mm | 220V/50Hz | 600mm | 2~5mm | 1500W | 24KG |
| **KS-F800** | 800x600x880mm | 220V/50Hz | 800mm | 2~5mm | 1800W | 27KG |
| **DZ280A** | 350x140x70mm | 220V/50Hz | 300mm | 10mm | - | 2.4KG |




## Metal Body



SF200
Impulse Sealer



SF300
Impulse Sealer



SF400 / SF500
Impulse Sealer

| Model | Chamber Size | Power | Voltage | Sealing Length | Sealing Width | Max Seal Thickness | Heat Time | Weight |
|---|---|---|---|---|---|---|---|---|
| **SF200** | 325x75x225mm | 0.28KW | 220V/50Hz | 200mm | 2mm | 0.2mm | 0.2-1.3seconds | 2.2Kg |
| **SF300** | 440x83x255mm | 0.38KW | 220V/50Hz | 300mm | 2mm | 0.2mm | 0.2-1.3seconds | 3.3Kg |
| **SF400** | 540x85x280mm | 0.6KW | 220V/50Hz | 400mm | 2mm | 0.2mm | 0.3-2.5seconds | 4.7Kg |
| **SF500** | 550x85x280mm | 0.75KW | 220V/50Hz | 500mm | 2mm | 0.3mm | 0.3-2.5seconds | 5.9Kg |

## IMPULSE SEALER (Pistic Body)



SF200P / SF300P / SF400P
Impulse Sealer



Local Show




Local Show

| Model | Dimension | Power | Voltage | Packing Size | Gross Weight |
|---|---|---|---|---|---|
| **SF200P** | 300x75x85mm | 300W | 220V/50Hz | 330x100x170mm | 1.26Kg |
| **SF300P** | 400x78x85mm | 400W | 220V/50Hz | 430x102x175mm | 1.68Kg |
| **SF400P** | 530x83x95mm | 550W | 220V/50Hz | 575x105x190mm | 2.82Kg |



Single bowl wash sink

| Model | SPEC(mm) | Sink Dimensions(mm) |
|---|---|---|
| **SS-6060** | 600x600x800 | 450x410x250 |
| **SS-7070** | 700x700x800 | 550x500x250 |
| **SS-1070** | 1000x700x800 | 850x500x250 |
| **SS-1260** | 1200x600x800 | 1050x410x250 |
| **SS-1270** | 1200x700x800 | 1050x500x250 |



Double bowl wash sink with drain board

| Model | SPEC(mm) | Sink Dimensions(mm) |
|---|---|---|
| **DS-1260** | 1200x600x800 | 500x410x250 |
| **DS-1270** | 1200x700x800 | 500x500x250 |
| **DS-1470** | 1400x700x800 | 600x500x250 |
| **DS-1570** | 1500x700x800 | 650x500x250 |



Double bowl wash sink with drain board

| Model | SPEC(mm) | Sink Dimensions(mm) |
|---|---|---|
| **TS-1756** | 1750x600x800 | 500x410x250 |
| **TS-1860** | 1800x600x800 | 500x410x250 |
| **TS-1456** | 1450x600x800 | 400x410x250 |
| **TS-1870** | 1800x700x800 | 500x500x250 |



Single Sink Bench

| Model | SPEC(mm) | Sink Dimensions(mm) |
|---|---|---|
| **01819** | 630x670x800+150 | 450x450x280 |
| **01820** | 680x720x800+150 | 500x500x280 |



Binary Wash Dish Even Things

| Model | SPEC(mm) | Sink Dimensions(mm) |
|---|---|---|
| **01821** | 1100x650x950 | - |
| **01822** | 1200x750x950 | - |
| **01823** | 1500x750x950 | - |



Triple Sink Bench

| Model | SPEC(mm) | Sink Dimensions(mm) |
|---|---|---|
| **01824** | 1930x670x800+150 | 450x450x280 |
| **01825** | 2080x720x800+150 | 500x500x280 |







Single bowl wash sink with drain board

| Model | SPEC(mm) | Sink Dimensions(mm) |
|---|---|---|
| **SSB-1070L/R** | 1000x700x800 | 600x500x250 |
| **SSB-1260L/R** | 1200x600x800 | 500x410x250 |
| **SSB-1270L/R** | 1200x700x800 | 500x500x250 |
| **SSB-1470L/R** | 1400x700x800 | 600x500x250 |
| **SSB-1570L/R** | 1500x700x800 | 650x500x250 |

Double bowl wash sink with drain board

| Model | SPEC(mm) | Sink Dimensions(mm) |
|---|---|---|
| **DSB-1756L/M/R** | 1750x600x800 | 500x410x250 |
| **DSB-1456L/M/R** | 1450x600x800 | 400x410x250 |
| **DSB-1860L/M/R** | 1800x600x800 | 500x410x250 |
| **DSB-1470L/M/R** | 1400x700x800 | 500x500x250 |
| **DSB-1570L/M/R** | 1500x700x800 | 500x500x250 |
| **DSB-1870 L/M/R** | 1800x700x800 | 500x500x250 |

# Vacuum Packing Machine



DZ400/2C DZ500/2C DZ600/2C




| Model | Chamber Size | Power | Voltage | Sealing Length | Sealing Width | Max Seal Thickness | Sealing Width | Weight |
|---|---|---|---|---|---|---|---|---|
| **DZ400/2C** | 490x445x40mm | 0.75KW | 220V/50Hz | 400mm | 10mm | 0.1-0.5mm | 10mm | 162Kg |
| **DZ500/2C** | 570x550x45mm | 1.5KW | 380V/50Hz | 500mm | 10mm | 0.1-0.5mm | 10mm | 205Kg |
| **DZ600/2C** | 670x545x45mm | 2.2KW | 380V/50Hz | 600mm | 10mm | 0.1-0.5mm | 10mm | 252Kg |

Sealing Time Range:10-35sec / 10-35sec / 10-40sec  Package Dimension:105x107x75cm / 110x135x75cm / 115x165x80cm





DZ260T DZ300T DZ400T



DZ400S DZ500S DZ600S

| Model | Chamber Size | Power | Voltage | Sealing Length | Sealing Width | Max Seal Thickness | Package Dimension | Weight |
|---|---|---|---|---|---|---|---|---|
| **DZ260T** | 280x380x55mm | 0.75KW | 220V/50Hz | 260mm | 10mm | 0.1-0.5mm | 42x50x46cm | 37Kg |
| **DZ300T** | 320x380x55mm | 0.75KW | 380V/50Hz | 300mm | 10mm | 0.1-0.5mm | 42x50x46cm | 37Kg |
| **DZ400T** | 440x420x75mm | 0.75KW | 380V/50Hz | 400mm | 10mm | 0.1-0.5mm | 55x64x60cm | 75Kg |
| **DZ400S** | 440x420x75mm | 0.75KW | 220V/50Hz | 400mm | 10mm | 0.1-0.5mm | 105x54x60cm | 90Kg |
| **DZ500S** | 520x520x75mm | 0.85KW | 380V/50Hz | 500mm | 10mm | 0.1-0.5mm | 110x65x70cm | 115Kg |
| **DZ600S** | 660x660x75mm | 1.5KW | 380V/50Hz | 600mm | 10mm | 0.1-0.5mm | 110x75x80cm | 150Kg |

Sealing Time Range:10-20sec / 10-20sec / 10-20sec / 10-20sec / 15-30sec / 15-30sec



Assembly square legs worktable

| Model | SPEC(mm) |
|---|---|
| **TBS-1060** | 1000x600x800 |
| **TBS-1260** | 1200x600x800 |
| **TBS-1560** | 1500x600x800 |
| **TBS-1860** | 1800x600x800 |
| **TBS-1070** | 1000x700x800 |
| **TBS-1270** | 1200x700x800 |
| **TBS-1570** | 1500x700x800 |
| **TBS-1870** | 1800x700x800 |
| **TBS-1580** | 1500x800x800 |
| **TBS-1880** | 1800x800x800 |



Assembly three layers worktable

| Model | SPEC(mm) |
|---|---|
| **TB3-1060** | 1000x600x800 |
| **TB3-1260** | 1200x600x800 |
| **TB3-1560** | 1500x600x800 |
| **TB3-1860** | 1800x600x800 |
| **TB3-1070** | 1000x700x800 |
| **TB3-1270** | 1200x700x800 |
| **TB3-1570** | 1500x700x800 |
| **TB3-1870** | 1800x700x800 |
| **TB3-1580** | 1500x800x800 |
| **TB3-1880** | 1800x800x800 |



Over table shelf

| Model | SPEC(mm) |
|---|---|
| **OS-1230** | 1200x300x600/750 |
| **OS-1530** | 1500x300x600/750 |
| **OS-1830** | 1800x300x600/750 |



Stainless Steel Two-layers Dining Cart (Square Tube)

| Model | SPEC(mm) |
|---|---|
| **X1004** | 950x500x950 |
| **X1005** | 850x450x900 |
| **X1006** | 750x400x835 |



Stainless Steel Three-layers Dining Cart (Square Tube)

| Model | SPEC(mm) |
|---|---|
| **X1001** | 950x500x950 |
| **X1002** | 850x450x900 |
| **X1003** | 750x400x835 |



Stainless Steel Four-layers Dining Cart (Square Tube)

| Model | SPEC(mm) |
|---|---|
| **X1007** | 950x500x1220 |



Stainless Steel Two-layers Dining Cart (round tube)

| Model | SPEC(mm) |
|---|---|
| **X1104** | 860x540x940 |
| **X1105** | 810x460x850 |



Stainless Steel Three-layers Dining Cart (round tube)

| Model | SPEC(mm) |
|---|---|
| **X1101** | 860x540x940 |
| **X1102** | 810x460x850 |



Stainless Steel Four-layers Dining Cart (round tube)

| Model | SPEC(mm) |
|---|---|
| **X1116** | 860x540x1170 |



Wash sink cabinet

| Model | SPEC(mm) |
|---|---|
| **WSG-1260** | 1200x600x800 |
| **WSG-1270** | 1200x700x800 |
| **WSG-1470** | 1400x700x800 |
| **WSG-1570** | 1500x700x800 |



Assembly working table cabinet (with sliding door)

| Model | SPEC(mm) |
|---|---|
| **WSG-1260** | 1200x600x800 |
| **WSG-1270** | 1200x700x800 |
| **WSG-1470** | 1400x700x800 |
| **WSG-1570** | 1500x700x800 |



Wash sink cabinet

| Model | SPEC(mm) |
|---|---|
| **WC-1040** | 1000x400x600 |
| **WC-1240** | 1200x400x600 |
| **WC-1540** | 1500x400x600 |



Assembly food cabinet (with four sliding door)

| Model | SPEC(mm) |
|---|---|
| **SFC-1050** | 1000x500x1800 |
| **SFC-1250** | 1200x500x1800 |
| **SFC-1550** | 1500x500x1800 |



Assembly shelves

| Model | SPEC(mm) |
|---|---|
| **SL-1050** | 1000x500x1550 |
| **SL-1250** | 1200x500x1550 |
| **SL-1550** | 1500x500x1550 |
| **SL-1850** | 1800x500x1550 |



Assembly perforated shelves

| Model | SPEC(mm) |
|---|---|
| **SLP-1050** | 1000x500x1550 |
| **SLP-1250** | 1200x500x1550 |
| **SLP-1550** | 1500x500x1550 |
| **SLP-1850** | 1800x500x1550 |



Assembly Round legs worktable

| Model | SPEC(mm) |
|---|---|
| **TB-1060** | 1000x600x800 |
| **TB-1260** | 1200x600x800 |
| **TB-1560** | 1500x600x800 |
| **TB-1860** | 1800x600x800 |
| **TB-1070** | 1000x700x800 |
| **TB-1270** | 1200x700x800 |
| **TB-1570** | 1500x700x800 |
| **TB-1870** | 1800x700x800 |
| **TB-1580** | 1500x800x800 |
| **TB-1880** | 1800x800x800 |



Assembly back-splash worktable

| Model | SPEC(mm) |
|---|---|
| **TBB-1060** | 1000x600x800+90 |
| **TBB-1260** | 1200x600x800+90 |
| **TBB-1560** | 1500x600x800+90 |
| **TBB-1860** | 1800x600x800+90 |
| **TBB-1070** | 1000x700x800+90 |
| **TBB-1270** | 1200x700x800+90 |
| **TBB-1570** | 1500x700x800+90 |
| **TBB-1870** | 1800x700x800+90 |
| **TBB-1580** | 1500x800x800+90 |
| **TBB-1880** | 1800x800x800+90 |



Assembly double layers perforated worktable

| Model | SPEC(mm) |
|---|---|
| **TBP-1060** | 1000x600x800 |
| **TBP-1260** | 1200x600x800 |
| **TBP-1560** | 1500x600x800 |
| **TBP-1860** | 1800x600x800 |
| **TBP-1070** | 1000x700x800 |
| **TBP-1270** | 1200x700x800 |
| **TBP-1570** | 1500x700x800 |
| **TBP-1870** | 1800x700x800 |
| **TBP-1580** | 1500x800x800 |
| **TBP-1880** | 1800x800x800 |



Round Tube Stainless Steel Collecting Cart (Round Tube)

| Model | SPEC(mm) |
|---|---|
| X1212 | 805x430x890 |
| X1214 | 870x480x910 |



Square Tube Stainless Steel Collecting Cart

| Model | SPEC(mm) |
|---|---|
| X1213 | 820x435x920 |



Square Tube Stainless Steel Collecting Cart

| Model | SPEC(mm) |
|---|---|
| X1220 | 870x480x910 |



Gray Color Plastic Board Three-layers Trolley (Round Pipe)

| Model | SPEC(mm) |
|---|---|
| X1509 | 1040x500x970 |
| X1510 | 800x420x950 |



Black Color Plastic Board Three-layers Trolley(Triangle Pipe)

| Model | SPEC(mm) |
|---|---|
| X1511 | 960x500x960 |
| X1512 | 780x430x950 |



Dissamble Plastic Collecting Cart

| Model | SPEC(mm) |
|---|---|
| X1515 | 1040x460x910 |



Plastic Service Cart Residue Bin

| Model | SPEC(mm) |
|---|---|
| X1513 | 330x230x560 |



Plastic Service Cart Cutlery Dontainer

| Model | SPEC(mm) |
|---|---|
| X1514 | 330x230x175 |



Plastic Board Hand Trolley(Folding Style)

| Model | SPEC(mm) |
|---|---|
| X1516 | 900x590x880 |
| X1517 | 730x490x820 |



Stainless Steel Five-layers Dining Cart
(round tube)

| Model | SPEC(mm) |
|---|---|
| X1118 | 860x540x1230 |



Stainless Steel Dining Cart
(Round Tube)

| Model | SPEC(mm) |
|---|---|
| X1122 | 1120x620x1000 |
| X1123 | 1120x620x1000 |



Stainless Steel Dining Cart
(Square Tube)

| Model | SPEC(mm) |
|---|---|
| X1126 | 1160x610x1020 |
| X1127 | 1160x610x1020 |



Stainless Steel Bowl-Collected Cart

| Model | SPEC(mm) |
|---|---|
| X1201 | 950x500x950 |
| X1202 | 850x450x900 |
| X1203 | 750x400x835 |



Stainless Steel Square Drinking Cart

| Model | SPEC(mm) |
|---|---|
| X1204 | 950x500x950 |
| X1205 | 850x450x900 |
| X1206 | 750x400x835 |



Stainless Steel Square Drinking Cart

| Model | SPEC(mm) |
|---|---|
| X1215 | 500x500x950 |
| X1216 | 500x450x900 |
| X1217 | 450x400x835 |



Stainless Steel Saucing Cart

| Model | SPEC(mm) |
|---|---|
| X1209 | 850x450x900 |



Stainless Steel Kettle Cart

| Model | SPEC(mm) |
|---|---|
| X1211 | 850x450x900 |



Stainless Steel Hotpot Trolley(square tube)

| Model | SPEC(mm) |
|---|---|
| X1111 | 630x320x790 |
| X1112 | 550x320x790 |
| X1113 | 470x320x790 |
| X1111-1 | 630x320x790 |
| X1112-1 | 550x320x790 |
| X1113-1 | 470x320x790 |



X1301 / X1302　　X1304 / X1305 / X1306

## Stainless Steel Single-line Gn Pan Trolley

| Model | SPEC(mm) | Note |
|---|---|---|
| **X1301** | 380x550x1000 | 1/1 GN (6 pan) |
| **X1302** | 590x670x1000 | 2/1 GN (6 pan) |
| **X1304** | 380x550x1735 | 1/1 GN (15 pan) |
| **X1305** | 380x550x1735 | 1/1 GN (16 pan) |
| **X1306** | 590x670x1735 | 2/1 GN (15 pan) |



X1303　　X1307 / X1307-1

## Stainless Steel Double-line Gn Pan Trolley

| Model | SPEC(mm) | Note |
|---|---|---|
| **X1303** | 740x550x1000 | 1/1 GN (6 pan) |
| **X1307** | 550x740x1735 | 1/1 GN (15x2 pan) |
| **X1307-1** | 550x740x1735 | 1/1 GN (16x2 pan) |



X1308 / X1309 / X1310 / X1311　　X1312-1 / X1312 / X1313

## Stainless Steel Single-Line Cake Pan Trolley

| Model | SPEC(mm) | Note |
|---|---|---|
| **X1308** | 470x620x1000 | AL.plate 60x40(6 pan) |
| **X1309** | 470x620x1735 | AL.plate 60x40(15 pan) |
| **X1310** | 470x620x1735 | AL.plate 60x40(16 pan) |
| **X1311** | 515x665x1735 | American pan (46.3x66) |

## Stainless Steel Double-Container Cake Pan Trolley

| Model | SPEC(mm) | Note |
|---|---|---|
| **X1312-1** | 670x820x1000 | 12 pans |
| **X1312** | 670x820x1735 | 30 pans |
| **X1313** | 670x820x1735 | 32 pans |



X1318　　X1320

## Stainless Steel Single-Line Cake Pan Trolley With Top Board

| Model | SPEC(mm) | Note |
|---|---|---|
| **X1318** | 470x620x1000 | AL.plate 60x40(6 pan) |

## Stainless Steel Double-Line Cake Pan Trolley

| Model | SPEC(mm) | Note |
|---|---|---|
| **X1320** | 460x785x1735 | Pan Size:45x35x28cm(12x2pan) |



Stainless Steel Platform handcart(Model A)

| Model | SPEC(mm) |
|---|---|
| X1402 | 820x530x860 |
| X1404 | 740x480x860 |
| X1406 | 650x430x860 |



Stainless Steel Platform handcart(Model B)

| Model | SPEC(mm) |
|---|---|
| X1407 | 740x480x870 |
| X1408 | 900x580x900 |



Stainless Steel Platform handcart(Model C)

| Model | SPEC(mm) |
|---|---|
| X1409 | 900x550x870 |
| X1410 | 900x550x870 |
| X1411 | 1000x600x870 |
| X1412 | 1000x600x870 |









Wire Shelf (Chroming)

| Model | SPEC(mm) | Model | SPEC(mm) |
|---|---|---|---|
| X5901 | 609 x 355 x1800 | X5917 | 609 x 533 x 1800 |
| X5902 | 757x 355 x1800 | X5918 | 757 x 533 x 1800 |
| X5903 | 907 x 355 x 1800 | X5919 | 907 x 533 x 1800 |
| X5904 | 1060 x 355 x 1800 | X5920 | 1060 x 533 x 1800 |
| X5905 | 1215 x 355 x 1800 | X5921 | 1215 x 533 x 1800 |
| X5906 | 1370 x355 x 1800 | X5922 | 1370 x 533 x 1800 |
| X5907 | 1518 x 355 x 1800 | X5923 | 1518 x 533 x 1800 |
| X5908 | 1822 x 355 x 1800 | X5924 | 1822 x 533 x 1800 |
| X5909 | 609 x 457 x 1800 | X5925 | 609 x 609 x 1800 |
| X5910 | 757 x 457 x 1800 | X5926 | 760 x 609 x 1800 |
| X5911 | 907 x 457 x 1800 | X5927 | 907 x 609 x 1800 |
| X5912 | 1060 x 457 x 1800 | X5928 | 1060 x 609 x 1800 |
| X5913 | 1215 x 457 x1800 | X5929 | 1215 x 609 x 1800 |
| X5914 | 1370 x 457 x 1800 | X5930 | 1370 x 609x 1800 |
| X5915 | 1518 x 457x 1800 | X5931 | 1518 x 609x 1800 |
| X5916 | 1822 x 457 x 1800 | X5932 | 1822 x 609x 1800 |









| Model | Dimensions | Unit/Carton | N.W/Carton | G.W/Carton | Packing Size(cm) |
|---|---|---|---|---|---|
| VIC-PGNQ1/1-65 | 530x325x65 | 24 | 0.75Kg | 19.00Kg | 67x53.5x41 |
| VIC-PGNQ1/1-100 | 530x325x100 | 24 | 0.90Kg | 22.60Kg | 66x53.5x55 |
| VIC-PGNQ1/1-150 | 530x325x150 | 24 | 0.97Kg | 24.30Kg | 66x53.5x62 |
| VIC-PGNQ1/1-200 | 530x325x200 | 24 | 1.25Kg | 31.00Kg | 66x53.5x67 |
| VIC-PGNW1/2-65 | 325x265x65 | 40 | 0.23Kg | 16.40Kg | 54x33x57 |
| VIC-PGNW1/2-100 | 325x265x100 | 24 | 0.50Kg | 13.00Kg | 54x33x57 |
| VIC-PGNW1/2-150 | 325x265x150 | 24 | 0.60Kg | 15.40Kg | 54x33x64.5 |
| VIC-PGNW1/2-200 | 325x265x200 | 24 | 0.73Kg | 18.52Kg | 54x33x64.5 |
| VIC-PGNE1/3-65 | 325x175x65 | 36 | 0.28Kg | 7.72Kg | 54x33x37.5 |
| VIC-PGNE1/3-100 | 325x175x100 | 36 | 0.37Kg | 14.14Kg | 54x33x47.5 |
| VIC-PGNE1/3-150 | 325x175x150 | 24 | 0.49Kg | 18.46Kg | 54x33x44 |
| VIC-PGNE1/3-200 | 325x175x200 | 24 | 0.55Kg | 14.08Kg | 54x33x50 |
| VIC-PGNR1/4-65 | 265x160x65 | 48 | 0.25Kg | 13.00Kg | 54x33x37.5 |
| VIC-PGNR1/4-100 | 265x160x100 | 36 | 0.28Kg | 10.90Kg | 54x33x34.5 |
| VIC-PGNR1/4-150 | 265x160x150 | 32 | 0.36Kg | 12.52Kg | 54x33x44 |
| VIC-PGNT1/6-65 | 175x160x65 | 72 | 0.15Kg | 11.80Kg | 54x33x37.5 |
| VIC-PGNT1/6-100 | 175x160x100 | 48 | 0.19Kg | 10.26Kg | 54x33x34.5 |
| VIC-PGNT1/6-150 | 175x160x150 | 48 | 0.24Kg | 12.62Kg | 54x33x44 |
| VIC-PGNY1/9-65 | 175x110x65 | 72 | 0.11Kg | 8.92Kg | 54x33x26.5 |
| VIC-PGNY1/9-100 | 175x110x100 | 72 | 0.14Kg | 11.08Kg | 54x33x34.5 |

| Model | Dimensions | Unit/Carton | N.W/Carton | G.W/Carton | Packing Size(cm) |
|---|---|---|---|---|---|
| VIC-PGNQ1/1Lid | 530x325 | 24 | 0.57Kg | 15.68Kg | 54x33x44 |
| VIC-PGNW1/2Lid | 325x265 | 48 | 0.27Kg | 14.96Kg | 54x33x50 |
| VIC-PGNE1/3Lid | 325x175 | 72 | 0.18Kg | 14.96Kg | 54x33x26.5 |
| VIC-PGNR1/4Lid | 265x160 | 96 | 0.13Kg | 14.48Kg | 54x33x26.5 |
| VIC-PGNT1/6Lid | 175x160 | 108 | 0.09Kg | 11.72Kg | 54x33x26.5 |
| VIC-PGNY1/9Lid | 175x110 | 90 | 0.06Kg | 7.40Kg | 54x33x26.5 |
| VIC-PGNTA1/6Lid | 175x160 | 100 | 0.11Kg | 11.40Kg | 54x33x27 |






| Model | Size (W/H/W)(mm) | Dimensions(mm) | Thickness(mm) |
|---|---|---|---|
| H5401 | 530x325x20 | 1/1x20 | 0.7 |
| H5402 | 530x325x40 | 1/1x40 | 0.7 |
| H5403 | 530x325x65 | 1/1x65 | 0.7 |
| H5404 | 530x325x100 | 1/1x100 | 0.7 |
| H5405 | 530x325x150 | 1/1x150 | 0.7 |
| H5406 | 530x325x200 | 1/1x200 | 1.0 |
| H5407 | 325x265x20 | 1/2x20 | 0.7 |
| H5408 | 325x265x40 | 1/2x40 | 0.7 |
| H5409 | 325x265x65 | 1/2x65 | 0.7 |
| H5410 | 325x265x100 | 1/2x100 | 0.7 |
| H5411 | 325x265x150 | 1/2x150 | 0.7 |
| H5412 | 325x265x200 | 1/2x200 | 1.0 |
| H5413 | 325x176x20 | 1/3x20 | 0.7 |
| H5414 | 325x176x40 | 1/3x40 | 0.7 |

| Model | Size (W/H/W)(mm) | Dimensions(mm) | Thickness(mm) |
|---|---|---|---|
| H5415 | 325x176x65 | 1/3x65 | 0.7 |
| H5416 | 325x176x100 | 1/3x100 | 0.7 |
| H5417 | 325x176x150 | 1/3x150 | 0.7 |
| H5444 | 325x176x200 | 1/3x200 | 0.7 |
| H5445 | 265x162x20 | 1/4x20 | 0.7 |
| H5418 | 265x162x40 | 1/4x40 | 0.7 |
| H5419 | 265x162x65 | 1/4x65 | 0.7 |
| H5420 | 265x162x100 | 1/4x100 | 0.7 |
| H5421 | 265x162x150 | 1/4x150 | 0.7 |
| H5422 | 265x162x200 | 1/4x200 | 0.7 |
| H5423 | 176x162x65 | 1/6x65 | 0.7 |
| H5424 | 176x162x100 | 1/6x100 | 0.7 |
| H5425 | 176x162x150 | 1/6x150 | 0.7 |
| H5426 | 176x162x200 | 1/6x200 | 0.7 |



| Model | Size (W/H/W)(mm) | Dimensions(mm) | Thickness(mm) |
|---|---|---|---|
| H5427 | 176x108x65 | 1/9x65 | 0.7 |
| H5428 | 176x108x100 | 1/9x100 | 0.7 |
| H5429 | 176x108x150 | 1/9x150 | 0.7 |
| H5432 | 353x325x65 | 2/3x65 | 1.0 |
| H5433 | 353x325x100 | 2/3x100 | 1.0 |
| H5434 | 353x325x150 | 2/3x150 | 1.0 |
| H5435 | 353x325x200 | 2/3x200 | 1.0 |
| H5501 | 530x325x30 | 1/1Cover | 0.7 |
| H5502 | 325x265x30 | 1/1Cover | 0.7 |
| H5503 | 325x176x30 | 1/1Cover | 0.7 |
| H5504 | 265x162x30 | 1/1Cover | 0.7 |
| H5505 | 176x162x30 | 1/1Cover | 0.7 |
| H5506 | 176x108x30 | 1/1Cover | 1.0 |
| H5507 | 353x325x30 | 1/1Cover | 1.0 |